

Printing date 18.09.2024

Version: 2.00 (replaces version 1.01)

Revision: 07.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh
Article number: 01334090, 01335050 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Anti-Freeze and de-icing products Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this.
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> Product safety <i>E-mail:</i> erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP
SECTION 2: Hazarda identification

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. Additional information: Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB. Determination of endocrine-disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

(Contd. on page 2)

GB



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.01)

Revision: 07.06.2024

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

(Contd. of page 1)

3.2 Mixtures Description: Aqueous formulation	n of alcohol, glycol and tensides.	
Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	15-<209
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28-xxxx	ethanediol 🚯 STOT RE 2, H373; 🚸 Acute Tox. 4, H302	5-<10%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	5-<10%
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	•
anionic surfactants		<5%
perfumes		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: Water spray Fire-extinguishing powder Carbon dioxide Alcohol resistant foam For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

GB



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.01)

Revision: 07.06.2024

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wear protective clothing.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. **Information about storage in one common storage facility:**

Store away from foodstuffs.

Observe local/state/federal regulations. Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

-	nit values that require monitoring at the workplace:	
CAS: 64-17-5 ethar	10/	
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm	
OEL (Ireland)	Short-term value: 1000 ppm	
CAS: 107-21-1 etha	nediol	
WEL (Great Britain)	Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour	
IOELV (EU)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin	
OEL (Ireland)	Short-term value: 40 mg/m³, 104 ppm Long-term value: 52 mg/m³, 20 ppm Sk, IOELV	
CAS: 56-81-5 glyce	rol	
WEL (Great Britain)	Long-term value: 10 mg/m³	
OEL (Ireland)	Long-term value: 10 mg/m³	



Printing date 18.09.2024

Version: 2.00 (replaces version 1.01)

Revision: 07.06.2024

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

Regulatory information WEL (Great Britain): EH40/2020 OEL (reland): 2021 CoP for the Safety, Health and Welfare at Work IORL (EU): (EU): 2019/1831 DNEL ONEL DNEL Oral DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 1.900 mg/m³ (consumer) (long-term exposure - systemic effects) 1.901 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (consumer) (long term (chronic) / systemic) 107 mg/m³ (consumer) (long term (chronic) / local) PNECs CAS: 64-17-5 ethanol CAS: 64-17-5 ethanol PNEC S CAS: 64-17-5 ethanol PNEC S CAS: 64-17-5 ethanol CAS: 64-17-5 ethanol O.78 mg/l (water (fresh water)) 0.96 mg/l (water (fresh water)) 0.97 mg/kg (sediment (fresh water)) 0.78 mg/kg (sed	Rogula	tory infor	(Contd. of page
OEL (reland): 2021 CoP for the Safety, Health and Welfare at Work DRELV (EU): (EU): 2019/1831 DRELS CAS: 64-17-5 ethanol Oral DNEL DNE 000000000000000000000000000000000000			
IOEL: (EU) 2019/1831 DNELs CAS: 64-17-5 ethanol Orai DNEL 206 mg/kg (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 1,900 mg/m² (consumer) (acute short-tem exposure - local effects) 1,900 mg/m² (consumer) (long-term exposure - local effects) 1,900 mg/m² (worker) (long-term exposure - systemic effects) 950 mg/m² (consumer) (long term (chronic) / systemic) 10EEL 114 mg/m² (consumer) (long term (chronic) / systemic) 10Emmal DNEL DNEL 17 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 108 mg/m² (worker) (long term (chronic) / local) 35 mg/m² (worker) (long term (chronic) / local) 36 mg/kg (sediment (fresh water)) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (fresh water)) 0.79 mg/l (water (fresh water)) 10 mg/l (water (fresh water))	OEL (Ire	eland): 20	21 CoP for the Safety, Health and Welfare at Work
CAS: 64-17-5 ethanol Oral DNEL 187 mg/kg (consumer) (long-term exposure - systemic effects) Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 1nhalative DNEL DNEL 190 mg/m³ (worker) (acute short-term exposure - local effects) 1,900 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 107 mg/m² (consumer) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) 7 mg/m² (consumer) (long term (chronic) / local) 7 mg/m² (consumer) (long term (chronic) / local) 900 mg/l (water (fresh water)) 0,96 mg/l (water (fresh water)) 0,96 mg/l (water (fresh water)) 0,063 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 195 mg/l (water (iftersh water)) 10 mg/l (water (iftersh water)) 10 mg/l (water (iftersh water)) 10 mg/l (water (iftersh water)) 1	IOELV (EU): (EU)) 2019/1831
Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects) JBMEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) JA3 mg/kg bw/day (worker) (lon-term exposure - local effects) JPNEL 950 mg/m² (consumer) (acute short-tem exposure - local effects) J900 mg/m² (worker) (long-term exposure - systemic effects) J900 mg/m² (worker) (long-term exposure - systemic effects) J900 mg/m² (worker) (long-term exposure - systemic effects) DNEL 114 mg/m² (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg worker) (long term (chronic) / local) PNEC CAS: 64-17-5 ethanot PNEC CAS: 64-17-5 ethanot PNEC 36 mg/kg (sediment (fresh water)) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (fresh water)) 0.79 mg/l (water (fresh water)) 10 mg/l (sediment (fresh water))	DNELs		
Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) Inhalative DNEL 950 mg/m² (consumer) (long-term exposure - local effects) Inhalative DNEL 14 mg/m² (consumer) (long-term exposure - local effects) 950 mg/m² (worker) (acute short-tem exposure - local effects) 950 mg/m² (worker) (long-term exposure - systemic effects) 26X5: 107-21-11 ethanediol 114 mg/m² (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 107 mg/m² (worker) (long term (chronic) / local) 7 mg/m² (worker) (long term (chronic) / local) PNECS CAS: 66-17-5 ethanol PNEC 560 mg/t (water (resh water)) 0.79 mg/t (water (resh water)) 0.79 mg/t (water (resh water)) 0.79 mg/t (water (resh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/t (water (intermittent release)) 10 mg/t (water (resh water)) 1.53 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/t (water (resh water)) 10 mg/t (water (resh water)) 1.53 mg/kg (soil) CAS: 107-21-1 ethanediol	CAS: 64	4-17-5 eth	nanol
Inhalative 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) Inhalative DNEL 950 mg/m² (consumer) (acute short-tem exposure - local effects) 1,900 mg/m² (worker) (long-term exposure - systemic effects) 950 mg/m² (worker) (long-term exposure - systemic effects) DNEL 114 mg/m² (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) Dermal DNEL 53 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 107 mg/m² (consumer) (long term (chronic) / local) 35 mg/m² (worker) (long term (chronic) / local) 35 mg/m² (water (riesh water)) 0.96 mg/l (water (fresh water)) 0.97 mg/l (water (fresh water)) 0.63 mg/kg (soli) CAS: 107-21-1 ethanediol PNEC [109.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (intermittent release)) 10 mg/k (sediment (fresh water)) 10 mg/kg (sediment (fresh water))	Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)
Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects) DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects) CAS: 107-21-1 ethanediol Darmal DNEL 53 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) 107 mg/kg bw/day (worker) (long term (chronic) / systemic) 108 mg/kg bw/day (worker) (long term (chronic) / systemic) 108 mg/kg bw/day (worker) (long term (chronic) / local) PNEC CAS: 64-17-5 ethanol PNEC 560 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.96 mg/l (water (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 3.6 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventiliation. This can be achieved by localised extraction or general ventiliation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures: are to be adhered to when handling chemicals. Keep away from foods.tuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respiratory protection Respir	Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
Image: second			343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)
DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects) CAS: 107-21-1 ethanediol Dermal DNEL DNEL 53 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) Inhalative 7 mg/m³ (consumer) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) 7 7 mg/m³ (consumer) PNECS CAS: 64-17-5 ethanol PNEC 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 0.86 mg/g (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 100 mg/l (water (intermittent release)) 10 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) 10 mg/l (water (sea water)) 11 mg/l (water (sea water)) 12 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment be one chieved by localised extraction or general ventilation. If this is not sufficient to keep the	Inhalativ	/e DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)
950 mg/m² (worker) (long-term exposure - systemic effects) CAS: 107-21-1 ethanediol Dermal DNEL 10 mg/m² (worker) (long term (chronic) / systemic) 10 maliative DNEL 10 mg/m² (worker) (long term (chronic) / local) 35 mg/m² (worker) (long term (chronic) / local) 35 mg/m² (worker) (long term (chronic) / local) 7NEC S60 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 9NEC 3.6 mg/kg (soli) CAS: 64-17-5 ethanediol PNEC 0.37 mg/kg (soli) CAS: 107-21-1 ethanediol PNEC 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 11 mg/l (water (sea water)) 12 mg/kg (sediment (fresh water)) 137 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea be chieved by localised extraction			1,900 mg/m³ (worker) (acute short-tem exposure - local effects)
CAS: 107-21-1 ethanediol Dermal DNEL 53 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) Inhalative DNEL 7 mg/m³ (consumer) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) PNECs 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 0.79 mg/l (water (sea water)) PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.63 mg/kg (soli) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (water (intermittent release)) 10 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) 1 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (sediment (fresh water)) 3.7 mg/kg (sediment (fresh water)) 1 mg/l (water (sea water)) (dry weight) 3.7 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) S3 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable tec		DNEL	114 mg/m ³ (consumer) (long-term exposure - systemic effects)
Dermal DNEL 53 mg/kg bw/day (consumer) (long term (chronic) / systemic) 106 mg/kg bw/day (worker) (long term (chronic) / systemic) Inhalative DNEL 7 mg/m³ (consumer) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) PNECS CAS: 64-17-5 ethanol PNEC 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (fresh water)) 0.79 mg/l (water (fresh water)) 0.63 mg/kg (soil) CAS: 64-17-5 ethanol CAS: 64-17-5 ethanol 90.5 mg/l (sewage plant) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol 90.5 mg/l (water (fresh water)) 10 mg/l (water (fresh water)) 10 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 10 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 11 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 27 mg/kg (sediment (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 28 mg/kg (sediment (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 29 mg/kg (sediment (fresh water)) 1 mg/l weight<			950 mg/m³ (worker) (long-term exposure - systemic effects)
Inhalative I06 mg/kg bw/day (worker) (long term (chronic) / systemic) 7 mg/m³ (consumer) (long term (chronic) / local) PNECs CAS: 64-17-5 ethanol PNE [580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 0.79 mg/l (water (sea water)) 0.73 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.72-21-1 ethanediol PNEC 100 mg/l (water (fresh water)) 10 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 3.7 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual	CAS: 10	07-21-1 e	
Inhalative I06 mg/kg bw/day (worker) (long term (chronic) / systemic) 7 mg/m³ (consumer) (long term (chronic) / local) PNECs CAS: 64-17-5 ethanol PNE [580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 0.79 mg/l (water (sea water)) 0.73 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.63 mg/kg (sediment (fresh water)) 0.72-21-1 ethanediol PNEC 100 mg/l (water (fresh water)) 10 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 3.7 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual	Dermal	DNEL	53 mg/kg bw/day (consumer) (long term (chronic) / systemic)
Inhalative DNEL 7 mg/m³ (consumer) (long term (chronic) / local) PNECs CAS: 64-17-5 ethanol PNEC 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.73 mg/l (water (sea water)) PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (soli) CAS: 107-21-1 ethanediol PNEC 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 10 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational			
35 mg/m³ (worker) (tong term (chronic) / local) PNECs CAS: 64-17-5 ethanol PNEC 580 mg/l (sewage plant) 0.96 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 0.79 mg/l (water (sea water)) PNEC 3.6 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 10 mg/l (water (fresh water)) 1 0 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual proceationary measures are to be adhered to when handling chemicals.	Inhalativ	e DNEL	
PNECs CAS: 64-17-5 ethanol PNEC 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC PNEC 199.5 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) 11 mg/l (water (sea water)) 12 ng/kg (sediment (fresh water)) 13 ng/kg (sediment (fresh water)) 14 ng/l (water (sea water)) 17 ng/kg (sediment (fresh water)) 18 ng/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment obe water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equ			
CAS: 64-17-5 ethanol PNEC 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 13 mg/kg (gro) 3.7 mg/kg (sediment (fresh water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.	PNECs		
PNEC 580 mg/l (sewage plant) 0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) 9.86 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (water (intermittent release)) 10 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) 110 mg/l (water (sea water)) 110 mg/l (water (sea water)) 11111 11111 <tr< td=""><td></td><td>1-17-5 eth</td><td>nanol</td></tr<>		1-17-5 eth	nanol
0.96 mg/l (water (fresh water)) 0.79 mg/l (water (sea water)) PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (sea water)) 1 mg/l (water (sea water)) 1 mg/l (water (sea water)) 1 mg/kg (sediment (fresh water)) 1 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment of the lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection:			
0.79 mg/l (water (sea water)) 9NEC 0.63 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment sea water)) (dry weight) 3.7 mg/kg (sediment measures) (dry weight) 3.7 mg/kg (sediment fresh water)) (dry weight) 3.7 mg/kg (sediment sea water)) (dry weight) 3.7 mg/kg (sediment fresh water)) (dry weight) 3.7 mg/kg (sediment fresh water)) (dry weight) Buitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handli			
PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 10 mg/l (water (sea water)) 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in		-	
0.63 mg/kg (soil) CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 1 mg/l (water (sea water)) 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.		-	
CAS: 107-21-1 ethanediol PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 11 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
PNEC 199.5 mg/l (STP) 10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 11 mg/l (water (sea water)) 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.		-	
10 mg/l (water (intermittent release)) 10 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (fresh water)) 1 mg/l (water (sea water)) 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
10 mg/l (water (fresh water)) 1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worm. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.		-	
1 mg/l (water (sea water)) PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
PNEC 1.53 mg/kg (gro) 37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
37 mg/kg (sediment (fresh water)) (dry weight) 3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
3.7 mg/kg (sediment (sea water)) (dry weight) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.		-	
Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases. 		5.7 тту/ку	(seament (sea water)) (dry weight)
Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	Additio	nal inforr	nation: The lists valid during the making were used as basis.
Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	8.2 Exp	osure co	ntrols
sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	Suitable	e technic	al control devices
be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			the concentration below the occupational exposure limit, suitable breathing protection is to
<i>General protective and hygienic measures:</i> The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. <i>Respiratory protection:</i> Not required in normal cases Ensure good ventilation/exhaustion at the workplace. <i>Hand protection</i> Not required in normal cases.			ction measures, such as personal protective equipment
Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	General	l protecti	ve and hygienic measures:
Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.			
	Ensure g	good ven	tilation/exhaustion at the workplace.

(Contd. on page 5)



Printing date 18.09.2024

Version: 2.00 (replaces version 1.01)

Revision: 07.06.2024

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

(Contd. of page 4)

9.1 Information on basic physical and chemical pro	operties
General Information	
Physical state	Fluid
Colour:	türkis
Odour:	Fruit-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	78-200 °C
Flammability	Combustible liquid.
Lower and upper explosion limit	
Lower:	3.5 Vol % (CAS: 64-17-5 ethanol)
Upper:	15 Vol % (CAS: 64-17-5 ethanol)
Flash point:	36 °C (DIN 51755)
Decomposition temperature:	Not determined.
pH at 20 °C	6-7
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.99-1 g/cm³
Vapour density	Not determined.
9.2 Other information	Sustained combustibility test ISO 9038/UN manual
	tests and criteria (32.5.2):
	no self-sustained combustion
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Not determined.
Change in condition	
Evaporation rate	Not determined.
-	
Information with regard to physical hazard classes Explosives	Void
Flammable gases	
•	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Ovidiaina aalida	Void
Oxidising solids	
Organic peroxides Corrosive to metals	Void Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

- GB



Revision: 07.06.2024

Printing date 18.09.2024

Version: 2.00 (replaces version 1.01)

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

(Contd. of page 5)

- GB

10.2 Chemical stability Stable under normal conditions.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 v	alues relev	vant for classification:		
CAS: 64-1	7-5 ethano	1		
Oral	LD50	10,470 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rabbit)		
Inhalative	LC50 / 4h	>20 mg/l (mouse)		
		38 mg/l (rat)		
CAS: 107-	21-1 ethan	ediol		
Oral	LD50	7,712 mg/kg (rat)		
	LD50	>3,500 mg/kg (mouse)		
Inhalative	LC50 / 6 h	>2.5 mg/l (rat)		
Skin corro	osion/irritat	tion Based on available data, the classification criteria are not met.		
Serious e	ye damage	<i>irritation</i> Based on available data, the classification criteria are not met.		
Respirato	ry or skin s	sensitisation Based on available data, the classification criteria are not met.		
Germ cell	mutagenic	ity Based on available data, the classification criteria are not met.		
Carcinoge	enicity Base	ed on available data, the classification criteria are not met.		
Reproductive toxicity Based on available data, the classification criteria are not met.				
STOT-sing	gle exposu	re Based on available data, the classification criteria are not met.		
STOT-rep	eated expo	sure Based on available data, the classification criteria are not met.		
Aspiration	n hazard Ba	ased on available data, the classification criteria are not met.		
Additiona	l toxicolog	ical information:		
•	dose toxic	•		
	7-5 ethano			
		ng/kg (rat) (OECD 408, 90d, target organ: liver)		
		other hazards		
		g properties Int state of scientific knowledge, there is no data for the product regarding endocrine		
disrupting properties with health effects.				
alorapting		None of the ingredients is listed.		

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic tox	Aquatic toxicity:		
CAS: 64-17-	5 ethanol		
LC50 / 48h	8,140 mg/l (Leuciscus idus)		
EC50 / 48h	>10,000 mg/l (Daphnia magna)		
EC50 / 72h	275 mg/l (Chlorella vulgaris)		
	(Contd. on page 7		



Revision: 07.06.2024

Printing date 18.09.2024

Version: 2.00 (replaces version 1.01)

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

(Contd. of page 6) CAS: 107-21-1 ethanediol LC50 / 96h 72,860 mg/l (Pimephales promelas) EC20 / 0.5 h >1,995 mg/l (activated sludge) EC50 / 48h >100 mg/l (Daphnia magna) EC50 / 96 h 6,500-13,000 mg/l (Pseudokirchneriella subcapitata) NOEC / 7 d 8,590 mg/l (Ceriodaphnia Dubia) (EPA 600/4-89/001) 15,380 mg/l (Pimephales promelas) (EPA 600/4-89/001) 12.2 Persistence and degradability The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents. 12.3 Bioaccumulative potential CAS: 107-21-1 ethanediol log POW <1.36 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB 12.6 Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment. 12.7 Other adverse effects Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	



Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.01)

Revision: 07.06.2024

Trade name: SONAX Antifreeze+Clear View to -18°C Ice-fresh

	(Contd. of page 7)
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
•	Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 24.81 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. Date of previous version: 24.10.2023 Version number of previous version: 1.01 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 * Data compared to the previous version altered.