

Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX PREMIUM CLASS Carnauba Care

Article number: 02112000, 02118000 **UFI:** 71D0-10DX-G00H-F659

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Wax emulsion

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against None

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Flam. Sol. 1 H228 Flammable solid.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS02

Signal word Danger

Hazard statements

H228 Flammable solid.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PRT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

(Contd. on page 2)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 1)

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Wax with silicones and solvent

Dangerous components:		
Reg.nr.: 01-2119472146-39-xxxx	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics Alternative CAS numbers: 90622-57-4, 64742-48-9 Flam. Liq. 3, H226; Sasp. Tox. 1, H304; Aquatic Chronic 4, H413	20-<25%
	decamethyltetrasiloxane Flam. Liq. 3, H226	15-<20%
EC No 934-956-3 Reg.nr.: 01-2119827000-58-xxxx	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7 \$\infty\$ Asp. Tox. 1, H304	10-<15%
EC No 934-954-2 Reg.nr.: 01-2119826592-36-xxxx	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7 \$\infty\$ Asp. Tox. 1, H304	10-<15%
EINECS: 265-149-8 Reg.nr.: 01-2119453414-43-xxxx	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Alternative CAS number: 64742-47-8 \$\infty\$ Asp. Tox. 1, H304, EUH066	10-<15%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact:

Wash the areas of skin affected with water and a mild detergent. After contact with the molten product, cool rapidly with cold water.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Water haze

(Contd. on page 3)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 2)

Dry sand

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Silicon oxides

5.3 Advice for firefighters

Protective equipment:

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from ignition sources.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Buildup of explosive mixtures possible without sufficient ventilation.

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Fumes can combine with air to form an explosive mixture.

Highly volatile, flammable constituents are released during processing.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from frost.

(Contd. on page 4)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 3)

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values t	hat require monitoring at the workplace:
	ranes, isoalkanes, cyclics, < 0.03% aromatics
GERMAN RCP-METHOD (EU)	Long-term value: 300 mg/m³
	2 (II) / AGW (German TRGS 900)
•	ranes, isoalkanes, cyclics, < 2% aromatics
GERMAN RCP-METHOD (EU)	Long-term value: 300 mg/m³
	2 (II) / AGW (German TRGS 900)

	2.1.2.5		
CAS: 141-	CAS: 141-62-8 decamethyltetrasiloxane		
Oral	DNEL	0.04 mg/kg bw/day (consumer) (acute systematic effects)	
	DNEL	0.04 mg/kg bw/day (consumer) (chronic systemic effect)	
Dermal	DNEL	15 mg/bw/day (worker) (chronic systemic effect)	
	DNEL	7.3 mg/kg bw/day (consumer) (chronic systemic effect)	
		15 mg/kg bw/day (worker) (acute systematic effects)	
Inhalative	DNEL	25 mg/m³ (consumer) (acute systematic effects)	
		102 mg/m³ (worker) (chronic systemic effect)	
	DNEL	102 mg/m³ (worker) (acute systematic effects)	
	DNEL	25 mg/m³ (consumer) (chronic systemic effect)	

PNECs

CAS: 141-62-8 decamethyltetrasiloxane

PNEC >1 mg/l (STP)
PNEC 3.34 mg/kg (gro)

1.8 mg/kg (sediment (fresh water))
0.17 mg/kg (sediment (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

If the occupational exposure limit is exceeded:

The following breathing protection is recommended:

Respiratory filter for organic gases and vapours (Type A)

Identification colour: Brown

[DIN EN 14387]

Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

GB



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateSolidColour:WhiteOdour:WaxenMelting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range >35 - 280 °C Flammability Flammable solid.

Lower and upper explosion limit

Lower: 0.5 Vol % (Hydrocarbons, C11-C12, isoalkanes, < 2%

aromatics)

Upper: 6 Vol % (Hydrocarbons, C11-C12, isoalkanes, < 2%

aromatics)

Flash point:Not applicable.Decomposition temperature:Not determined.pHNot applicable.

Viscosity:

Kinematic viscosity

Dynamic:

Solubility

Not applicable.

Not applicable.

water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 1 hPa (Hydrocarbons, C11-C12, isoalkanes, < 2%

aromatics)

Density and/or relative density

Density at 20 °C:0.83-0.84 g/cm³Vapour densityNot applicable.Particle characteristicsSee section 3.

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Not determined.

Change in condition

Evaporation rate Not applicable.

Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void

Flammable solids Flammable solid.

Combustion time 40 s per 10 cm. A wetted zone could

stop the fire for 2 sec.

Self-reactive substances and mixtures

Pyrophoric liquids

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable

Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void

(Contd. on page 6)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 5)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products:

Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C through oxidation.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5,000 mg/m³ (rat) (OECD 403)
CAS: 141	-62-8 decar	nethyltetrasiloxane
Oral	LD50	>2,000 mg/kg (rat) (similar substances)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50 / 6 h	>5,080 mg/l (rat)
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.266 mg/m³ (rat) (OECD 403)
Hydrocar	bons, C13-	C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.266 mg/m³ (rat) (OECD 403)
Hydrocar	bons, C12-	C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	I C50 / 4h	>5.6 mg/m³ (rat) (OECD 403)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 6)

11.2 Information on other hazards Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

-	y There are no ecotoxicological data available on this mixture.				
Aquatic toxi					
	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics				
LLO 96 h	1,000 mg/l (Oncorhynchus mykiss)				
	>1,000 mg/l (Pseudokirchneriella subcapitata)				
	≥1 mg/l (Daphnia magna)				
NOEC / 28d	0.209 mg/l (Oncorhynchus mykiss)				
ELO 48 h	>1,000 mg/l (Daphnia magna)				
ELO 72 h	>1,000 mg/l (Pseudokirchneriella subcapitata)				
	2-8 decamethyltetrasiloxane				
LC50 / 96h	>0.0063 mg/l (Oncorhynchus mykiss) (dynamic)				
LC 50	>0.0056 mg/l (Oncorhynchus mykiss) (14d)				
EC50	>100 mg/l (activated sludge) (3h)				
EC50 / 48h	>0.0055 mg/l (Daphnia magna)				
EC50 / 72h	>0.0022 mg/l (Pseudokirchneriella subcapitata) (static)				
NOEC / 21 d	0.0049 mg/l (Daphnia magna)				
NOEC	≥0.0056 mg/l (Oncorhynchus mykiss) (14d)				
	≥0.0079 mg/l (Oncorhynchus mykiss)				
1 -	ns, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics				
LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)				
LC50 / 48h	>3,193 mg/l (Acartia tonsa)				
I	>1,000 mg/l (Daphnia magna)				
NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)				
LC50 / 3 d	>10,000 mg/l (Skeletonema costatum)				
Hydrocarbo	ns, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics				
LC50 / 2 d	>3,193 mg/l (Acartia tonsa)				
LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)				
NOEC / 21 d	>1,000 mg/l (Daphnia magna)				
NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)				
EC50 / 3 d	>10,000 mg/l (Skeletonema costatum)				
Hydrocarbo	ns, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics				
LC50 / 2 d	>1,000 mg/l (Daphnia magna) (OECD 202)				
LC50 / 4 d	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)				
	>1,000 mg/l (Daphnia magna)				
	>1,000 mg/l (Oncorhynchus mykiss)				
EC50 / 3 d	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)				
12.2 Persiste	ence and degradability				
_	ns, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics				
Biodegradation					
	ns, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics				
Biodegradation					
1 -	ns, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics				
Biodegradation	on 67.6 %				



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 7)

12.3 Bioaccumulative potential

CAS: 141-62-8 decamethyltetrasiloxane

BCF 3,397 (estimated)

log POW 8.21

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: The product may not be released into the environment without control.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

	12 01 12*	spent waxes and fats
ſ	15 01 10*	packaging containing residues of or contaminated by hazardous substances
	HP3	Flammable

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

UN3175

14.2 UN proper shipping name

ADR/RID/ADN

3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (isoundecane,

isododecane)

IMDG, IATA SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (isoundecane,

isododecane)

14.3 Transport hazard class(es)

ADR/RID/ADN



Class 4.1 (F1) Flammable solids, self-reactive substances, polymerizing

substances and solid desensitized explosives

(Contd. on page 9)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 8)

Label 4.1

IMDG, IATA



Class 4.1 Flammable solids, self-reactive substances, polymerizing substances

and solid desensitized explosives

Label 4.1

14.4 Packing group

ADR/RID/ADN, IMDG, IATA //

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Warning: Flammable solids, self-reactive substances, polymerizing

substances and solid desensitized explosives

Transport/Additional information:

ADR/RID/ADN

Limited quantities (LQ) 1 kg
Transport category 2
Tunnel restriction code E

UN "Model Regulation": UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

(ISOUNDECANE, ISODODECANE), 4.1, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 38,0 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

Flammable solids | On basis of test data

(Contd. on page 10)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 23.12.2021

Trade name: SONAX PREMIUM CLASS Carnauba Care

(Contd. of page 9)

Date of previous version: 22.04.2021 Version number of previous version: 5.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 3: Flammable liquids – Category 3 Flam. Sol. 1: Flammable solids – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.