

Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX PROFILINE CUT & FINISH
Article number: 02251410, 02253000, 02255000 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Consumer uses: Private households / general public / consumers Professional uses Uses advised against None
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> Product safety <i>E-mail: erp@sonax.de</i> Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
 1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix co

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Emulsion of solvents, abrasives and additives

(Contd. on page 2)

GB



Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

Trade name: SONAX PROFILINE CUT & FINISH

CAS: 72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-	5-<10
EINECS: 276-737-9	based	0 10
Reg.nr.: 01-2119474878-16-XXXX		-
EC No 934-956-3	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <	3-<5%
Reg.nr.: 01-2119827000-58-xxxx	0.03% aromatics	
-	Alternative CAS number: 64742-46-7	
	🕹 Asp. Tox. 1, H304	-
CAS: 56-81-5	glycerol	3-<5%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
EC No 934-954-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <	1-<3%
Reg.nr.: 01-2119826592-36-xxxx	0.03% aromatics	
-	Alternative CAS number: 64742-46-7	
	🕹 Asp. Tox. 1, H304	-
EINECS: 265-149-8	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2%	1-<3%
Reg.nr.: 01-2119453414-43-xxxx	aromatics	
	Alternative CAS number: 64742-47-8	
	🚸 Asp. Tox. 1, H304, EUH066	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation **For non-emergency personnel** Wear protective clothing.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Absorb liquid components with liquid-binding material.

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

(Contd. of page 2)

Trade name: SONAX PROFILINE CUT & FINISH

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor. Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations. Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: CAS: 56-81-5 glycerol WEL (Great Britain) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 10 mg/m³ Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Regulatory information WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL Suitable technical control devices Ensure good ventilation. This can be achieved by lo	8.1 Control parameters	
WEL (Great Britain) Long-term value: 10 mg/m³ OEL (Ireland) Long-term value: 10 mg/m³ Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Regulatory information WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 1.2 mg/m³ (worker) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm iso making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit,		that require monitoring at the workplace:
OEL (Ireland) Long-term value: 10 mg/m³ Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Regulatory information WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 1.2 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment		
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Regulatory information WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 2 4 mg/m³ (worker) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) Suitable technical control devices Ensure good ventilation. The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection mea	WEL (Great Britain)	
GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	OEL (Ireland)	Long-term value: 10 mg/m³
2 (II) / AGW (German TRGS 900) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Hydrocarbons, C13-C16, n-a	kanes, isoalkanes, cyclics, < 0.03% aromatics
GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³ 2 (II) / AGW (German TRGS 900) Regulatory information WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 1.2 mg/m³ (consumer) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worm. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal c	GERMAN RCP-METHOD (EU)	
2 (II) / AGW (German TRGS 900) Regulatory information WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 1.2 mg/m³ (consumer) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	Hydrocarbons, C12-C15, n-a	kanes, isoalkanes, cyclics, < 2% aromatics
WEL (Great Britain): EH40/2020 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 1.2 mg/m³ (consumer) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	GERMAN RCP-METHOD (EU)	
DNELs CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Inhalative DNEL 1.2 mg/m³ (consumer) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection	WEL (Great Britain): EH40/202	
Inhalative DNEL 1.2 mg/m³ (consumer) (local / longterm (repeated)) 5.4 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace.	DNELs	
5.4 mg/m³ (worker) (local / longterm (repeated)) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	CAS: 72623-86-0 Lubricating	oils (petroleum), C15-30, hydrotreated neutral oil-based
Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	Inhalative DNEL 1.2 mg/m ³ (c	consumer) (local / longterm (repeated))
Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.	5.4 mg/m^3 (v	vorker) (local / longterm (repeated))
 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases. 		
	8.2 Exposure controls Suitable technical control de Ensure good ventilation. This of sufficient to keep the concentra- be worn. Individual protection measur General protective and hygis The usual precautionary meas Wash hands before breaks and Keep away from foodstuffs, be Respiratory protection: Not required in normal cases	vices can be achieved by localised extraction or general ventilation. If this is not ation below the occupational exposure limit, suitable breathing protection is to res, such as personal protective equipment enic measures: ures are to be adhered to when handling chemicals. d at the end of work. verages and feed.
	Hand protection Not required	

SONAX®

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

(Contd. of page 3)

Trade name: SONAX PROFILINE CUT & FINISH

Eye/face protection Not required in normal cases

9.1 Information on basic physical and chemical p	roperties
General Information	ropenies
Physical state	Fluid
Colour:	White
Odour:	Solvent-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
oH	Not applicable.
Viscosity:	
Kinematic viscosity at 40 °C	>20.5 mm²/s
Solubility	
water:	Partly miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.98-0.99 g/cm ³
Vapour density	Not determined.
9.2 Other information	
Appearance:	_ /
Form:	Pasty
Important information on protection of health and	1
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	s
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void





Safety data sheet according to UK REACH Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

Trade name: SONAX PROFILINE CUT & FINISH

Printing date 18.09.2024

(Contd. of page 4)

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

50 50/4d 550/4d 550 550 550 / 4h 550 550 / 4h 550 550 / 4h 550 550 / 4h 550 550 / 4h 550 550 / 4h	ricating oils (petroleum), C15-30, hydrotreated neutral oil-based >5,000 mg/kg (rat) >2,000 mg/kg (rabbit) >5,000 mg/l (rat) C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 403) C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rat) (OECD 402) >5.000 mg/kg (rat) (OECD 402) >5,000 mg/kg (rabbit) (OECD 402) >5,000 mg/kg (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 403) C16, mg/m³ (rat) (OECD 403)					
50 50/4d 55, C15-0 50 50 50 / 4h 550 50 / 4h 550 50 / 4h 550 50 / 4h 550 50 / 4h	>2,000 mg/kg (rabbit) >5,000 mg/l (rat) C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rat) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
550/4d is, C15-(50 50 50 50 50 50 50 50 50 50	>5,000 mg/l (rat) 220, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) 216, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) 215, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5.266 mg/m³ (rat) (OECD 403) 215, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
as, C15- b b c c c c c c c c	C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics					
50 50 50 / 4h is, C13- (50 50 50 / 4h is, C12- (50 50 50 / 4h is , C12-(50 50 / 4h	>5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
50 50 / 4h 550 / 4h 550 550 / 4h 550 550 / 4h 550 550 / 4h 550 / 4h	>3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
50 / 4h is, C13-(50 50 50 / 4h is, C12-(50 50 50 50 50 / 4h 50 50 50 50 / 4h	>5.266 mg/m³ (rat) (OECD 403) C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics >5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
ns, C13- (50) (50) (50) (50) (50) (50) (50) (50) (4h) (50) (50) (4h) (50) (50) (4h) (50) (5))	C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics					
50 50 50 / 4h ns, C12- 50 50 50 / 4h on/irrita	>5,000 mg/kg (rat) (OECD 401) >3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
950 550 / 4h 1s, C12-(950 950 550 / 4h pon/irritat	>3,160 mg/kg (rabbit) (OECD 402) >5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
50 / 4h is, C12- 50 50 50 / 4h con/irritat	>5.266 mg/m³ (rat) (OECD 403) C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
ns, C12- 250 250 250 / 4h 250 / irritat	C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics >5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m ³ (rat) (OECD 403)					
950 950 950 / 4h 9 0 n/irritat	>5,000 mg/kg (rat) (OECD 401) >5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
950 250 / 4h 2 0n/irrita t	>5,000 mg/kg (rabbit) (OECD 402) >5.6 mg/m³ (rat) (OECD 403)					
50 / 4h on/irritat	>5.6 mg/m³ (rat) (OECD 403)					
on/irritat						
	ion Based on available data, the classification criteria are not met.					
damage						
	<i>irritation</i> Based on available data, the classification criteria are not met.					
or skin s	ensitisation Based on available data, the classification criteria are not met.					
ıtagenic	ity Based on available data, the classification criteria are not met.					
city Base	ed on available data, the classification criteria are not met.					
e toxicit	/ Based on available data, the classification criteria are not met.					
exposu	re Based on available data, the classification criteria are not met.					
ed expo	sure Based on available data, the classification criteria are not met.					
Aspiration hazard Viscosity: > 20,5mm ² /s (40°C) Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.						
e e az 2011 tio	toxicity xposui d expo ard 0,5mm²/ able da on on c rupting e curre					

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

(Contd. on page 6)



Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

Trade name: SONAX PROFILINE CUT & FINISH

Aquatic toxic	(Contd. of pa
	19. 16-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
	≥10,000 mg/l (Daphnia magna) (OECD 202)
LC50 / 96h	>100 mg/l (fish)
EC50 / 48h	>10,000 mg/l (Daphnia magna) (OECD 202)
	>100 mg/l (algae)
NOEC 96h	≥100 mg/l (fish) (OECD 203)
NOEC / 21 d	≥10 mg/l (Daphnia magna) (OECD 211)
	≥100 mg/l (algae)
	s, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)
LC50 / 48h	>3,193 mg/l (Acartia tonsa)
NOEC / 21 d	>1,000 mg/l (Daphnia magna)
	>1,000 mg/l (Oncorhynchus mykiss)
LC50 / 3 d	>10,000 mg/l (Skeletonema costatum)
Hydrocarbon	s, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
LC50 / 2 d	>3,193 mg/l (Acartia tonsa)
LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)
NOEC / 21 d	>1,000 mg/l (Daphnia magna)
NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)
EC50 / 3 d	>10,000 mg/l (Skeletonema costatum)
Hydrocarbon	s, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LC50 / 2 d	>1,000 mg/l (Daphnia magna) (OECD 202)
LC50 / 4 d	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)
	>1,000 mg/l (Daphnia magna)
NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)
EC50 / 3 d	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
12.2 Persiste	nce and degradability
CAS: 72623-8	86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
Biodegradatio	n >60 % (28d)
-	s, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Biodegradatio	
-	s, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Biodegradatio	
-	s, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Biodegradatio	
12.4 Mobility	<i>mulative potential</i> No further relevant information available. <i>in soil</i> No further relevant information available.
PBT:	of PBT and vPvB assessment
According to i classified as F vPvB:	nformation provided in the supply chain, the mix conatins less than 0.1% of any substances PBT
	nformation provided in the supply chain, the mix conatins less than 0.1% of any substances PvB
12.6 Endocri According to t	ne disrupting properties he current state of scientific knowledge, there is no data for the product regarding endocrine perties with effects on the environment.
	lverse effects
Additional ec	ological information:
	s: The product may not be released into the environment without control.

(Contd. on page 7)



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

Trade name: SONAX PROFILINE CUT & FINISH

(Contd. of page 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC. **Recommendation** Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

12 01 99 wastes not otherwise specified

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

oplicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) 6.40 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

ge 8) — GB



Version: 8.00 (replaces version 7.00)

Revision: 04.04.2022

Printing date 18.09.2024

SONAX PROFILINE CUT & FINISH

Relevant phrasesH304May be fatal if swallowed and enters airways.EUH066 Repeated exposure may cause skin dryness or cracking.Date of previous version: 04.04.2022Version number of previous version: 7.00	
 H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking. Date of previous version: 04.04.2022 Version number of previous version: 7.00 	
EUH066 Repeated exposure may cause skin dryness or cracking. Date of previous version: 04.04.2022 Version number of previous version: 7.00	
Date of previous version: 04.04.2022 Version number of previous version: 7.00	
Version number of previous version: 7.00	
•	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concernin	ng the
International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level	
NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration	
LC = eta Concentration	
EC50 = half maximal effective concentration	
log POW = Octanol / water partition coefficient	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
ATE: acute toxicity estimate	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the I	International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
EINECS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (UK REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
IOELV = indicative occupational exposure limit values	
Asp. Tox. 1: Aspiration hazard – Category 1	
* Data compared to the previous version altered.	