

**Safety data sheet
according to UK REACH**

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** SONAX XTREME WheelCleaner PLUS**Article number:**02301000,
02302000-195, 02302000-230, 02302000-280
02302090,
02304000, 02304000-205, 02304000-280,
02305050,
02305410,
02313000**UFI:** H9V5-Q044-U00V-54Q7**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the mixture**

Car care product

Detergents

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**SONAX GmbH
Münchener Straße 75
D-86633 Neuburg (Donau)
Tel.: ++49 (0)8431/53-0**Further information obtainable from:**

Product safety

E-mail: erp@sonax.de

Phone: + 49 (0) 8431 53 217

United Kingdom:Anglo American Oil Company Ltd
58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT
Telephone: (+44) 01929 551557
Email: info@aaoil.co.uk**1.4 Emergency telephone number:****European Union:** +49 (0) 89 19240 (Poison Centre Munich)**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS07

Signal word Warning**Hazard-determining components of labelling:**

Sodium mercaptoacetate

(Contd. on page 2)

GB

**Safety data sheet
according to UK REACH**

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 1)

Hazard statements

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing spray.
P280 Wear protective gloves.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

Dangerous components:

CAS: 367-51-1 EINECS: 206-696-4 Reg.nr.: 01-2119968564-24-xxxx	sodium mercaptoacetate solution (46%) ⚠ Acute Tox. 4, H302; Skin Sens. 1B, H317	25-<50%
CAS: 147170-44-3 EC No 931-333-8 Reg.nr.: 01-2119489410-39-xxxx	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts Alternative CAS number: 61789-40-0 ⚠ Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 4 % ≤ C < 10 %	1-<4%
CAS: 5949-29-1 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-xxxx	citric acid ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	1-<3%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

amphoteric surfactants	<5%
perfumes (LINALOOL)	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing
After inhalation: Supply fresh air; consult doctor in case of complaints.
After skin contact:
Wash the areas of skin affected with water and a mild detergent.
If symptoms persist consult doctor.
After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

**Safety data sheet
according to UK REACH**

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 2)

After swallowing:*Rinse out mouth and then drink plenty of water.**Induce vomiting only, if affected person is fully conscious.**Call a doctor immediately.***4.2 Most important symptoms and effects, both acute and delayed**

sensitization

Headache

Dizziness

Drowsiness

Gastric or intestinal disorders

4.3 Indication of any immediate medical attention and special treatment needed*Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.***SECTION 5: Firefighting measures****5.1 Extinguishing media***Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.***5.2 Special hazards arising from the substance or mixture** *No further relevant information available.***5.3 Advice for firefighters****Protective equipment:***The normal measures for firefighting are to be taken.**Do not enter the hazardous area without a self-contained breathing apparatus.**See Section 8 for information on personal protection equipment.***Additional information***Collect contaminated fire fighting water separately. It must not enter the sewage system.***SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures** *Ensure adequate ventilation***For non-emergency personnel***Avoid contact with the eyes and skin.**The usual precautionary measures are to be adhered to when handling chemicals.***For emergency responders** *Wear protective equipment. Keep unprotected persons away.***6.2 Environmental precautions:***Do not allow to penetrate the ground/soil.**Do not allow to enter sewers/ surface or ground water.***6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Dispose contaminated material as waste according to section 13.***6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****7.1 Precautions for safe handling** *Use only in well ventilated areas.***Information about fire - and explosion protection:** *No special measures required.***7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *Prevent any seepage into the ground.***Information about storage in one common storage facility:***Store away from oxidising agents.**Store away from foodstuffs.**Observe local/state/federal regulations.***Further information about storage conditions:***Store receptacle in a well ventilated area.**Protect from frost.**Recommended storage temperature: 20 °C.*

(Contd. on page 4)

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 3)

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

Dermal DNEL 2.06 mg/kg (wls)

Inhalative DNEL 1.41 mg/kg (wls)

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral DNEL 7.5 mg/kg (consumer) (longterm systematic effects)

Dermal DNEL 7.5 mg/kg (consumer) (longterm systematic effects)

12.5 mg/kg (worker) (longterm systematic effects)

Inhalative DNEL 44 mg/m³ (worker) (longterm systematic effects)

PNECs

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

PNEC 0.038 mg/l (freshwater (Süßwasser))

0.0038 mg/l (water (sea water))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

PNEC 3,000 mg/l (STP)

0.0135 mg/l (water (fresh water))

0.00135 mg/l (water (sea water))

PNEC 1 mg/kg (sediment (fresh water))

0.1 mg/kg (sediment (sea water))

0.8 mg/kg (soil)

CAS: 5949-29-1 citric acid

PNEC 33.1 mg/l (sewage plant)

>1,000 mg/l (STP)

440 mg/l (water)

PNEC 34.6 mg/kg (freshwater (Süßwasser))

3.46 mg/kg (water (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Protective gloves

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 4)

Penetration time of glove material

Value for the permeation: Level 4 (<240min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection

Goggles recommended during refilling

[EN 166]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Physical state**

Fluid

Colour:

Colourless

Odour:

Fruit-like

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

100 °C (CAS: 7732-18-5 water)

Flammability

Product is not flammable.

Lower and upper explosion limit**Lower:**

Not applicable

Upper:

Not applicable

Flash point:

Not applicable.

Auto-ignition temperature:

Not determined.

Decomposition temperature:

Not determined.

pH at 20 °C

5.1-5.3

Viscosity:**Kinematic viscosity at 40 °C**<20.5 mm²/s**Dynamic:**

Not determined.

Solubility**water:**

Fully miscible.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure at 20 °C:

23 hPa (CAS: 7732-18-5 water)

Density and/or relative density**Density at 20 °C:**1.13-1.15 g/cm³**Vapour density**

Not determined.

9.2 Other information**Appearance:****Form:**

Fluid

Important information on protection of health and environment, and on safety.**Ignition temperature:**

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Change in condition**Evaporation rate**

Not determined.

Information with regard to physical hazard classes**Explosives**

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 5)

Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Nitrogen oxides

Carbon monoxide and carbon dioxide

Sulphur dioxide

Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

Oral	ATE	1,000-2,000 mg/kg (Additivity formula)
------	-----	--

Dermal	ATE	>5,000 mg/kg (Additivity formula)
--------	-----	-----------------------------------

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

Oral	LD50	>300 mg/kg (rat) (OECD 423 (Conc. 46%))
------	------	---

Dermal	LD50	1,000-2,000 mg/kg (rat) (OECD 402 (Conc. 98%))
--------	------	--

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
------	------	-------------------------------

Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
--------	------	-------------------------------

CAS: 5949-29-1 citric acid

Oral	LD50	3,000 mg/kg (rat)
------	------	-------------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity

CAS: 5949-29-1 citric acid

Oral	NOAEL	1,200 mg/kg (rat)
------	-------	-------------------

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 6)

11.2 Information on other hazards**Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:**CAS: 367-51-1 sodium mercaptoacetate solution (46%)**

LC50 / 96h >100 mg/l (*Oncorhynchus mykiss*) (OECD 203 (Subs. thioglycolic acid))

LC50 / 48h 880 mg/l (*Leuciscus idus*) (DIN 38412 / 15 (Subs. thioglycolic acid))

EC50 / 48h 38 mg/l (*Daphnia magna*) (84/449/EWG (Subs. thioglycolic acid))

EC50 / 72h 13 mg/l (*Pseudokirchneriella subcapitata*) (OECD 201 (Subs. thioglycolic acid))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

LC 50 >1-10 mg/l (*Pimephales promelas*) (OECD 203)

EC0 >100 mg/l (*Pseudomonas putida*) (OECD 209)

EC50 >1-10 mg/l (*Daphnia magna*) (OECD 202)

>1-10 mg/l (*Desmodesmus subspicatus*) (OECD 201)

NOEC ≤1 mg/l (*Oncorhynchus mykiss*) (OECD210)

≤1 mg/l (*Daphnia magna*) (OECD 211)

CAS: 5949-29-1 citric acid

LC50 / 4 d 440-760 mg/l (*Leuciscus idus*) (OECD 203)

EC50 / 72h 120 mg/l (*Daphnia magna*)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detergent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

Biodegradation 67 % (28d OECD 301d (thioglycolic acid))

12.3 Bioaccumulative potential**CAS: 367-51-1 sodium mercaptoacetate solution (46%)**

log POW >2.99 (20°C OECD 107 (thioglycolic acid))

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment**PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 7)

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 29*	detergents containing hazardous substances
15 01 10*	packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Directives:

Directive 2010/75/EU (VOC) not subject to
Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to
REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

(Contd. on page 9)

**Safety data sheet
according to UK REACH**

Printing date 18.09.2024

Version: 12.00 (replaces version 11.00)

Revision: 13.05.2024

Trade name: SONAX XTREME WheelCleaner PLUS

(Contd. of page 8)

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Skin sensitisation	

Date of previous version: 08.02.2023

Version number of previous version: 11.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**