

Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX XTREME Glass Clear

Article number: 02381000, 02382410, 02384000, 02388410

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

Additional information:

Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2):

no self-sustained combustion

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void Signal word Void

Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

– GE



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	5-<10%	
CAS: 1569-02-4 EINECS: 216-374-5	1-ethoxypropan-2-ol ♦ Flam. Liq. 3, H226; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	5-<10%	

Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required. **After inhalation:** No special measures required

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

Keep away from ignition sources.

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:			
CAS: 64-17-5 ethanol			
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm		
OFI (Ireland)	Short-term value: 1000 ppm		

Regulatory information

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

CAS: 64-17-5 ethanol			
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)	
Dermal	Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)		
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)	
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)	
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)	
		950 mg/m³ (worker) (long-term exposure - systemic effects)	
CAS: 1569-02-4 1-ethoxypropan-2-ol			
Oral	DNEL	14 mg/kg bw/day (consumer) (longterm systematic effects)	
Dermal	DNEL	74 mg/kg bw/day (worker) (longterm systematic effects)	
	DNEL	44.3 mg/kg (consumer) (longterm systematic effects)	
Inhalative	DNEL	190 mg/m³ (consumer) (acute systematic effects)	
		211 mg/m³ (worker) (longterm systematic effects)	
	DNEL	127 mg/m³ (consumer) (longterm systematic effects)	
		317 mg/m³ (worker) (acute systematic effects)	

PNECS

CAS: 64-17-5 ethanol

PNEC 580 mg/l (sewage plant)
0.96 mg/l (water (fresh water))
0.79 mg/l (water (sea water))
PNEC 3.6 mg/kg (sediment (fresh water))
0.63 mg/kg (soil)

(Contd. on page 4)



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

(Contd. of page 3)

CAS: 1569-02-4 1-ethoxypropan-2-ol

PNEC 1,250 mg/l (STP)

3.76 mg/l (sediment (sea water))

10 mg/l (water)

1 mg/l (water (sea water))

PNEC 37.6 mg/kg (sediment (fresh water))

2.4 mg/kg (soil)

142 mg/kg (Secondary poisoning)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid Colour: Blue Odour: Citrus Undetermined.

Melting point/freezing point:

Boiling point or initial boiling point and boiling

78-136 °C range **Flammability** Flammable.

Lower and upper explosion limit

Not determined. Lower: Upper: Not determined. Flash point: 44 °C (DIN 51755) Not determined. Decomposition temperature: 8.5-9.5

pH at 20 °C Viscosity:

Kinematic viscosity at 40 °C <20.5 mm²/s Dynamic: Not determined. Solubility

water: Partition coefficient n-octanol/water (log value)

Vapour pressure: Density and/or relative density

Density at 20 °C: 0.97-0.98 g/cm3 Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Fully miscible.

Not determined. Not determined.

(Contd. on page 5)



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

	(Contd. of page
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cl	asses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Sustained combustibility test ISO 9038/UN manual o tests and criteria (32.5.2):
	no self-sustained combustion
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:			
CAS: 64-1	CAS: 64-17-5 ethanol			
Oral	LD50	10,470 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rabbit)		
Inhalative	LC50 / 4h	>20 mg/l (mouse)		
		38 mg/l (rat)		
CAS: 1569-02-4 1-ethoxypropan-2-ol				
Oral	LD50	>5,000 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC50 / 4h	>10,000 mg/l (rat)		
	LC50 / 96 h	4,600-10,000 mg/l (Leuciscus idus)		

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity

CAS: 64-17-5 ethanol

Oral | NOAEL | 1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)

| Repeated dose toxicity | CAS: 64-17-5 ethanol | 1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver) | CAS: 1569-02-4 1-ethoxypropan-2-ol | Inhalative | NOAEC Maternal | 100 ppm (rat) | NOAC Entwickl. | NOEC Eltern | 300 ppm (rat) | 300 ppm (rat) |

11.2 Information on other hazards

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:		
CAS: 64-17-5 ethanol		
LC50 / 48h	8,140 mg/l (Leuciscus idus)	
EC50 / 48h	>10,000 mg/l (Daphnia magna)	
EC50 / 72h	275 mg/l (Chlorella vulgaris)	
CAS: 1569-02-4 1-ethoxypropan-2-ol		
LC50 / 24h	<10,000 mg/l (Pimephales promelas)	
EC10 / 16 h	4,600 mg/l (Pseudomonas putida)	
EC50	177 mg/l (daphnia)	
EC50 / 48h	21,100-25,900 mg/l (Daphnia magna)	
EC50 / 7d	>1,000 mg/l (Pseudokirchneriella subcapitata)	
NOEC	547 mg/l (fish)	
12.2 Persistence and degradability		

12.2 Persistence and degradability

CAS: 1569-02-4 1-ethoxypropan-2-ol

Biodegradation 87.7 %

12.3 Bioaccumulative potential

CAS: 1569-02-4 1-ethoxypropan-2-ol

BCF 3.16 log Kow 1.46

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

(Contd. on page 7)



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

(Contd. of page 6)

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION	14: Tra	nsport ir	nformation

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR/RID/ADN, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

Transport/Additional information: Sustained combustibility test ISO 9038/UN manual of tests and criteria

(32.5.2):

no self-sustained combustion

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 16.50 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



Printing date 17.09.2024 Version: 10.01 (replaces version 10.00) Revision: 28.04.2023

Trade name: SONAX XTREME Glass Clear

(Contd. of page 7)

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness. Date of previous version: 17.10.2022

Version number of previous version: 10.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.