

Printing date 18.09.2024

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

S	ECTION 1: Identification of the substance/mixture and of the company/undertaking
1.	1 Product identifier
Tr	rade name: SONAX PROFILINE LeatherCleaner
1. Aj Ca Ca Pr	rticle number: 02703000 2 Relevant identified uses of the substance or mixture and uses advised against oplication of the substance / the mixture ar care product onsumer uses: Private households / general public / consumers rofessional uses ses advised against There is currently no information available on this.
M a SC Ma D-	3 Details of the supplier of the safety data sheet anufacturer/Supplier: ONAX GmbH ünchener Straße 75 -86633 Neuburg (Donau) el.: ++49 (0)8431/53-0
Pr E- Pf <u>UI</u> Ar 58 Te	urther information obtainable from: roduct safety mail: erp@sonax.de hone: + +49 (0) 8431 53 217 <u>nited Kingdom:</u> nglo American Oil Company Ltd B Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT elephone: (+44) 01929 551557 mail: info@aaoil.co.uk
Eu Ui Ma	4 Emergency telephone number: uropean Union: +49 (0) 89 19240 (Poison Centre Munich) <u>nited Kingdom:</u> 0344 892 0111 (UK NPIS) embers of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix con

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT **vPvB**:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Chelating agents in aqueous solution

(Contd. on page 2)

GB



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

Trade name: SONAX PROFILINE LeatherCleaner

Dangerous components:	(Co	ntd. of page
CAS: 143-18-0 EINECS: 205-590-5	potassium oleate Aquatic Acute 1, H400 (M=1); 🔷 Skin Irrit. 2, H315; Eye Irrit. 2, H319	_ 5-<10%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	1-<3%
	ethanol	_ 1-<3%
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
soap	2	5 - <15%

phenoxyethanol, perfumes, sodium pyrithione

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information: No special measures required
After inhalation: No special measures required
After skin contact:
Wash the areas of skin affected with water and a mild detergent.
If symptoms persist consult doctor.
After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters Protective equipment: The normal measures for firefighting are to be taken. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

(Contd. on page 3)



Printing date 18.09.2024

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

(Contd. of page 2)

Trade name: SONAX PROFILINE LeatherCleaner

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations. Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Ingredie	ents with	limit values that require monitoring at the workplace:	
CAS: 56-81-5 glycerol			
WEL (Great Britain) Long-term value: 10 mg/m³			
OEL (Ireland) Long-term value: 10 mg/m ³			
Regulatory information			
		in): EH40/2020	
	eiand): 20	20 CoP for the Safety, Health and Welfare at Work	
DNELs			
CAS: 64	I-17-5 eth		
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)	
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)	
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)	
Inhalativ	e DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)	
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)	
		950 mg/m³ (worker) (long-term exposure - systemic effects)	
PNECs		L	
CAS: 64	I-17-5 eth	hanol	
PNEC 580 mg/l (sewage plant)			
0.96 mg/l (water (fresh water))			
().79 mg/l	(water (sea water))	
PNEC	3.6 mg/kg	(sediment (fresh water))	
).63 mg/k		

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

(Contd. on page 4)



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

Trade name: SONAX PROFILINE LeatherCleaner

Individual protection measures, such as personal protective equipment	(Contd. of page
General protective and hygienic measures:	
The usual precautionary measures are to be adhered to when handling chemicals.	
Keep away from foodstuffs, beverages and feed.	
Wash hands before breaks and at the end of work.	
Respiratory protection:	
Not required in normal cases	
Ensure good ventilation/exhaustion at the workplace.	
Hand protection Not required in normal cases.	
Eye/face protection Not required in normal cases	

SECTION 9: Physical and chemical properties

General Information Physical state	Fluid
Colour:	Light yellow
Odour:	Wooden
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	Undetermined.
	400 °C (CA C) 7722 40 5 weter)
range Flamma bilitir	100 °C (CAS: 7732-18-5 water)
Flammability	Product is not flammable.
Lower and upper explosion limit	Netenslischle
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	9.5 - 10.0
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	. ,
Density at 20 °C:	1.00 - 1.01 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	Fluid
Form: Important information on protection of boolth and	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	s
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
σειι-πεαίπις συνσιαπόσο από ππλίμισο	Void



Printing date 18.09.2024

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

Trade name: SONAX PROFILINE LeatherCleaner

		(Contd. of page 4
Substances and mixtures, which emit f	lammable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:	
CAS: 143-18-0 potassium oleate	

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
CAS: 64-1	7-5 ethand	bl
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)
Skin corr	osion/irrita	tion Based on available data, the classification criteria are not met.
Serious e	ye damage	e/irritation Based on available data, the classification criteria are not met.
Respirato	ry or skin	sensitisation Based on available data, the classification criteria are not met.
Germ cell	mutageni	city Based on available data, the classification criteria are not met.
Carcinog	enicity Bas	ed on available data, the classification criteria are not met.
Reproduc	tive toxici	ty Based on available data, the classification criteria are not met.
STOT-sin	gle exposi	<i>ire</i> Based on available data, the classification criteria are not met.
STOT-rep	eated exp	osure Based on available data, the classification criteria are not met.
Aspiratio	n hazard B	ased on available data, the classification criteria are not met.
Additiona	l toxicolog	ical information:
Repeated	dose toxi	zity
CAS: 64-1	7-5 ethand	bl de la constant de
Oral NOA	EL 1,760 I	ng/kg (rat) (OECD 408, 90d, target organ: liver)
		other hazards
Endocrin	e disruptin	g properties ent state of scientific knowledge, there is no data for the product regarding endocrine

disrupting properties with health effects.

(Contd. on page 6)

GB



Printing date 18.09.2024

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

Trade name: SONAX PROFILINE LeatherCleaner

(Contd. of page 5)

GR

SECTION 12: Ecological	l information
------------------------	---------------

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

CAS: 143-18-0 potassium oleate

EC50 / 48h 0.57 mg/l (Daphnia magna)

CAS: 64-17-5 ethanol

LC50 / 48h 8,140 mg/l (Leuciscus idus)

EC50 / 48h >10,000 mg/l (Daphnia magna)

EC50 / 72h 275 mg/l (Chlorella vulgaris)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IAT	A	
Class	Void	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	



Printing date 18.09.2024

Version: 2.02 (replaces version 2.01)

Revision: 25.05.2022

(Contd. of page 6)

Trade name: SONAX PROFILINE LeatherCleaner

14.6 Special precautions for user Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) 2.41 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. Date of previous version: 03.02.2022 Version number of previous version: 2.01 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 * Data compared to the previous version altered.

GB -