

Safety data sheet according to UK REACH

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX Color Wax black
Article number: 02982000, 02982410 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Consumer uses: Private households / general public / consumers Professional uses Uses advised against None
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
 <i>Further information obtainable from:</i> Product safety <i>E-mail: erp@sonax.de</i> Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
 1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Emulsion with waxes and additives

(Contd. on page 2)

GB



Safety data sheet according to UK REACH

Printing date 17.09.2024

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

Trade name: SONAX Color Wax black

	(Cor	ntd. of page 1)
Dangerous components:		
EC No 918-167-1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	20-<25%
Reg.nr.: 01-2119472146-39-xxxx	Alternative CAS numbers: 90622-57-4, 64742-48-9	
	📀 Flam. Liq. 3, H226; 🗞 Asp. Tox. 1, H304; Aquatic Chronic 4, H413	

Additional information:

Any entry in the EC-column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 15 for additional CAS number information for the substance.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 3)

— GB



Safety data sheet according to UK REACH

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

Trade name: SONAX Color Wax black

Informat	(Contd. of page
	ion about fire - and explosion protection: No special measures required.
	litions for safe storage, including any incompatibilities
Informat	nents to be met by storerooms and receptacles: Provide solvent resistant, sealed floor. ion about storage in one common storage facility: ay from foodstuffs.
Observe	local/state/federal regulations.
	nformation about storage conditions:
	eptacle in a well ventilated area.
Protect fr	om frost. ended storage temperature: 20 °C.
	<i>ific end use(s)</i> No further relevant information available.
SECTIO	ON 8: Exposure controls/personal protection
SEOIN	
Ingrediei	rol parameters nts with limit values that require monitoring at the workplace: uct does not contain any relevant quantities of materials with critical values that have to be monitore rkplace.
Addition	al information: The lists valid during the making were used as basis.
	sure controls
Suitable	
	technical control devices
sufficient	technical control devices ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to
sufficient be worn.	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to
sufficient be worn. Individua	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not
sufficient be worn. Individua General The usua	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to al protection measures, such as personal protective equipment protective and hygienic measures: Il precautionary measures are to be adhered to when handling chemicals.
sufficient be worn. Individua General The usua Keep awa	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to al protection measures, such as personal protective equipment protective and hygienic measures: Il precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed.
sufficient be worn. Individua General The usua Keep awa Wash hai	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to al protection measures, such as personal protective equipment protective and hygienic measures: Il precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. nds before breaks and at the end of work.
sufficient be worn. Individua General The usua Keep awa Wash hai Respirat a	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to al protection measures, such as personal protective equipment protective and hygienic measures: Il precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. nds before breaks and at the end of work. ory protection:
sufficient be worn. Individua General The usua Keep awa Wash hai Respirat Not requi	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to al protection measures, such as personal protective equipment protective and hygienic measures: Il precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. nds before breaks and at the end of work. ory protection: red in normal cases
sufficient be worn. Individua General The usua Keep awa Wash hau Respirat Not requi Ensure gu	ood ventilation. This can be achieved by localised extraction or general ventilation. If this is not to keep the concentration below the occupational exposure limit, suitable breathing protection is to al protection measures, such as personal protective equipment protective and hygienic measures: Il precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. nds before breaks and at the end of work. ory protection:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties			
General Information	-		
Physical state	Fluid		
Colour:	Black		
Odour:	Solvent-like		
Melting point/freezing point:	Undetermined.		
Boiling point or initial boiling point and boiling			
range	Undetermined.		
Flammability	Product is not flammable.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	Not applicable.		
Decomposition temperature:	Not determined.		
pH at 20 °C	7-8		
Viscosity:			
Kinematic viscosity at 40 °C	>20.5 mm²/s		
Solubility			
water:	Partly miscible.		
Partition coefficient n-octanol/water (log value)	Not determined.		
	(Contd. on page 4)		

, , — GB



Safety data sheet according to UK REACH

Printing date 17.09.2024

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

Trade name: SONAX Color Wax black

	(Contd. of page
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.92-0.93 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Emulsion
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics			
,		>5,000 mg/kg (rat) (OECD 401)	
Dermal		>5,000 mg/kg (rabbit) (OECD 402)	
Inhalative	LC50 / 4h	>5,000 mg/m³ (rat) (OECD 403)	
Skin corr	osion/irrita	tion Based on available data, the classification criteria are not met.	
Serious eye damage/irritation Based on available data, the classification criteria are not met.			
Respiratory or skin sensitisation Based on available data, the classification criteria are not met			

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5) GB

- - - - - - - - -



Safety data sheet according to UK REACH

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

Trade name: SONAX Color Wax black

	(Contd. of page 4)
Carcinogenicity Based on available data, the classification criteria are not met.	
Reproductive toxicity Based on available data, the classification criteria are not met.	
STOT-single exposure Based on available data, the classification criteria are not met.	
STOT-repeated exposure Based on available data, the classification criteria are not met.	
Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding disrupting properties with health effects.	endocrine

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

LLO 96 h 1,000 mg/l (Oncorhynchus mykiss)

NOELR 72 h >1,000 mg/l (Pseudokirchneriella subcapitata)

NOELR 21d ≥1 mg/l (Daphnia magna)

NOEC / 28d 0.209 mg/l (Oncorhynchus mykiss)

ELO 48 h >1,000 mg/l (Daphnia magna)

ELO 72 h >1,000 mg/l (Pseudokirchneriella subcapitata)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:

Highly volatile, will partition rapidly to air. 12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes:

The product may not be released into the environment without control.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations. **European waste catalogue**

1) Disposal / product

2) Disposal / contaminated packaging

12 01 99 wastes not otherwise specified

15 01 02 plastic packaging

(Contd. on page 6)

⁻ GB



Safety data sheet according to UK REACH

Printing date 17.09.2024

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

Trade name: SONAX Color Wax black

(Contd. of page 5)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inf	ormation
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for use	r Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 24.90 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life. **Date of previous version:** 22.04.2021 **Version number of previous version:** 2.00 **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration

(Contd. on page 7)

GB



Safety data sheet according to UK REACH

Version: 3.00 (replaces version 2.00)

Revision: 28.04.2022

Trade name: SONAX Color Wax black

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	e 6)
ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent IDELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
ADR: Accord rela ^t if au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent IDELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3	
Flam. Liq. 3: Flammable liquids – Category 3	
Ann Tau de Annientien berand. Ontenand	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
* Data compared to the previous version altered.	
	- CB -