

Printing date 17.09.2024

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Printing date 17.09.2	:024		Diaces version 12.00	0)	Revision. 15.07.2024
SECTION 1:	Identification	of the substa	nce/mixture an	d of the comp	any/undertaking
1.1 Product ide	ntifier				
Trade name: <u>S</u> C	ONAX Gloss Sha	impoo			
UFI: T816-2055- 1.2 Relevant ide Application of t Car care produc Cleaning materia Consumer uses: Professional use	0410, 03142000, -M00J-JXGY entified uses of a the substance / t t al/ Detergent r Private househo es	the substance or the mixture lds / general public	410, 03143000, 031 <b>mixture and uses</b> c / consumers ation available on th	advised against	
<b>1.3 Details of th</b> <b>Manufacturer/S</b> SONAX GmbH Münchener Strai D-86633 Neubui Tel.: ++49 (0)84.	t <b>upplier:</b> ße 75 rg (Donau)	e safety data shee	et		
Product safety E-mail: erp@sor Phone: + +49 (0, <u>United Kingdon</u> Anglo American 58 Holton Road,	) 8431 53 217 <u>n:</u> Oil Company Ltd Holton Heath Tra 9 01929 551557	,	Dorset, BH16 6LT		
European Union United Kingdom Members of Pub	n: 0344 892 011	2 <b>40</b> (Poison Centre <b>1</b> (UK NPIS) cotland and Wales	Munich) can contact NHS 1	11/NHS 24 by dia	lling 111
SECTION 2:	Hazards iden	tification			
	on of the substa		070/0000		
	H319 Causes seri	ulation (EC) No 1	272/2008		
-		an allergic skin rea	ction.		
	r <b>ding to Regulati</b> lassified and labe	ion (EC) No 1272/. Illed according to the	2008 he GB CLP regulatio	on.	
Signal word Wa	ernina				
Hazard stateme H319 Causes se H317 May cause	ents erious eye irritatio e an allergic skin i				
<b>Precautionary s</b> P101 P102 P280	statements If medical advi Keep out of re		e product container	or label at hand.	
P302+P352		Vash with plenty of			
					(Contd. on page 2)

(Contd. on page 2) GB



Printing date 17.09.2024

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Trade name: SONAX Gloss Shampoo

D205 - D254 - D220			(Contd. of page 1)
		inse cautiously with water for several minutes. Remove co asy to do. Continue rinsing.	ntact ienses, ir
		or rash occurs: Get medical advice/attention.	
P337+P313	If eye irritation	persists: Get medical advice/attention.	
P501		tents/container in accordance with local/regional/national/	<i>'international</i>
		e contents do not exceed 125 ml	
Marking container	<125 ml deviate	es. Reduced labeling according article 29 and annex I, no.	1.5 GB CLP-
regulation is used.			
2.3 Other hazards			
Results of PBT an PBT:	id vPvB asses	sment	
	nation provided	in the supply chain, the mix contains less than 0.1% of ar	v substances
classified as PBT			
vPvB:			
According to inform	nation provided	in the supply chain, the mix contains less than 0.1% of ar	ny substances
classified as vPvB.			
		rupting properties	
		ontain components considered to have endocrine disrupti 7(f) or Commission Delegated regulation (EU) 2017/2100	
		s of 0.1% or higher.	
SECTION 3: Co	omposition/	information on ingredients	
3.2 Mixtures			
Description: Aque	ous tenside so	lution	
Dangerous comp			
CAS: 68891-38-3		alcohols, C12-14, ethoxylated, sulfates, sodium salts	5-<10%
NLP: 500-234-8		Eye Dam. 1, H318; (1) Skin Irrit. 2, H315; Aquatic	
Reg.nr.: 01-211948	38639-16-xxxx		
		Specific concentration limits:	

Reg.III 01-2119400039-10-XXXX		
	Specific concentration limits:	
	Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 68439-46-3	C9-11 Alcohol ethoxylate	3-<5%
0.0.00+03-40-0	€ Eye Irrit. 2, H319	0070
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one	>0.0015-<0.019
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.	0.0010 0.017
Reg.nr.: 01-2120764690-50-xxxx		
-	↔ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,	
	H410 (M=1); 🕧 Skin Sens. 1A, H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥	
	0.0015 %	
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	<0.01%
EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	♦ Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT RE 1, H372; ♦ Aquatic Acute 1, H400 (M=100); Aquatic	
1.cg.111 01-2113435565-20-20-20-20-20-20-20-20-20-20-20-20-20-	Chronic 2, H411; () Acute Tox. 4, H302; Skin Irrit. 2,	
	H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	>0.0015-<0.019
EINECS: 220-120-9	🔶 Acute Tox. 2, H330; 🚸 Eye Dam. 1, H318;	
Reg.nr.: 01-2120761540-60-xxxx	Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1,	
	H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315;	
	Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥	
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants		≥5 - <15%
non-ionic surfactants, amphoteric	surfactants	<5%
-	ithione, benzisothiazolinone, perfumes	~5%



# Safety data sheet according to UK REACH

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Trade name: SONAX Gloss Shampoo

Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

# SECTION 4: First aid measures

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters Protective equipment: The normal measures for firefighting are to be taken. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

GB



# Safety data sheet according to UK REACH

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

(Contd. of page 3)

Trade name: SONAX Gloss Shampoo

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and recentacles: Prevent

**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground. **Information about storage in one common storage facility:** 

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### DNELs

DIVELS	DALLS			
CAS: 6	CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts			
Oral	DNEL	15 mg/kg (VL)		
Dermal	DNEL	1,650 mg/kg (VL)		
		2,750 mg/kg (worker long-term)		
Inhalati	/e DNEL	52 mg/m <sup>3</sup> (VL)		
	DNEL 175 mg/m³ (worker long-term)			
PNECs	PNECs			
CAS: 6	CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts			
PNEC	PNEC 10,000 mg/l (sewage plant)			
	0.24 mg/l (water (fresh water))			
	0.024 mg/l (water (sea water))			
PNEC	C 7.5 mg/kg (gro)			
	0.9168 mg/kg (sediment (fresh water))			

0.09168 mg/kg (sediment (sea water))

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Protective gloves Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm [EN 374] Penetration time of glove material Value for the permeation: Level 6 (≥480min) Eye/face protection Safety glasses [EN 166]

(Contd. on page 5)

GB



Printing date 17.09.2024

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Trade name: SONAX Gloss Shampoo

(Contd. of page 4)

9.1 Information on basic physical and chemical pl	roperties
General Information	•
Physical state	Fluid
Colour:	Yellow
Odour:	Citrus
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	100 °C (CAS: 7732-18-5 water)
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	5-5.5
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	· /
Density at 20 °C:	1.02-1.03 g/cm <sup>3</sup>
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	r rouuci uoes noi present an explosion nazaru.
Evaporation rate	Not determined.
-	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

# SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

<sup>-</sup> GB



# Safety data sheet according to UK REACH

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

(Contd. of page 5)

Trade name: SONAX Gloss Shampoo

- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >5,000 mg/kg (rat)

Dermal LD 50 >5,000 mg/kg (rat)

CAS: 68439-46-3 C9-11 Alcohol ethoxylate

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

**Respiratory or skin sensitisation** May cause an allergic skin reaction. **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

# **SECTION 12: Ecological information**

12.1 Toxicity There are no ecotoxicological data available on this mixture. Aquatic toxicity: CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts LC 50 >10-100 mg/l (Leuciscus idus) EC0 >100 mg/l (Pseudomonas putida) EC50 >100 mg/l (Scenedesmus subspicatus) >10-100 mg/l (Daphnia magna) >1-10 mg/l (Leuciscus idus) NOEC >0.1-1 mg/l (Daphnia magna) CAS: 68439-46-3 C9-11 Alcohol ethoxylate >1-10 mg/l (Regenbogenforelle) (OECD 203) LC50 / 96h EC50 / 48h >1-10 mg/l (Daphnia magna) EC50 / 72h >1-10 mg/l (Skeletonema costatum) CAS: 2682-20-4 2-methylisothiazol-3(2H)-one 2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test)) EC 20 / 3h EC50/3h 34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test)) (Contd. on page 7)

GB



Printing date 17.09.2024

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Trade name: SONAX Gloss Shampoo

CAC: 2011 73	(Contd. of page
	-2 pyridine-2-thiol 1-oxide, sodium salt 0.00767 mg/l (Zebrabärbling)
	0.48 mg/l (KS) (OECD 209)
	1.81 mg/l (KS) (OECD 209)
	0.022 mg/l (daphnia)
	0.46 mg/l (Selenastrum capricornutum)
	0.08 mg/l (Selenastrum capricornutum) (OECD 201)
	-5 1,2-benzisothiazol-3(2H)-one
	1.2 mg/l (daphnia) (OECD 211)
	2.2 mg/l (Regenbogenforelle) (OECD 203)
	3.3 mg/l (KS)
	13 mg/l (KS)
	0.21 mg/l (Regenbogenforelle) (OECD 215)
	0.04 mg/l (Selenastrum capricornutum) (OECD 201)
	3.27 mg/l (daphnia) (OECD 202)
EC50 / 3 d	0.11 mg/l (Selenastrum capricornutum) (OECD 201)
The surface-a ( EC/648/2004	nce and degradability ctive substances contained in the product meet the requirement of the EU Detregent Regulatio () for ultimate biodegradability for surfactants in detergents.
	B-2 pyridine-2-thiol 1-oxide, sodium salt
	n >70 % (activated sludge) (OECD 301 B)
	mulative potential
	-4 2-methylisothiazol-3(2H)-one
BCF 3.16	
log Kow ≤0.32	2
CAS: 3811-73	-2 pyridine-2-thiol 1-oxide, sodium salt
log Kow <-1.0	9 ((n-Octanol/Wasser) OECD 107)
CAS: 2634-33	8-5 1,2-benzisothiazol-3(2H)-one
BCF 6.95	(fish) (OECD 305)
log Kow 0.7 (d	octan-1-ol/water (OECD 117))
	in soil No further relevant information available.
	of PBT and vPvB assessment
PBT: According to in classified as P vPvB:	nformation provided in the supply chain, the mix conatins less than 0.1% of any substances PBT
According to in classified as v	
According to the	<b>ne disrupting properties</b> he current state of scientific knowledge, there is no data for the product regarding endocrine perties with effects on the environment.
12.7 Other ad	lverse effects
Additional ec General notes	ological information:
	s: nay not be released into the environment without control.
I DE Droduct m	oes not contain organically bounded halogens (AOX-free).

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC. **Recommendation** Waste must be disposed of while observing the local, official regulations.

(Contd. on page 8)

GB



Printing date 17.09.2024

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Trade name: SONAX Gloss Shampoo

(Contd. of page 7)

#### European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

# SECTION 14: Transport information

14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATAVoid14.3 Transport hazard class(es)ADR/RID/ADN, ADN, IMDG, IATA ClassVoid14.4 Packing group ADR/RID/ADN, IMDG, IATAVoid14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for user Not applicable.Void	14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
ADR/RID/ADN, ADN, IMDG, IATA   Void     14.4 Packing group   Void     14.5 Environmental hazards:   Marine pollutant:     No   14.6 Special precautions for user Not applicable.		Void
Class Void   14.4 Packing group ADR/RID/ADN, IMDG, IATA Void   14.5 Environmental hazards: Marine pollutant: No   14.6 Special precautions for user Not applicable.	14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA   Void     14.5 Environmental hazards:   Marine pollutant:     Marine pollutant:   No     14.6 Special precautions for user Not applicable.		Void
Marine pollutant: No   14.6 Special precautions for user Not applicable.		Void
		No
UN "Model Regulation": Void	14.6 Special precautions for user	r Not applicable.
-	UN "Model Regulation":	Void

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

(Contd. on page 9)

GB



# Safety data sheet according to UK REACH

Version: 13.00 (replaces version 12.00)

Revision: 15.07.2024

Trade name: SONAX Gloss Shampoo

	(Contd. of page 8
H317 May cause an aller	
H318 Causes serious eye	
H319 Causes serious eye	irritation.
H330 Fatal if inhaled.	
H331 Toxic if inhaled.	
H372 Causes damage to	organs through prolonged or repeated exposure.
H400 Very toxic to aquati	c life.
	c life with long lasting effects.
	with long lasting effects.
	ife with long lasting effects.
EUH070 Toxic by eye contac	
EUH071 Corrosive to the res	
	· ·
	<b>Regulation (EC) No 1272/2008</b> The classification of the mixture is generally based on the calculation method
Skin sensitisation	using substance data according to Regulation (EC) No 1272/2008.
Date of previous version: (	
Version number of previou	s version: 12.00
Abbreviations and acronyi	ns:
NOEL = No Observed Effect Level	
NOEC = No Observed Effect Concen LC = letal Concentration	ration
EC50 = half maximal effective concer	tration
log POW = Octanol / water partition c	
	Classification and Labelling of Chemicals
ATE: acute toxicity estimate	
ADR: Accord relatif au transport inter Carriage of Dangerous Goods by Roa	national des marchandises dangereuses par route (European Agreement Concerning the International
IMDG: International Maritime Code for	
IATA: International Air Transport Asso	
EINECS: European Inventory of Exist	ing Commercial Chemical Substances
ELINCS: European List of Notified Ch	
	ision of the American Chemical Society)
DNEL: Derived No-Effect Level (UK F PNEC: Predicted No-Effect Concentry	
LC50: Lethal concentration, 50 perce	
LD50: Lethal dose, 50 percent	
IOELV = indicative occupational expo	
Acute Tox. 3: Acute toxicity – Catego Acute Tox. 4: Acute toxicity – Catego	
Acute Tox. 4. Acute toxicity – Catego Acute Tox. 2: Acute toxicity – Catego	
Skin Corr. 1B: Skin corrosion/irritation	
Skin Irrit. 2: Skin corrosion/irritation -	
Eye Dam. 1: Serious eye damage/eye	
Eye Irrit. 2: Serious eye damage/eye Skin Sens. 1: Skin sensitisation – Ca	
Skin Sens. 1A: Skin sensitisation – Ca	
	icity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aq	uatic environment - acute aquatic hazard – Category 1
	aquatic environment - long-term aquatic hazard – Category 1
	aquatic environment - long-term aquatic hazard – Category 2 aquatic environment - long-term aquatic hazard – Category 3
* Data compared to the pre	