

Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX Car Wash Shampoo

Article number: 03145410

UFI: 9U06-H0Q6-3003-77KN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Detergents

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1A H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

(Contd. of page 1)

2.3 Other hazards

Results of PBT and vPvB assessment

PRT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

CAS: 68891-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	3-<5%
NLP: 500-234-8	Eye Dam. 1, H318; 🕔 Skin Irrit. 2, H315; Aquatic	
Reg.nr.: 01-2119488639-16-xxxx	Chronic 3, H412	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10%	
	Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one	>0.0015-<0.01%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.	
Reg.nr.: 01-2120764690-50-xxxx	2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318;	
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥	
	0.0015 %	
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	<0.01%
EINECS: 223-296-5	🔗 Acute Tox. 3, H311; Acute Tox. 3, H331; 🗞 STOT	
Reg.nr.: 01-2119493385-28-xxxx	RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic	
	Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2,	
CAS: 2634-33-5	H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	>0.0015-<0.01%
CAS. 2034-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one ♠ Acute Tox. 2, H330; ♠ Eye Dam. 1, H318;	20.0013-\0.01%
Reg.nr.: 01-2120761540-60-xxxx		
. tog 01 2120101010 00 XXXX	H410 (M=1); (Acute Tox. 4, H302; Skin Irrit. 2, H315;	
	Skin Sens. 1A, H317	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥	
	0.036 %	

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants, amphoteric surfactants	<5%
methylisothiazolinone, sodium pyrithione, benzisothiazolinone, perfumes	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing After inhalation: No special measures required

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

(Contd. of page 2)

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

sensitization

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

GB



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
CAS: 688	391-38-3	Balcohols, C12-14, ethoxylated, sulfates, sodium salts
Oral	DNEL	15 mg/kg (VL)
Dermal	DNEL	1,650 mg/kg (VL)
		2,750 mg/kg (worker long-term)
Inhalative	DNEL	52 mg/m³ (VL)
	DNEL	175 mg/m³ (worker long-term)
PNECs		
CAS: 688	391-38- 3	Balcohols, C12-14, ethoxylated, sulfates, sodium salts
PNEC 10	ე,000 mg	g/l (sewage plant)
0.	24 mg/l	(water (fresh water))
0.	024 mg/	/I (water (sea water))
PNEC 7.	PNEC 7.5 mg/kg (gro)	
0.	9168 mg	g/kg (sediment (fresh water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

0.09168 mg/kg (sediment (sea water))

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Protective gloves

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:OrangeOdour:CitrusMelting point/freezing point:Undetermined.

Polling point or initial bailing point and

Boiling point or initial boiling point and boiling

range Flammability

Lower and upper explosion limit

Lower: Not applicable
Upper: Not applicable
Flash point: Not applicable.
Decomposition temperature: Not determined.

(Contd. on page 5)

100 °C (CAS: 7732-18-5 water) Product is not flammable.



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Fully miscible.

Trade name: SONAX Car Wash Shampoo

(Contd. of page 4)

pH at 20 °C 7-8

Viscosity:

Kinematic viscosity at 40 °C <20.5 mm²/s

Solubility

Water:
Partition coefficient n-octanol/water (log value)

Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure at 20 °C:23 hPa (CAS: 7732-18-5 water)

Density and/or relative density

Density at 20 °C: 1.01-1.02 g/cm³ Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values	relevant for	classification:
----------------	--------------	-----------------

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >5,000 mg/kg (rat)
Dermal LD 50 >5,000 mg/kg (rat)

(Contd. on page 6)



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine

None of the ingredients is listed.

disrupting properties with health effects.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxic	ity:
CAS: 68891-3	88-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts
LC 50	>10-100 mg/l (Leuciscus idus)
EC0	>100 mg/l (Pseudomonas putida)
EC50	>100 mg/l (Scenedesmus subspicatus)
	>10-100 mg/l (Daphnia magna)
NOEC	>1-10 mg/l (Leuciscus idus)
	>0.1-1 mg/l (Daphnia magna)
CAS: 2682-20	0-4 2-methylisothiazol-3(2H)-one
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
CAS: 3811-73	3-2 pyridine-2-thiol 1-oxide, sodium salt
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)
CAS: 2634-33	3-5 1,2-benzisothiazol-3(2H)-one
NOEL 21 d	1.2 mg/l (daphnia) (OECD 211)
LC50/4d	2.2 mg/l (Regenbogenforelle) (OECD 203)
EC 20 / 3h	3.3 mg/l (KS)
EC50/3h	13 mg/l (KS)
NOEC / 28d	0.21 mg/l (Regenbogenforelle) (OECD 215)
EC10 / 72 h	0.04 mg/l (Selenastrum capricornutum) (OECD 201)
EC50 / 2 d	3.27 mg/l (daphnia) (OECD 202)
EC50 / 3 d	0.11 mg/l (Selenastrum capricornutum) (OECD 201)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

(Contd. on page 7)



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

(Contd. of page 6)

	(Conta. or page 6)
CAS: 38	11-73-2 pyridine-2-thiol 1-oxide, sodium salt
Biodegra	adation >70 % (activated sludge) (OECD 301 B)
12.3 Bio	accumulative potential
CAS: 26	82-20-4 2-methylisothiazol-3(2H)-one
BCF	3.16
log Kow	≤0.32
CAS: 38	11-73-2 pyridine-2-thiol 1-oxide, sodium salt
log Kow	<-1.09 ((n-Octanol/Wasser) OECD 107)
CAS: 26	34-33-5 1,2-benzisothiazol-3(2H)-one
BCF	6.95 (fish) (OECD 305)
log Kow	0.7 (octan-1-ol/water (OECD 117))

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PRT

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes: The product may not be released into the environment without control.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No

(Contd. on page 8)



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

(Contd. of page 7)

14.6 Special precautions for user Not applicable.

UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- Toxic in contact with skin. H311
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH070 Toxic by eye contact.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 11.07.2022 Version number of previous version: 8.00

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals

(Contd. on page 9)



Printing date 17.09.2024 Version: 9.00 (replaces version 8.00) Revision: 16.07.2024

Trade name: SONAX Car Wash Shampoo

(Contd. of page 8)

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

Carriage of Darigerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered.