

# Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: SOMAX Car Wash Shampoo Cherry Kick Article number: 30185-10 UF: NPO-POXT-J007-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance i the mixture Car care product Detergons Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this. 1.3 Details of the subpleme of the safety data sheet Manufacturer/Suppler: SONAX GmbH Munchener Straße 75 D-8633 NombH Munchener Straße 75 D-8633 NombH Munchener Straße 75 United Kingdom: Tetr: ++49 (0) 4431 53-07 United Kingdom: Anglo American OII Company Ltd SB Holton Road: Holton Health Trading Park, Poole, Dorset, BH16 6LT Telephone: (++4) 01929 551557 Email: Indogaal(.co.uk) 1.4 Emergency telephone number: European Union: +49 (0) 849 1920 (Poison Centre Munich) United Kingdom: O484 892 0111 (UK NPIS) Members of Public in England, Scotland and Weles can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact J GW Section according to Regulation (EC) No 1272/2008 Sam Sens 1.1 A 1371 May cause an allergic skin reaction. 2.2 Label elements European allergic skin reaction. Exact pictograms Exact pictog	1.1 Product identifier Trade name: <u>SONAX Car Wash Shampoo Cherry Kick</u> Article number: 03185410 UFI: N9P0-POXT-J00Y-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erg@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom:
Trade name:       SOMAX Car Wash Shampoo Cherry Kick         Article number:       3038410         UP::       NPRO-POXT-NOV-V238         17. Relevant identified uses of the substance or mixture and uses advised against         Application of the substance / the mixture         Car care product         Detergents         Consumer uses: Private households / general public / consumers         Professional uses         Totalis of the supplier of the safety data sheet         Manuferent:Strate 75         D-B6833 Neuburg (Donau)         Tet: ++49 (0)6431/53-0         Further information obtainable from:         Product safety         E-mail: regBesona.dee         Pholion Road, Hotion Heath Trading Park, Poole, Dorset, BH16 6LT         Telephone: ++49 (0)6431/53-0         United Kingdom:         Man Chener, 1+49 (0)8431/53-0         United Kingdom:         Manuferent:         Product safety         E-mail: info@aeoil.co.uk         1.4 Emergency telephone number:         European Unito: +40 (0)85 935.557         Email: info@aeoil.co.uk         1.4 Emergency telephone number:         European Unito: +40 (0)88 19240 (Poison Centre Munich)         United Kingdom: 0344 892 0111 (UK NPIS)         Membe	Trade name: SONAX Car Wash Shampoo Cherry Kick         Article number:         03185410         UFI: N9P0-POXT-J00Y-V238         1.2 Relevant identified uses of the substance or mixture and uses advised against         Application of the substance / the mixture         Car care product         Detergents         Consumer uses: Private households / general public / consumers         Professional uses         Uses advised against There is currently no information available on this.         1.3 Details of the supplier of the safety data sheet         Manufacturer/Supplier:         SONAX GmbH         Münchener Straße 75         D-86633 Neuburg (Donau)         Tel: ++49 (0)8431/53-0         Further information obtainable from:         Product safety         E-mail: erp@sonax.de         Phone: + +49 (0) 8431 53 217         United Kingdom:
Article number: 0318410 UF: NPPO-POXT-JOVY-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Detergens Consumer uses: Physic households / general public / consumers Professional uses Uses advised against: There is currently no information available on this. 1.3 Detains of the supplier SONAX GmbH Minchener: Straße 75 D-86633 Neuburg (Donau) Tel: ++49 (D)843153:-0 Further information obtainable from: Product safety E-mail: engloanax de Phone: ++49 (D) 843153:217 United Kingdom: Angio Amesian Oli Aonopany Ltd So Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 0129 S51557 E-mail: inflogaaoit.co.uk 1.4 Emergency telephone number: European Union: +49 (D) 843153:217 United Kingdom: 1.4 Emergency telephone number: European Union: +49 (D) 843153:217 United Kingdom: 1.4 Emergency telephone number: European Union: +49 (D) 843153:217 United Kingdom: 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens: 1A. H317 May cause an allergic skin reaction. Harar product is classified and labelled according to the GB CLP regulation. Harar for Marning Hazad Statements P10 Mical Kingdom Statements P10 P10 Mical Statements P10 P10 P10 P10 P10 P10 P10 P10	Article number: 03185410 UFI: N9P0-P0XT-J00Y-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel: : ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom:
03185410 UF: N8PC-PXXT-J00Y-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this. 1.3 Details of the supplier: SONAX GmbH Munchemer Strate 175 D-86633 Neuburg (Danau) Tel. ++49 (10)8431532 Further information obtainable from: Product safety E-mail: erg@sona.de Phone: + +49 (10)843153217 United Kingdom: Anglo American OII Company Ltd SB Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 0129 551557 E-mail: erg@sona.de Phone: +49 (0)843153217 United Kingdom: Anglo American OII Company Ltd SB Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 0129 551557 E-mail: info@gaaoli.co.uk 1.4 Encregency telephone number: European Union: +49 (0) 843 20111 (UK NPIS) Members of Public in England. Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP <b>SECTION 2: Hazards identification</b> 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction. Hazar May cause an allergic skin reaction. Hazar May cause an allergic skin reaction. Hazar May cause an allergic skin reaction. Ha37 May cause an allergic skin reaction. Procuder is classified and labelled according to the GB CLP regulation. Ha37 May cause an allergic skin reaction. Ha37 May cause an allergic skin reaction. Procuders Statements M37 May cause an allergic skin reaction. Procuders Statements P304-P323 If skin Imitation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container or inteoccurs: Get medical advice/atte	03185410 UFI: N9P0-P0XT-J00Y-V238 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom:
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX SmBH Munchener Straße 75         SONAX SmBH Munchener Straße 75         De6633 Neuburg (Donau) Tel: ++49 (0)8431/53-0         Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: +49 (0) 843 153 217         United Kingdom: Anglo American OII Company Ltd 58 Holton Road, Holton Health Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) (0) 849 25 51557         Email: info@aaoli co.uk         1.4 Emergency telephone number: European Union: +49 (0) 89 19240 (Poison Centre Munich) United Kingdom: 0344 892 0111 (UK NPIS) Members of Public in England. Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP         Section Continue Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction.         Labeling according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction.         Labeling according to Regulation (EC) No 1272/2008 The product is classified and labelied according to the GB CLP regulation. Hazard pictograms         Wigger       GHS07         Signal word Warning Hazard statements         May cause an allergic skin reaction.         Preationary statements         P10       If medical advice is needed, have product container or label at hand. P20         P20       Wear protective gives. P304-P332 If NOI SKIN: Wash with plenty of water. P334-P333 If skin initiation or rash occurs. Get medical	1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom:
Manufacturer/Supplier: SONAX 6mbH Munchener Straße 75 D-86633 Neuburg (Donau) Tel:.++49 (0)843153-0 Further information obtainable from: Product safety E-mail: erg@sonax.de Phone: ++49 (0) 8431 53 217 United Kingdom: Anglo American Oli Company Ltd S8 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk <b>1.4 Emergency telephone number:</b> European Union: +49 (0) 89 19240 (Poison Centre Munich) United Kingdom: Members of Public in England. Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms Force H317 May cause an allergic skin reaction. Proceutionsy statements H317 May cause an allergic skin reaction. Proceutionsy statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P204 Wear protective gloves. P302-P332 IF ON SKIN: Wash with plenty of water. P302-P332 IF ON SKIN: Wash with plenty of water. P333-P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contentis/container in accordance with local/regional/national/international regulations.	Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom:
Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom: Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551567 Email: info@aaol.co.uk <b>1.4 Emergency telephone number:</b> European Union: +49 (0) 89 19240 (Poison Centre Munich) United Kingdom: 0344 892 0111 (UK NPIS) Members of Public in England. Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP <b>SECTION 2: Hazards identification</b> <b>2.1</b> Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction. <b>2.2</b> Label elements <b>Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the GB CLP regulation. Hazard pictograms <b>Vietograms</b> <b>Figure Statements</b> H317 May cause an allergic skin reaction. <b>Product is in teach of children</b> . P302+P352 (F ON SKIN: Wash with plenty of water. P302+P352 (F ON SKIN: Wash with plenty of water. P33+P313 if skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contentis/container or laccordance with local/regional/national/international regulations.	Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 <b>United Kingdom:</b>
European Union: +49 (0) 89 19240 (Poison Centre Munich) United Kingdom: 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP         SECTION 2: Hazards identification         Signal of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1A H317 May cause an allergic skin reaction.         2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms         Wight for the substance of the GB CLP regulation. Hazard pictograms         May cause an allergic skin reaction. Hazard statements Ha317 May cause an allergic skin reaction. Proceutionary statements         P101       If medical advice is needed, have product container or label at hand. P102       Keep out of reach of children. P20         P302+P352 IF ON SKIN: Wash with plenty of water. P33+P313 If skin inritation or rash occurs: Get medical advice/attention. P50       Dispose of contents/container in accordance with local/regional/International regulations.	Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>Skin Sens. 1A H317 May cause an allergic skin reaction.</li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms</li> <li>Joint Constraints</li> <li>GHS07</li> <li>Signal word Warning Hazard statements H317 May cause an allergic skin reaction.</li> <li>Precautionary statements</li> <li>P10 If medical advice is needed, have product container or label at hand.</li> <li>P12 Keep out of reach of children.</li> <li>P30 Wear protective gloves.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P50 Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>	<u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>Skin Sens. 1A H317 May cause an allergic skin reaction.</li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms</li> <li>GHS07</li> <li>Signal word Warning Hazard statements H317 May cause an allergic skin reaction.</li> <li>Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.</li> <li>P303 Wear protective gloves.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P50 Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>	
Labelling according to Regulation (EC) No 1272/2008         The product is classified and labelled according to the GB CLP regulation.         Hazard pictograms         Image: Signal word Warning         Hazard statements         H317 May cause an allergic skin reaction.         Precautionary statements         P101       If medical advice is needed, have product container or label at hand.         P102       Keep out of reach of children.         P280       Wear protective gloves.         P302+P352 IF ON SKIN: Wash with plenty of water.         P333+P313 If skin irritation or rash occurs: Get medical advice/attention.         P501       Dispose of contents/container in accordance with local/regional/national/international regulations.	2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008
Hazard statementsH317 May cause an allergic skin reaction.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P280Wear protective gloves.P302+P352 IF ON SKIN: Wash with plenty of water.P333+P313 If skin irritation or rash occurs: Get medical advice/attention.P501Dispose of contents/container in accordance with local/regional/national/international regulations.	Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms
GB	Signal word Warning         Hazard statements         H317 May cause an allergic skin reaction.         Precautionary statements         P101       If medical advice is needed, have product container or label at hand.         P102       Keep out of reach of children.         P280       Wear protective gloves.         P302+P352 IF ON SKIN: Wash with plenty of water.         P333+P313 If skin irritation or rash occurs: Get medical advice/attention.         P501       Dispose of contents/container in accordance with local/regional/national/international regulations.         (Contd. on page 2)



# Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

(Contd. of page 1)

#### 2.3 Other hazards Results of PBT and vPvB assessment PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Aqueous tenside solution.

CAS: 68891-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	3-<5%	
NLP: 500-234-8	📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; Aquatic		
Reg.nr.: 01-2119488639-16-xxxx			
	Specific concentration limits:		
	Eye Dam. 1; H318: C ≥ 10%		
	Eye Irrit. 2; H319: 5 % ≤ C < 10 %		
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one	>0.0015-<0	.01%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.		
Reg.nr.: 01-2120764690-50-xxxx	2, H330; 📀 Skin Corr. 1B, H314; Eye Dam. 1, H318;		
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,		
	H̃410 (M=1); か Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥		
	0.0015 %		
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	<0.01%	
EINECS: 223-296-5	♦ Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT	-0.0176	0
	RE 1, H372; 🚯 Aquatic Acute 1, H400 (M=100); Aquatic		
	Chronic 2, H411; () Acute Tox. 4, H302; Skin Irrit. 2,		
	H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070		
Regulation (EC) No 648/2004 on	detergents / Labelling for contents		
	urfactants		<5%
anionic surfactants, amphoteric su	inactants		0,0

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

4.1 Description of first aid measures
General information: Remove soiled clothing
After inhalation: No special measures required
After skin contact:
Wash the areas of skin affected with water and a mild detergent.
If symptoms persist consult doctor.
After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
4.2 Most important symptoms and effects, both acute and delayed sensitization
Allergic reactions

GB



## Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

#### Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special precautions are necessary if used correctly. *Information about fire - and explosion protection:* No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground. **Information about storage in one common storage facility:** 

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs			
CAS: 688	391-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	
Oral	DNEL	15 mg/kg (VL)	_
Dermal	DNEL	1,650 mg/kg (VL)	
-	-	(Contd. on page	4)



# Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

2,750 mg/kg (work	(Contd. of p	page
Inhalative DNEL 52 mg/m³ (VL)		
DNEL 175 mg/m³ (worke	r long-term)	
PNECs		
CAS: 68891-38-3 alcohols, C12-14,	ethoxylated, sulfates, sodium salts	
PNEC 10,000 mg/l (sewage plant)		
0.24 mg/l (water (fresh water)		
0.024 mg/l (water (sea water)		
PNEC 7.5 mg/kg (gro)		
0.9168 mg/kg (sediment (fres	sh water))	
0.09168 mg/kg (sediment (se	a water))	
Additional information: The lists va	lid during the making were used as basis.	
8.2 Exposure controls		
Individual protection measures, su	uch as personal protective equipment	
General protective and hygienic m		
	re to be adhered to when handling chemicals.	
Keep away from foodstuffs, beverage Wash hands before breaks and at th		
Respiratory protection:		
Not required in normal cases		
Ensure good ventilation/exhaustion a	at the workplace.	
Hand protection Protective gloves		
Material of gloves		
Nitrile rubber, NBR		
	arial: > 0.4 mm	
Recommended thickness of the mate	erial: ≥ 0.4 mm	
Recommended thickness of the mate [EN 374]		
Recommended thickness of the mate [EN 374] <b>Penetration time of glove material</b>	Value for the permeation: Level 6 (≥480min)	
Recommended thickness of the mate [EN 374]	Value for the permeation: Level 6 (≥480min)	
Recommended thickness of the mate [EN 374] <b>Penetration time of glove material</b>	Value for the permeation: Level 6 (≥480min)	
Recommended thickness of the mate [EN 374] <b>Penetration time of glove material</b>	Value for the permeation: Level 6 (≥480min) normal cases	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch	Value for the permeation: Level 6 (≥480min) normal cases nemical properties	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical	Value for the permeation: Level 6 (≥480min) normal cases nemical properties	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information	Value for the permeation: Level 6 (≥480min) normal cases nemical properties	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical	Value for the permeation: Level 6 (≥480min) normal cases nemical properties and chemical properties	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour:	Value for the permeation: Level 6 (≥480min) normal cases <b>nemical properties</b> and chemical properties Fluid Red Fruit-like	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point:	Value for the permeation: Level 6 (≥480min) normal cases <b>nemical properties</b> and chemical properties Fluid Red Fruit-like Undetermined.	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point	Value for the permeation: Level 6 (≥480min) normal cases <b>nemical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point range	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water)	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point range Flammability	Value for the permeation: Level 6 (≥480min) normal cases <b>nemical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable.	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower:	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper:	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower:	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable Not applicable.	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity:	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable Not applicable. Not determined. 7-8	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable Not applicable. Not determined.	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C Solubility	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable Not applicable. Not determined. 7-8 <20.5 mm²/s	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C Solubility water:	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable Not applicable. Not determined. 7-8 <20.5 mm²/s Fully miscible.	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C Solubility water: Partition coefficient n-octanol/wate	Value for the permeation: Level 6 (≥480min) normal cases         permical properties         and chemical properties         Fluid         Red         Fruit-like         Undetermined.         t and boiling         100 °C (CAS: 7732-18-5 water)         Product is not flammable.         Not applicable         Not applicable         Not determined.         7-8         <20.5 mm²/s	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C Solubility water: Partition coefficient n-octanol/wate Vapour pressure at 20 °C:	Value for the permeation: Level 6 (≥480min) normal cases <b>Demical properties</b> and chemical properties Fluid Red Fruit-like Undetermined. t and boiling 100 °C (CAS: 7732-18-5 water) Product is not flammable. Not applicable Not applicable Not applicable. Not determined. 7-8 <20.5 mm²/s Fully miscible.	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C Solubility water: Partition coefficient n-octanol/wate Vapour pressure at 20 °C: Density and/or relative density	Value for the permeation: Level 6 (≥480min) normal cases         Demical properties         and chemical properties         Fluid Red Fruit-like Undetermined.         t and boiling         100 °C (CAS: 7732-18-5 water) Product is not flammable.         Not applicable Not applicable Not applicable.         Not determined.         7-8         <20.5 mm²/s	
Recommended thickness of the mate [EN 374] Penetration time of glove material Eye/face protection Not required in SECTION 9: Physical and ch 9.1 Information on basic physical a General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling poin range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity at 40 °C Solubility water: Partition coefficient n-octanol/wate Vapour pressure at 20 °C:	Value for the permeation: Level 6 (≥480min) normal cases         permical properties         and chemical properties         Fluid         Red         Fruit-like         Undetermined.         t and boiling         100 °C (CAS: 7732-18-5 water)         Product is not flammable.         Not applicable         Not applicable         Not determined.         7-8         <20.5 mm²/s	



## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >5,000 mg/kg (rat)

Dermal LD 50 >5,000 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

 Serious eye damage/irritation Based on available data, the classification criteria are not met.
 Respiratory or skin sensitisation May cause an allergic skin reaction.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
 Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 6)



# Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine

disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

Aquatic toxi	r There are no ecotoxicological data available on this mixture.
-	cny: 38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts
LC 50	>10-100 mg/l (Leuciscus idus)
EC 00	>100 mg/l (Pseudomonas putida)
EC50	>100 mg/l (Scenedesmus subspicatus)
2030	>10-100 mg/l (Daphnia magna)
NOEC	>1-10 mg/l (Leuciscus idus)
NOEC	>0.1-1 mg/l (Daphnia magna)
CAC: 2602 2	
EC 20 / 3h	0-4 2-methylisothiazol-3(2H)-one
	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
	3-2 pyridine-2-thiol 1-oxide, sodium salt
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
	0.08 mg/l (Selenastrum capricornutum) (OECD 201) ence and degradability
CAS: 3811-7	<ul> <li>14) for ultimate biodegradability for surfactants in detergents.</li> <li>3-2 pyridine-2-thiol 1-oxide, sodium salt</li> <li>570 % (activated sludge) (OECD 301 B)</li> </ul>
-	Imulative potential
	0-4 2-methylisothiazol-3(2H)-one
BCF 3.10	• • • •
log Kow ≤0.3	
	3-2 pyridine-2-thiol 1-oxide, sodium salt
	09 ((n-Octanol/Wasser) OECD 107)
-	<i>i</i> <b>n soil</b> No further relevant information available.
12.5 Results PBT:	of PBT and vPvB assessment
classified as <b>vPvB:</b>	
classified as	information provided in the supply chain, the mix conatins less than 0.1% of any substances vPvB ine disrupting properties
According to disrupting pro	the current state of scientific knowledge, there is no data for the product regarding endocrine operties with effects on the environment. dverse effects
	cological information:
	es: The product may not be released into the environment without control.

(Contd. of page 5)

(Contd. on page 7)



## Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

(Contd. of page 6)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC. **Recommendation** Waste must be disposed of while observing the local, official regulations.

*European waste catalogue* 1) *Disposal / product* 

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport int	formation
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for use	r Not applicable.
UN "Model Regulation":	Void

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(Contd. on page 8)

GB



# Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 11.07.2022

Relevan	(Contd. of pa
	t phrases
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH070	Toxic by eye contact.
	Corrosive to the respiratory tract.
	cation according to Regulation (EC) No 1272/2008
	sitisation The classification of the mixture is generally based on the calculation method using
	substance data according to Regulation (EC) No 1272/2008.
Date of	previous version: 22.04.2021
	number of previous version: 1.00
Abbrevi	ations and acronyms:
NOEL = No	o Observed Effect Level
	Observed Effect Concentration
	Concentration
	f maximal effective concentration Octanol / water partition coefficient
	ally Harmonized System of Classification and Labelling of Chemicals
	toxicity estimate
ADR: Acco	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internationa
ADR: Acco Carriage of	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road)
ADR: Acco Carriage of IMDG: Inte	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internationa
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances
ADR: Acco Carriage of IMDG: Inte IATA: Inten EINECS: E ELINCS: E CAS: Cher	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society)
ADR: Acco Carriage of IMDG: Inter IATA: Inter EINECS: E ELINCS: E CAS: Chen DNEL: Der	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ived No-Effect Level (UK REACH)
ADR: Acco Carriage of IMDG: Inter IATA: Inter EINECS: E CAS: Cher DNEL: Der PNEC: Pre LC50: Leth	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent
ADR: Acco Carriage of IMDG: Inter IATA: Inter EINECS: E ELINCS: E CAS: Cherr DNEL: Der PNEC: Pre LC50: Leth LD50: Leth	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ived No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent
ADR: Acco Carriage of IMDG: Inter IATA: Inter EINECS: E ELINCS: E CAS: Cherr DNEL: Der PNEC: Pre LC50: Leth ID50: Leth IOELV = in	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) mational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values
ADR: Acco Carriage of IMDG: Inter IATA: Inter EINECS: E ELINCS: E CAS: Cher DNEL: Der PNEC: Pre LC50: Leth LD50: Leth IOELV = in Acute Tox.	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3
ADR: Acco Carriage of IMDG: Inte IATA: Inter: EINECS: E ELINCS: E CAS: Chern DNEL: Der PNEC: Pre LC50: Leth IOELV = in Acute Tox. Acute Tox.	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) mational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values
ADR: Acco Carriage of IMDG: Inter IATA: Inter EINECS: E ELINCS: E CAS: Cher DNEL: Der PNEC: Pre LCS0: Leth IOELV = in Acute Tox. Acute Tox. Skin Corr.	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) mational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances ical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 IB: Skin corrosion/irritation – Category 1B
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E CAS: Cher DNEL: Der PNEC: Pre LC50: Leth LD50: Leth LD50: Leth IOELV = in Acute Tox. Acute Tox. Skin Corr. Skin Irrit. 2	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 B: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 2
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E CAS: Chern DNEL: Der PNEC: Pre LC50: Leth IOELV = in Acute Tox. Acute Tox. Skin Corr. Skin Irit. 2 Eye Dam.	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods national Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 IB: Skin corrosion/irritation – Category 1
ADR: Acco Carriage of IMDG: Inter IATA: Inter: ELINCS: E ELINCS: E CAS: Cher DNEL: Der PNEC: Pre LC50: Leth LD50: Leth IOELV = in Acute Tox. Acute Tox. Skin Corr. Skin Corr. Eye Dam. Eye Irrit. 2:	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 B: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 2
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E CAS: Cher DNEL: Der PNEC: Pre LC50: Leth LD50: Leth LD50: Leth IOELV = in Acute Tox. Acute Tox. Acute Tox. Skin Corr. Skin Irrit. 2 Eye Dam. Skin Sens. Skin Sens.	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 E: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 1 Serious eye damage/eye irritation – Category 2 1: Serious seye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Skin sensitisation – Category 1A
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E CAS: Chern DNEL: Der PNEC: Pre LC50: Leth IOELV = in Acute Tox. Acute Tox. Acute Tox. Skin Corr. Skin Corr. Skin Sens. Skin Sens. SKID Sens.	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 B: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 1 Serious eye damage/eye irritation – Category 2 1: Serious eye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Skin sensitisation – Category 1 A: Skin sensitisation – Category 1 Serious eye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Skin sens
ADR: Acco Carriage of IMDG: Inte IATA: Inter: EINECS: E ELINCS: E CAS: Cher DNEL: Der DNEL: Der LC50: Leth IOELV = in Acute Tox. Acute Tox. Acute Tox. Skin Corr. Skin Corr. Skin Sens. Skin Sens. STOT RE Aquatic Ac	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) mational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances ical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 IB: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 1 Serious eye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Specific target organ toxicity (repeated exposure) – Category 1 A: Specific target organ toxicity (repeated exposure) – Category 1 b: Specific target organ toxicity (repeated exposure) – Category 1 b: Specific target organ toxicity or the aquatic environment - acute aquatic hazard – Category 1
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E CAS: Cher DNEL: Der PNEC: Pre LC50: Leth LD50: Leth LD50: Leth LD50: Leth IOELV = in Acute Tox. Acute Tox. Acute Tox. Skin Corr. Skin Irrit. 2 Eye Dam. Eye Irrit. 2: Skin Sens. SKin Sens. STOT RE Aquatic Ac Aquatic Ch	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) rnational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 B: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 1 Serious eye damage/eye irritation – Category 2 1: Serious eye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Skin sensitisation – Category 1 A: Skin sensitisation – Category 1 Serious eye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Skin sens
ADR: Acco Carriage of IMDG: Inte IATA: Inter EINECS: E ELINCS: E CAS: Chern DNEL: Der PNEC: Pre LC50: Leth LD50: Leth LD50: Leth IDELV = in Acute Tox. Acute Tox. Acute Tox. Skin Corr. Skin Irrit. 2 Eye Dam. Eye Irrit. 2: Skin Sens. STOT RE Aquatic Ch Aquatic Ch	toxicity estimate rd relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Dangerous Goods by Road) mational Maritime Code for Dangerous Goods hational Air Transport Association uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances ical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (UK REACH) dicted No-Effect Concentration (UK REACH) al concentration, 50 percent al dose, 50 percent dicative occupational exposure limit values 3: Acute toxicity – Category 3 4: Acute toxicity – Category 4 2: Acute toxicity – Category 2 IS: Skin corrosion/irritation – Category 1 Serious eye damage/eye irritation – Category 1 Serious eye damage/eye irritation – Category 2 1: Skin sensitisation – Category 1 A: Specific target organ toxicity (repeated exposure) – Category 1 the 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 bita 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 bita 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1