

Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

Printing date 18	.09.2024	Version: 8.00 (replac	es version 7.00)	Revision: 11.10.2023
SECTION	1: Identificatio	n of the substance	e/mixture and of	the company/undertaking
1.1 Produc	t identifier			
Trade name	e: <u>SONAX Car A/C (</u>	Cleaner AirAid		
1.2 Relevar Application Car care pro Detergents Consumer L Professiona	P02M-600T-MF0M nt identified uses of n of the substance / pduct uses: Private househ I uses	f the substance or mix the mixture olds / general public / c currently no information	onsumers	ed against
Manufactur SONAX Gm Münchener D-86633 Ne	r er/Supplier: nbH	he safety data sheet		
Product safe E-mail: erp(Phone: + + + <u>United King</u> Anglo Amer 58 Holton R Telephone:	Dsonax.de 19 (0) 8431 53 217 gdom: ican Oil Company Lt	d rading Park, Poole, Do	rset, BH16 6LT	
European U United King Members of	gdom: 0344 892 01	2 40 (Poison Centre Mu 11 (UK NPIS) Scotland and Wales car		IS 24 by dialling 111
SECTION	l 2: Hazards ide	ntification		
Classificati	cation of the substa ion according to Re 1222 Extremely flami	gulation (EC) No 1272	2/2008	
	•	ntainer: May burst if hea	ated.	
2.2 Label e. Labelling a The product Hazard pict	ccording to Regula t is classified and lab	tion (EC) No 1272/200 belled according to the (8 GB CLP regulation.	
H229 Press	tements mely flammable aero urised container: Ma ary statements Keep out of reach o Keep away from hea	y burst if heated. f children.		ner ignition sources. No smoking.
P251 P260	Do not pierce or bui Do not breathe spra	rn, even after use.		

P260 Do not breathe spray.

(Contd. on page 2)

⁻ GB -



Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

(Contd. of page 1)

Trade name: SONAX Car A/C Cleaner AirAid

P271 Use only outdoors or in a well-ventilated area.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

*P*501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information:

Additional information

Buildup of explosive mixtures possible without sufficient ventilation. **2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Active substance with propellant

Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	25-	<50%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane Tiam. Gas 1A, H220; Press. Gas (Comp.), H280	25-	<50%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	20-	<25%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane 🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<	:10%
Regulation (EC) No 648/2004 or	n detergents / Labelling for contents		
aliphatic hydrocarbons		2	:30%
Bacillus Ferment, perfumes, limor	nene		
Additional information: For the	wording of the listed hazard phrases refer to section 16.	•	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Remove soiled clothing

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air.

In the event of irritation of the respiratory tract, dizziness, nausea or unconsciousness, call medical assistance immediately.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

GB



Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

(Contd. of page 2)

Trade name: SONAX Car A/C Cleaner AirAid

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: Foam Fire-extinguishing powder Carbon dioxide Water haze For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide and carbon dioxide 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing. For emergency responders Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

(Contd. on page 4)

GB



Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

Trade name: SONAX Car A/C Cleaner AirAid

		(Contd. of page 3
7.2 Conditions for	safe storage, including any incompatibilities	
Storage:		
	e met by storerooms and receptacles:	
Prevent any seepag		
	ulations on storing packagings with pressurised containers. storage in one common storage facility:	
Store away from foc		
Observe local/state/		
Further information	n about storage conditions:	
	a well ventilated area.	
Protect from heat an		
Protect from frost.	e. Heat will increase pressure and may lead to the receptacle bursting.	
	age temperature: 20 °C.	
	se(s) No further relevant information available.	
	posure controls/personal protection	
8.1 Control parame	eters	
8.1 Control parame Ingredients with lin	eters nit values that require monitoring at the workplace:	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan	eters mit values that require monitoring at the workplace: nol	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain)	eters nit values that require monitoring at the workplace: nol Long-term value: 1920 mg/m³, 1000 ppm	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland)	eters nit values that require monitoring at the workplace: nol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta	eters mit values that require monitoring at the workplace: nol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta	eters mit values that require monitoring at the workplace: mol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta	eters mit values that require monitoring at the workplace: mol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta WEL (Great Britain)	eters nit values that require monitoring at the workplace: nol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1850 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 but WEL (Great Britain) OEL (Ireland)	eters mit values that require monitoring at the workplace: mol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1850 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta WEL (Great Britain) OEL (Ireland) CAS: 74-98-6 prop	eters mit values that require monitoring at the workplace: mol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1810 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm ane	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta WEL (Great Britain) OEL (Ireland) CAS: 74-98-6 propo OEL (Ireland)	eters mit values that require monitoring at the workplace: mol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1810 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm ane Asphx	
8.1 Control parame Ingredients with lin CAS: 64-17-5 ethan WEL (Great Britain) OEL (Ireland) CAS: 106-97-8 buta WEL (Great Britain) OEL (Ireland) CAS: 74-98-6 prop	eters mit values that require monitoring at the workplace: mol Long-term value: 1920 mg/m³, 1000 ppm Short-term value: 1000 ppm ane Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1810 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Short-term value: 1000 ppm ane Asphx	

OEL (Ireland) Short-term value: 1000 ppm

Regulatory information

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

DNELs CAS: 6

Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)			
Dermal	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)				
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)			
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)			
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)			
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)			
		950 mg/m³ (worker) (long-term exposure - systemic effects)			
PNECs					
CAS: 64	17-5 eth	nanol			
PNEC 5	80 mg/l ((sewage plant)			
0.	0.96 mg/l (water (fresh water))				
0.	0.79 mg/l (water (sea water))				
PNEC 3	3.6 mg/kg (sediment (fresh water))				
0.	63 mg/k	g (soil)			

Additional information: The lists valid during the making were used as basis.



Revision: 11.10.2023

Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Trade name: SONAX Car A/C Cleaner AirAid

(Contd. of page 4)

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. **Respiratory protection:** Not required in normal cases If the occupational exposure limit is exceeded: The following breathing protection is recommended:

Respiratory filter for organic gases and vapours (Type A)

Identification colour: Brown

[DIN EN 14387] Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pro	onortios
General Information	טרבו וובא
Physical state	Fluid
Colour:	Colourless
Odour:	Fruit-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	00 °C
range	82 °C
	(Active ingredient data)
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
Lower:	1.5 Vol % (CAS: 106-97-8 butane)
Upper:	15 Vol % (CAS: 64-17-5 ethanol)
Flash point:	Not applicable, as aerosol.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm2/s
	(Active ingredient data)
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.8-0.82 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	In use, may form flammable/explosive vapour-air mixture.
Change in condition	
Evaporation rate	Not determined.
	(Contd. on page 6



Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

Trade name: SONAX Car A/C Cleaner AirAid

	(Contd. of page
Information with regard to physical hazard cl	lasses
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol.
	Pressurised container: May burst if heated.
	≥85% (percent by mass) flammable components,
	combustion energy ≥ 30 kJ/g
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Develops readily flammable gases/fumes.

10.4 Conditions to avoid

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

CAS: 64-1	7-5 ethand	1
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)
Skin corre	osion/irrita	tion Based on available data, the classification criteria are not met.
Serious e	ye damage	/ <i>irritation</i> Based on available data, the classification criteria are not met.
Respirato	ry or skin	sensitisation Based on available data, the classification criteria are not met.
Germ cell	mutageni	city Based on available data, the classification criteria are not met.
Carcinog	enicity Bas	ed on available data, the classification criteria are not met.
Reproduc	tive toxici	y Based on available data, the classification criteria are not met.
		(Contd. on page 7



Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

Trade name: SONAX Car A/C Cleaner AirAid

	(Contd. of page 6)
STOT-single exposure Based on available data, the classification criteria are not met.	
STOT-repeated exposure Based on available data, the classification criteria are not met.	
Aspiration hazard Based on available data, the classification criteria are not met.	
Additional toxicological information:	
Repeated dose toxicity	

CAS: 64-17-5 ethanol

Oral NOAEL 1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)

11.2 Information on other hazards

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxi	icity:				
CAS: 64-17-	5 ethanol				
LC50 / 48h	8,140 mg/l (Leuciscus idus)				
EC50 / 48h	>10,000 mg/l (Daphnia magna)				
EC50 / 72h	275 mg/l (Chlorella vulgaris)				
CAS: 106-97	7-8 butane				
LC50 / 96 h	27.98 mg/l (fish)				
EC50 / 4 d	7.71 mg/l (algae)				
CAS: 74-98-					
LC50 / 96 h	27.98 mg/l (fish)				
EC50 / 96 h	7.71 mg/l (algae)				
CAS: 75-28-	5 isobutane				
LC50 / 96 h	27.98 mg/l (fish)				
EC50 / 4 d	7.71 mg/l (algae)				
	ence and degradability No further relevant information available.				
	umulative potential No further relevant information available.				
	y in soil No further relevant information available. s of PBT and vPvB assessment				
PBT:	S OF PB1 and VPVB assessment				
	information provided in the supply chain, the mix conatins less than 0.1% of any substances PBT				
classified as					
	ine disrupting properties				
	the current state of scientific knowledge, there is no data for the product regarding endocrine				
disrupting properties with effects on the environment. 12.7 Other adverse effects					
	cological information:				
	es: The product may not be released into the environment without control.				

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

(Contd. on page 8)

GB

SONAX®

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

(Contd. of page 7)

Trade name: SONAX Car A/C Cleaner AirAid

European waste catalogue

Disposal / product + Disposal / contaminated packaging

15 01 10* packaging containing residues of or contaminated by dangerous substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 44: Transport in	formation				
SECTION 14: Transport in	TOTMALION				
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1950				
14.2 UN proper shipping name ADR/RID/ADN IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable				
14.3 Transport hazard class(es)					
ADR/RID/ADN					
Class	2 5F Gases.				
Label IMDG, IATA	2.1				
Class	2.1 Gases.				
Label	2.1				
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void				
14.5 Environmental hazards: Marine pollutant:	No				
14.6 Special precautions for user Warning: Gases.					
Transport/Additional informatio	n:				
ADR/RID/ADN					
Limited quantities (LQ)	1L				
Transport category	2				
Tunnel restriction code	D				
UN "Model Regulation":	UN1950, AEROSOLS, 2.1				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) 96.92 %

Directive 2000/54/EU Contains Group 1 biological agents Catégorie SEVESO (DIRECTIVE 2012/18/EU) P3a FLAMMABLE AEROSOLS

(Contd. on page 9) GB



Printing date 18.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 11.10.2023

(Contd. of page 8)

Trade name: SONAX Car A/C Cleaner AirAid

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION	16: C	Other	informa	tion

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

Classification according to Regulation (EC) No 1272/2008

Aerosols, Section 2.3.1 On basis of test data

Date of previous version: 14.07.2022 Version number of previous version: 7.00 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road, IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols – Category 1 : Aerosols – Category 3 Press. Gas (Comp.): Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

GB -