

Printing date 18.09.2024

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Printing date 18.09.2024	Version: 3.01 (replaces version 3.00)	Revision: 25.07.2024
SECTION 1: Identifica	tion of the substance/mixture and of t	the company/undertaking
1.1 Product identifier		
Trade name: <u>SONAX Car A</u>	VC Cleaner Ocean Fresh AirAid	
Application of the substan Car care product Detergents Consumer uses: Private hou Professional uses	es of the substance or mixture and uses advise	ed against
1.3 Details of the supplier	of the safety data sheet	
<i>Manufacturer/Supplier:</i> SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0		
Further information obtain Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 23 <u>United Kingdom:</u> Anglo American Oil Compan 58 Holton Road, Holton Hea Telephone: (+44) 01929 551 Email: info@aaoil.co.uk	17 ny Ltd th Trading Park, Poole, Dorset, BH16 6LT	
United Kingdom: 0344 892	9 19240 (Poison Centre Munich) 2 0111 (UK NPIS) nd, Scotland and Wales can contact NHS 111/NH	'S 24 by dialling 111
SECTION 2: Hazards i	identification	
2.1 Classification of the su Classification according to Aerosol 1 H222 Extremely f	ubstance or mixture o Regulation (EC) No 1272/2008	
	gulation (EC) No 1272/2008 d labelled according to the GB CLP regulation.	
GHS02		
Signal word Danger Hazard statements H222 Extremely flammable a H229 Pressurised container: Precautionary statements		
P102 Keep out of read	ch of children. n beat, hot surfaces, sparks, open flames and othe	er ignition sources. No smoking

P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P211Do not spray on an open flame or other ignition source.

- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.

(Contd. on page 2)



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

(Contd. of page 1)

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

Use only outdoors or in a well-ventilated area.

P271 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501 Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Active substance with propellant

Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	25-<50%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane 🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-<50%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	20-<25%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<10%
Regulation (EC) No 648/2004 or	n detergents / Labelling for contents	
aliphatic hydrocarbons		≥30%
perfumes (Tetramethyl Acetylocta	ahydronaphtalenes), Bacillus Ferment	
Additional information: For the	wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Remove soiled clothing

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air.

In the event of irritation of the respiratory tract, dizziness, nausea or unconsciousness, call medical assistance immediately

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

GB



Printing date 18.09.2024

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: Foam Fire-extinguishing powder Carbon dioxide Water haze For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation **For non-emergency personnel** Keep away from ignition sources.

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material. Buildup of explosive mixtures possible without sufficient ventilation.

(Contd. on page 4)

GB



Printing date 18.09.2024

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

	(Contd. of page 3
7.2 Conditions for safe storage, including any incompatibilities	
Storage:	
Requirements to be met by storerooms and receptacles:	
Prevent any seepage into the ground.	
Observe official regulations on storing packagings with pressurised containers.	
Information about storage in one common storage facility:	
Store away from foodstuffs.	
Observe local/state/federal regulations.	
Further information about storage conditions:	
Store receptacle in a well ventilated area.	
Protect from heat and direct sunlight.	
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.	
Protect from frost.	
Recommended storage temperature: 20 °C.	
7.3 Specific end use(s) No further relevant information available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

	17-5 eth	nanol	
WEL (Great Britain)		Long-term value: 1920 mg/m³, 1000 ppm	
OEL (Ireland)		Short-term value: 1000 ppm	
CAS: 106	-97-8 bi	utane	
WEL (Great Britain)		in) Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)	
OEL (Irela	and)	Short-term value: 1000 ppm	
CAS: 74-9	98-6 pro	opane	
OEL (Irela		Asphx	
CAS: 75-2	28-5 iso	butane	
OEL (Irela	,	Short-term value: 1000 ppm	
	at Britai	mation in): EH40/2020 21 CoP for the Safety, Health and Welfare at Work	
•	ana): 20.		
DNELs			
DNELs CAS: 64-1	17-5 eth	nanol	
DNELs CAS: 64-1	17-5 eth	aanol 87 mg/kg (consumer) (long-term exposure - systemic effects)	
DEL (Ireia DNELS CAS: 64- Oral Dermal	17-5 eth	nanol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal	17-5 eth DNEL DNEL	nanol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal	17-5 eth DNEL DNEL	aanol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects)	
DNELs CAS: 64- Oral Dermal	17-5 eth DNEL DNEL DNEL	anol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
DNELs CAS: 64- Oral Dermal	17-5 eth DNEL DNEL DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m ³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m ³ (worker) (acute short-tem exposure - local effects) 114 mg/m ³ (consumer) (long-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal	17-5 eth DNEL DNEL DNEL	anol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
DNELs CAS: 64- Oral Dermal Inhalative	17-5 eth DNEL DNEL DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m ³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m ³ (worker) (acute short-tem exposure - local effects) 114 mg/m ³ (consumer) (long-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal Inhalative PNECs	17-5 eth DNEL DNEL DNEL DNEL	anol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal Inhalative PNECs CAS: 64-	17-5 eth DNEL DNEL DNEL DNEL	anol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)	
DNELS CAS: 64- Oral Dermal Inhalative PNECS CAS: 64- PNEC 58	17-5 eth DNEL DNEL DNEL DNEL	Banol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (morker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal Inhalative PNECs CAS: 64- PNEC 58 0.5	17-5 eth DNEL DNEL DNEL DNEL 17-5 eth 10 mg/l (96 mg/l	Banol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)	
DNELs CAS: 64- Oral Dermal Inhalative PNECs CAS: 64- PNEC 58 0.5 0.5	17-5 eth DNEL DNEL DNEL DNEL 17-5 eth 0 mg/l (96 mg/l 79 mg/l	anol 87 mg/kg (consumer) (long-term exposure - systemic effects) 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 950 mg/m³ (consumer) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)	



Printing date 18.09.2024

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

(Contd. of page 4)

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. **Respiratory protection:** Not required in normal cases If the occupational exposure limit is exceeded: The following breathing protection is recommended: Respiratory filter for organic gases and vapours (Type A) Identification colour: Brown IDIN EN 143871

[DIN EN 14387] Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pro	operties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Ocean-like, fresh
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	82 °C
lange	(Active ingredient data)
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
Lower:	1.5 Vol % (CAS: 106-97-8 butane)
	15 Vol % (CAS: 100-97-0 balane)
Upper: Elash pointi	
Flash point:	Not applicable, as aerosol. Not determined.
Decomposition temperature:	
pH Viacasia	Not determined.
Viscosity:	00 F 01
Kinematic viscosity at 20 °C	<20.5 mm2/s
	(Active ingredient data)
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.8-0.82 g/cm ³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	In use, may form flammable/explosive vapour-air
	mixture.
Change in condition	
Evaporation rate	Not applicable.
	(Contd. on page 6)
	G



Printing date 18.09.2024

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

Information with regard to physical hazard cla	(Contd. of page
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol.
	Pressurised container: May burst if heated.
	≥85% (percent by mass) flammable components,
	combustion energy \geq 30 kJ/g
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Develops readily flammable gases/fumes.

10.4 Conditions to avoid

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

CAS: 64-1	7-5 ethand	1
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)
Skin corre	osion/irrita	tion Based on available data, the classification criteria are not met.
Serious e	ye damage	/ <i>irritation</i> Based on available data, the classification criteria are not met.
Respirato	ry or skin	sensitisation Based on available data, the classification criteria are not met.
Germ cell	mutageni	city Based on available data, the classification criteria are not met.
Carcinog	enicity Bas	ed on available data, the classification criteria are not met.
Reproduc	tive toxici	y Based on available data, the classification criteria are not met.
		(Contd. on page 7



Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

		(Contd. of page 6)
	STOT-single exposure Based on available data, the classification criteria are not met.	
-	STOT-repeated exposure Based on available data, the classification criteria are not met.	
-	Aspiration hazard Based on available data, the classification criteria are not met.	
-	Additional toxicological information:	
Γ	Repeated dose toxicity	

CAS: 64-17-5 ethanol

Oral NOAEL 1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

CAS: 64-17-5 ethanol LC50 / 48h 8,140 mg/l (Leuciscus idus)

EC50 / 48h |>10,000 mg/l (Daphnia magna)

EC50 / 72h 275 mg/l (Chlorella vulgaris)

CAS: 106-97-8 butane LC50 / 96 h 27.98 mg/l (fish)

EC50 / 4 d 7.71 mg/l (algae)

CAS: 74-98-6 propane

LC50 / 96 h 27.98 mg/l (fish)

EC50 / 96 h 7.71 mg/l (algae)

CAS: 75-28-5 isobutane

LC50 / 96 h 27.98 mg/l (fish)

EC50 / 4 d 7.71 mg/l (algae)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes: The product may not be released into the environment without control.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

Disposal / product + Disposal / contaminated packaging

(Contd. on page 8)

SONAX®

Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

(Contd. of page 7)

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

15 01 10* packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inf	onnation
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR/RID/ADN IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class	2 5F Gases.
Label	2.1
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for use	r Warning: Gases.
Transport/Additional information	1:
ADR/RID/ADN	
Limited quantities (LQ)	1L
Transport category Tunnel restriction code	2 D
i unnei restriction code	U

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 96.89 %

Directive 2000/54/EU Contains Group 1 biological agents Catégorie SEVESO (DIRECTIVE 2012/18/EU) P3a FLAMMABLE AEROSOLS REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 9)

GB

ΟΝΔΧ

Safety data sheet according to UK REACH

Version: 3.01 (replaces version 3.00)

Revision: 25.07.2024

Trade name: SONAX Car A/C Cleaner Ocean Fresh AirAid

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. Relevant phrases H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. Classification according to Regulation (EC) No 1272/2008 Aerosols, Section 2.3.1 On basis of test data Date of previous version: 07.12.2023 Version number of previous version: 3.00 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols – Category 1 : Aerosols – Category 3 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 * Data compared to the previous version altered.

Printing date 18.09.2024

(Contd. of page 8)