

**Safety data sheet  
according to UK REACH**

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** SONAX Cockpit Spray OCEAN FRESH**Article number:**

03643000

**UFI:** 5DG0-S0AE-E00T-7GVT**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the mixture**

Car care product

Detergents

Consumer uses: Private households / general public / consumers

Professional uses

**Uses advised against** There is currently no information available on this.**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

**Further information obtainable from:**

Product safety

E-mail: [erp@sonax.de](mailto:erp@sonax.de)

Phone: + +49 (0) 8431 53 217

**United Kingdom:**

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: [info@aaoil.co.uk](mailto:info@aaoil.co.uk)**1.4 Emergency telephone number:****European Union:** +49 (0) 89 19240 (Poison Centre Munich)**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Aerosol 1 H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms**

GHS02

**Signal word** Danger**Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

**Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

(Contd. on page 2)

GB

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

**Trade name: SONAX Cockpit Spray OCEAN FRESH**

(Contd. of page 1)

P271 Use only outdoors or in a well-ventilated area.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Buildup of explosive mixtures possible without sufficient ventilation.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

**Description:** Formulation consisting of pressurised gas and solvents with additives

**Dangerous components:**

CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	20-<25%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	20-<25%
EC No 934-956-3 Reg.nr.: 01-2119827000-58-xxxx	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7 ⚠ Asp. Tox. 1, H304	15-<20%
EC No 934-954-2 Reg.nr.: 01-2119826592-36-xxxx	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7 ⚠ Asp. Tox. 1, H304	10-<15%
EINECS: 265-149-8 Reg.nr.: 01-2119453414-43-xxxx	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Alternative CAS number: 64742-47-8 ⚠ Asp. Tox. 1, H304, EUH066	10-<15%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane ⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<10%

**Regulation (EC) No 648/2004 on detergents / Labelling for contents**

aliphatic hydrocarbons	≥30%
perfumes	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**

**General information:**

Take affected persons out into the fresh air.

Remove soiled clothing

**After inhalation:**

Supply fresh air.

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

**Trade name: SONAX Cockpit Spray OCEAN FRESH**

(Contd. of page 2)

*In the event of irritation of the respiratory tract, dizziness, nausea or unconsciousness, call medical assistance immediately.*

**After skin contact:** Wash the areas of skin affected with water and a mild detergent.

**After eye contact:**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

**After swallowing:** Do not induce vomiting; call for medical help immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

**4.3 Indication of any immediate medical attention and special treatment needed**

*Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.*

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:**

Foam

Carbon dioxide

Fire-extinguishing powder

Water haze

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

*In case of fire, the following can be released:*

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

**Protective equipment:**

*Do not inhale explosion gases or combustion gases.*

*Wear fully protective suit.*

*Do not enter the hazardous area without a self-contained breathing apparatus.*

*See Section 8 for information on personal protection equipment.*

**Additional information**

*Cool endangered receptacles with water spray.*

*Collect contaminated fire fighting water separately. It must not enter the sewage system.*

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

**For non-emergency personnel**

*Keep away from ignition sources.*

*Particular danger of slipping on leaked/spilled product.*

**For emergency responders** Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

*Do not allow to penetrate the ground/soil.*

*Do not allow to enter sewers/ surface or ground water.*

#### 6.3 Methods and material for containment and cleaning up:

*Ensure adequate ventilation.*

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Dispose contaminated material as waste according to section 13.*

#### 6.4 Reference to other sections

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

*Ensure good ventilation/exhaustion at the workplace.*

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

**Trade name: SONAX Cockpit Spray OCEAN FRESH**

(Contd. of page 3)

Buildup of explosive mixtures possible without sufficient ventilation.

### Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Highly volatile, flammable constituents are released during processing.

Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Observe official regulations on storing packagings with pressurised containers.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

#### Further information about storage conditions:

Store receptacle in a well ventilated area.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C.

### 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

##### CAS: 106-97-8 butane

WEL (Great Britain)	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
OEL (Ireland)	Short-term value: 1000 ppm

##### CAS: 74-98-6 propane

OEL (Ireland)	Asphx
---------------	-------

#### Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

GERMAN RCP-METHOD (EU)	Long-term value: 300 mg/m <sup>3</sup> 2 (II) / AGW (German TRGS 900)
------------------------	--

#### Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

GERMAN RCP-METHOD (EU)	Long-term value: 300 mg/m <sup>3</sup> 2 (II) / AGW (German TRGS 900)
------------------------	--

##### CAS: 75-28-5 isobutane

OEL (Ireland)	Short-term value: 1000 ppm
---------------	----------------------------

#### Regulatory information

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

**Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 4)

### Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

#### Respiratory protection:

If the occupational exposure limit is exceeded:

The following breathing protection is recommended:

Respiratory filter for organic gases and vapours (Type A)

Identification colour: Brown

[DIN EN 14387]

**Hand protection** Not required in normal cases.

**Eye/face protection** Not required in normal cases

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

##### Physical state

Fluid

##### Colour:

Colourless

##### Odour:

Ocean-like, fresh

##### Melting point/freezing point:

Undetermined.

##### Boiling point or initial boiling point and boiling range

Not applicable, as aerosol.

##### Flammability

Extremely flammable aerosol.

##### Lower and upper explosion limit

##### Lower:

1.5 Vol % (CAS: 106-97-8 butane)

##### Upper:

10.9 Vol % (CAS: 74-98-6 propane)

##### Flash point:

Not applicable, as aerosol.

##### Decomposition temperature:

Not determined.

##### pH

Not applicable.

##### Viscosity:

##### Kinematic viscosity at 40 °C

<20.5 mm<sup>2</sup>/s  
(Active ingredient data )

##### Solubility

##### water:

Not miscible or difficult to mix.

##### Partition coefficient n-octanol/water (log value)

Not determined.

##### Vapour pressure:

Not determined.

##### Density and/or relative density

##### Density at 20 °C:

0.8-0.82 g/cm<sup>3</sup>  
(Active ingredient data )

##### Vapour density

Not determined.

### 9.2 Other information

#### Appearance:

##### Form:

Aerosol

#### Important information on protection of health and environment, and on safety.

##### Ignition temperature:

Not determined.

##### Explosive properties:

In use, may form flammable/explosive vapour-air mixture.

#### Change in condition

##### Evaporation rate

Not applicable.

### Information with regard to physical hazard classes

#### Explosives

Void

#### Flammable gases

Void

#### Aerosols

Extremely flammable aerosol.

Pressurised container: May burst if heated.

#### Oxidising gases

Void

#### Gases under pressure

Void

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 5)

Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No dangerous reactions known.

**10.2 Chemical stability** Stable under normal conditions.

**10.3 Possibility of hazardous reactions** Develops readily flammable gases/fumes.

**10.4 Conditions to avoid**

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

**10.5 Incompatible materials:** strong oxidizing agents

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
------	------	-------------------------------

Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
--------	------	----------------------------------

Inhalative	LC50 / 4h	>5.266 mg/m <sup>3</sup> (rat) (OECD 403)
------------	-----------	---

**Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics**

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
------	------	-------------------------------

Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
--------	------	----------------------------------

Inhalative	LC50 / 4h	>5.266 mg/m <sup>3</sup> (rat) (OECD 403)
------------	-----------	---

**Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
------	------	-------------------------------

Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
--------	------	----------------------------------

Inhalative	LC50 / 4h	>5.6 mg/m <sup>3</sup> (rat) (OECD 403)
------------	-----------	---

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 6)

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

#### Aquatic toxicity:

##### CAS: 106-97-8 butane

LC50 / 96 h | 27.98 mg/l (fish)

EC50 / 4 d | 7.71 mg/l (algae)

##### CAS: 74-98-6 propane

LC50 / 96 h | 27.98 mg/l (fish)

EC50 / 96 h | 7.71 mg/l (algae)

##### Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

LC50 / 4 d | >1,028 mg/l (Scophtalamus maximus) (OECD 203)

LC50 / 48h | >3,193 mg/l (Acartia tonsa)

NOEC / 21 d | >1,000 mg/l (Daphnia magna)

NOEC / 28d | >1,000 mg/l (Oncorhynchus mykiss)

LC50 / 3 d | >10,000 mg/l (Skeletonema costatum)

##### Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

LC50 / 2 d | >3,193 mg/l (Acartia tonsa)

LC50 / 4 d | >1,028 mg/l (Scophtalamus maximus) (OECD 203)

NOEC / 21 d | >1,000 mg/l (Daphnia magna)

NOEC / 28d | >1,000 mg/l (Oncorhynchus mykiss)

EC50 / 3 d | >10,000 mg/l (Skeletonema costatum)

##### Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

LC50 / 2 d | >1,000 mg/l (Daphnia magna) (OECD 202)

LC50 / 4 d | >1,000 mg/l (Oncorhynchus mykiss) (OECD 203)

NOEC / 21 d | >1,000 mg/l (Daphnia magna)

NOEC / 28d | >1,000 mg/l (Oncorhynchus mykiss)

EC50 / 3 d | >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

##### CAS: 75-28-5 isobutane

LC50 / 96 h | 27.98 mg/l (fish)

EC50 / 4 d | 7.71 mg/l (algae)

### 12.2 Persistence and degradability

##### Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

Biodegradation | 74 %

##### Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

Biodegradation | 74 %

##### Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation | 67.6 %

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

(Contd. on page 8)

## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

**Trade name: SONAX Cockpit Spray OCEAN FRESH**

(Contd. of page 7)

### 12.5 Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

**12.7 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Recommendation** Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

Disposal / product + Disposal / contaminated packaging

15 01 10\* | packaging containing residues of or contaminated by hazardous substances

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA UN1950

### 14.2 UN proper shipping name

ADR/RID/ADN 1950 AEROSOLS  
IMDG AEROSOLS  
IATA AEROSOLS, flammable

### 14.3 Transport hazard class(es)

ADR/RID/ADN



Class 2.5F Gases.  
Label 2.1

IMDG, IATA



Class 2.1 Gases.  
Label 2.1

### 14.4 Packing group

ADR/RID/ADN, IMDG, IATA Void

### 14.5 Environmental hazards:

Marine pollutant: No

**14.6 Special precautions for user** Warning: Gases.

(Contd. on page 9)



## Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 8)

<b>Stowage Code</b>	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
<b>Segregation Code</b>	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

**Transport/Additional information:****ADR/RID/ADN**

Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D

UN "Model Regulation": UN 1950 AEROSOLS, 2.1

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****European Directives:**

Directive 2010/75/EU (VOC) 50.60 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) P3a FLAMMABLE AEROSOLS

REGULATION (EU) 2019/1148

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**National regulations:****Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Classification according to Regulation (EC) No 1272/2008**

Aerosols, Section 2.3.1 | On basis of test data

**Date of previous version:** 22.04.2021**Version number of previous version:** 1.02**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

(Contd. on page 10)

**Safety data sheet  
according to UK REACH**

Printing date 18.09.2024

Version: 2.00 (replaces version 1.02)

Revision: 23.08.2022

**Trade name: SONAX Cockpit Spray OCEAN FRESH**

(Contd. of page 9)

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals**ATE: acute toxicity estimate**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**IOELV = indicative occupational exposure limit values**Flam. Gas 1A: Flammable gases – Category 1A**Aerosol 1: Aerosols – Category 1**: Aerosols – Category 3**Press. Gas (Comp.): Gases under pressure – Compressed gas**Asp. Tox. 1: Aspiration hazard – Category 1***\* Data compared to the previous version altered.**

GB