

Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

CECTION 4: Islandification	a of the output and of	46
	n of the substance/mixture and of a	the company/undertaki
1.1 Product identifier	o do mar Dia da	
Trade name: <u>SONAX Plastic Re</u>	estorer - Black	
Article number: 04091000		
UFI: 7WC5-30K3-1009-S1DP		
	the substance or mixture and uses advise	ed against
Application of the substance / Car care product	the mixture	
Lacquer		
Consumer uses: Private househo	olds / general public / consumers	
Professional uses Usos advisod against There is a	currently no information available on this.	
•	•	
1.3 Details of the supplier of th Manufacturer/Supplier:	ie safety data sneet	
SONAX GmbH		
Münchener Straße 75 D-86633 Neuburg (Donau)		
Tel.: ++49 (0)8431/53-0		
Further information obtainable	e from:	
Product safety		
E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217		
United Kingdom:		
Anglo American Oil Company Lto		
58 Holton Road, Holton Heath Tr Telephone: (+44) 01929 551557	rading Park, Poole, Dorset, BH16 6LT	
Email: info@aaoil.co.uk		
1.4 Emergency telephone num	ber:	
European Union: +49 (0) 89 192		
United Kingdom: 0344 892 011 Members of Public in England S	cotland and Wales can contact NHS 111/NH	IS 24 by dialling 111
In Northern Ireland, contact your		
SECTION 2: Hazards iden	ntification	
2.1 Classification of the substa Classification according to Reg		
Skin Sens. 1A H317 May cause	-	
2.2 Label elements		
Labelling according to Regulat	tion (EC) No 1272/2008 elled according to the GB CLP regulation.	
Hazard pictograms	ened according to the GD CEF regulation.	



Signal word Warning

Hazard-determining components of labelling:
1,2-benzisothiazol-3(2H)-one
2-methylisothiazol-3(2H)-one
Hazard statements
H317 May cause an allergic skin reaction.
Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

(Contd. of page 1)

Trade name: SONAX Plastic Restorer - Black

2.3 Other hazards Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Pigmented acrylate dispersion

Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol	3-<5%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one	<0.1%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330;	>0.0015-<0.01%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Remove soiled clothing

In any cases of doubt or if symptoms are present, seek medical advice.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

sensitization

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

(Contd. on page 3)

GR



Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

Trade name: SONAX Plastic Restorer - Black

(Contd. of page 2)

SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: Foam Carbon dioxide Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Nitrogen oxides (NOx) 5.3 Advice for firefighters Protective equipment: The normal measures for firefighting are to be taken. Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from ignition sources.

For emergency responders Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:
- Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor. Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidising agents. Observe local/state/federal regulations. Further information about storage conditions: Keep container tightly sealed. Store receptacle in a well ventilated area. Protect from frost. Recommended storage temperature: 5 - 35

(Contd. on page 4)



Printing date 17.09.2024

Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

Trade name: SONAX Plastic Restorer - Black

7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

Ingredier	8.1 Control parameters		
Ingredients with limit values that require monitoring at the workplace:			
		(2-butoxyethoxy)ethanol	
WEL (Gre	eat Brita	in) Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	
IOELV (E	U)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	
OEL (Ireland)		Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV	
Regulatory information WEL (Great Britain): EH40/2020 IOELV (EU): (EU) 2019/1831 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work			
DNELs			
CAS: 112	2-34-5 2	(2-butoxyethoxy)ethanol	
Oral		5 mg/kg bw/day (consumer) (chronic systemic effect)	
Dermal	DNEL	83 mg/bw/day (worker) (chronic systemic effect)	
		50 mg/kg bw/day (consumer) (chronic systemic effect)	
Inhalative	DNEL	67.5 mg/m³ (worker) (chronic systemic effect)	
	DNEL	67.5 mg/m³ (worker) (chronic locale effects)	
	DNEL	40.5 mg/m³ (consumer) (chronic systemic effect)	
	DNEL	40.5 mg/m³ (consumer) (chronic locale effects)	
PNECs			
CAS: 112	-34-5 2	(2-butoxyethoxy)ethanol	
PNEC 20	0 mg/l (STP)	
11	1 mg/l (water)		
1.	1 mg/l (vater (fresh water))	
0.	11 mg/l	(water (sea water))	
PNEC 4.	4 mg/kg	(sediment (fresh water))	
0.	44 mg/k	g (sediment (sea water))	
0.	32 mg/k	g (soil)	
	s mg/kg		

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace. Hand protection Protective gloves

Material of gloves

Nitrile rubber, NBR

(Contd. on page 5)

⁻ GB



Printing date 17.09.2024

Safety data sheet according to UK REACH

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

(Contd. of page 4)

Trade name: SONAX Plastic Restorer - Black

Recommended thickness of the material: \geq 0.4 mm [EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pr	operties
General Information	
Physical state	Fluid
Colour:	Black
Odour:	Nearly odourless
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Product is not flammable.
Lower and upper explosion limit	
	Natannliachla
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
рН (100 g/l) at 20 °C	6-9
Viscosity:	
Kinematic viscosity at 40 °C	>20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 50 °C:	100 hPa
Density and/or relative density	100 111 0
Density and/or relative density Density at 20 °C:	$1.03 - 1.04. a/cm^3$
	1.03-1.04 g/cm ³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not semanting. Product does not present an explosion hazard.
Solvent separation test:	<3 %(V) 126 ~//
VOC (EC)	126 g/l
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	3
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
	Void
Gases under pressure	
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
	(Contd. on page 6)
	(Conta. Of page 0)

GB



Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

Trade name: SONAX Plastic Restorer - Black

		(Contd. of page 5
Substances and mixtures, which emit fla	ammable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials:

strong oxidizing agents strong acids

strong alkali

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

		relevant for classification:
Oral	ATE	>2,000 mg/kg (calculated)
Dermal	ATE	>2,000 mg/kg (calculated)
Inhalative	ATE	>20 mg/l (calculated)
CAS: 112-	-34-5 2	-(2-butoxyethoxy)ethanol
Oral	LD50	2,410 mg/kg (mouse) (ECHA)
Dermal	LD50	2,764 mg/kg (rabbit) (ECHA)
Skin corre	osion/i	rritation Based on available data, the classification criteria are not met.
Serious e	ye dan	nage/irritation Based on available data, the classification criteria are not met.
Respirato	ry or s	kin sensitisation May cause an allergic skin reaction.
Germ cell	mutag	genicity Based on available data, the classification criteria are not met.
Carcinoge	enicity	Based on available data, the classification criteria are not met.
Reproduc	tive to	xicity Based on available data, the classification criteria are not met.
STOT-sin	gle exp	posure Based on available data, the classification criteria are not met.
STOT-rep	eated	exposure Based on available data, the classification criteria are not met.
Aspiratio	n haza	rd Based on available data, the classification criteria are not met.
Additiona	l toxic	ological information:
Repeated	dose	toxicity
CAS: 112		-(2-butoxyethoxy)ethanol
Oral		L 250 mg/kg (rat) (ECHA)
Inhalative	NOAE	C 0.094 mg/m³ (Ratte) (OECD 413)
		on other hazards
		<i>pting properties</i> current state of scientific knowledge, there is no data for the product regarding endocrine
		ties with health effects.
		(Contd. on page



Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

(Contd. of page 6)

Trade name: SONAX Plastic Restorer - Black

None of the ingredients is listed.

SECTION 12: Ecological information 12.1 Toxicity There are no ecotoxicological data available on this mixture. Aquatic toxicity: CAS: 112-34-5 2-(2-butoxyethoxy)ethanol LC50 / 96h | 1,300 mg/l (Lepomis macrochirus) (OECD 203) EC50 / 48h >100 mg/l (Daphnia magna) (ECHA) 1,101 mg/l (Pseudokirchneriella subcapitata) (ECHA) ErC50 CAS: 2682-20-4 2-methylisothiazol-3(2H)-one EC 20 / 3h 2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test)) EC50/3h 34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test)) CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one NOEL 21 d 1.2 mg/l (daphnia) (OECD 211) LC50/4d 2.2 mg/l (Regenbogenforelle) (OECD 203) EC 20 / 3h 3.3 mg/l (KS) EC50/3h 13 mg/l (KS) NOEC / 28d 0.21 mg/l (Regenbogenforelle) (OECD 215) EC10 / 72 h 0.04 mg/l (Selenastrum capricornutum) (OECD 201) EC50 / 2 d 3.27 mg/l (daphnia) (OECD 202) EC50 / 3 d 0.11 mg/l (Selenastrum capricornutum) (OECD 201) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential CAS: 2682-20-4 2-methylisothiazol-3(2H)-one BCF 3.16 log Kow ≤0.32 CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one 6.95 (fish) (OECD 305) BCF log Kow 0.7 (octan-1-ol/water (OECD 117)) 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment. 12.7 Other adverse effects Additional ecological information: General notes: The product may not be released into the environment without control. SECTION 13: Disposal considerations 13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations. **European waste catalogue**

1) Disposal / product

2) Disposal / contaminated packaging

(Contd. on page 8)

GB



Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

(Contd. of page 7)

Trade name: SONAX Plastic Restorer - Black

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

15 01 10* packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

 14.1 UN number or ID number	
ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
UN "Model Regulation":	Void
 Class 14.4 Packing group ADR/RID/ADN, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: 14.6 Special precautions for user	Void No Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) 0.88 %

Directive 2004/42/CE 32.0 g/l

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to **REGULATION (EU) 2019/1148**

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- Harmful if swallowed. H302
- Toxic in contact with skin. H311
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

(Contd. on page 9)

GB



Printing date 17.09.2024

Version: 8.00 (replaces version 7.00)

Revision: 04.05.2023

Trade name: SONAX Plastic Restorer - Black

H330 H400	Causes serious eye irritation.	
H400		
	Fatal if inhaled.	
	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
	Corrosive to the respiratory tract.	
	ation according to Regulation (EC) No 1272/2008	
	sitisation The classification of the mixture is generally based on the calculation	method using
Skill Sells	substance data according to Regulation (EC) No 1272/2008.	memou using
Dete of a	3 3 1 1	
	previous version: 17.11.2021	
	number of previous version: 7.00	
	ations and acronyms:	
	Observed Effect Level	
	Observed Effect Concentration oncentration	
	maximal effective concentration	
	Octanol / water partition coefficient	
	Ily Harmonized System of Classification and Labelling of Chemicals	
	toxicity estimate	
ADR: Accor	d relatif au transport international des marchandises dangereuses par route (European Agreement Cor	cerning the International
	Dangerous Goods by Road)	
	national Maritime Code for Dangerous Goods	
	ational Air Transport Association	
	Iropean Inventory of Existing Commercial Chemical Substances	
	ropean List of Notified Chemical Substances	
	ical Abstracts Service (division of the American Chemical Society) le Organic Compounds (USA, EU)	
	/ed No-Effect Level (UK REACH)	
	licted No-Effect Concentration (UK REACH)	
	I concentration, 50 percent	
	I dose, 50 percent	
IOELV = inc	licative occupational exposure limit values	
	3: Acute toxicity – Category 3	
	4: Acute toxicity – Category 4	
	2: Acute toxicity – Category 2 B: Skin compain (mithtion – Category 4B	
	B: Skin corrosion/irritation – Category 1B Skin corrosion/irritation – Category 2	
	Skin conosion/innation – Category 2 : Serious eye damage/eye irritation – Category 1	
	Serious eye damage/eye irritation – Category 2	
	1: Skin sensitisation – Category 1	
	1A: Skin sensitisation – Category 1A	
Aquatic Acu	te 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
	onic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
* Data co	ompared to the previous version altered.	