

# Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

SECTION 1: Identification of the substance/mixture and of the company	//undertaking
1.1 Product identifier	
Trade name: SONAX Glass Cleaning Wipes	
Article number: 04120000 <b>1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture</b> Car care product Consumer uses: Private households / general public / consumers Professional uses <b>Uses advised against</b> There is currently no information available on this.	
<b>1.3 Details of the supplier of the safety data sheet</b> <i>Manufacturer/Supplier:</i> SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0	
<i>Further information obtainable from:</i> Product safety <i>E-mail: erp@sonax.de</i> Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk	
<b>1.4 Emergency telephone number:</b> <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling In Northern Ireland, contact your local GP	111

# SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix cou

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT **vPvB**:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Cloth, soaked with aqueous tenside solution containing alcohol

(Contd. on page 2)

GB



# Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 1)

D	
Dangerous components:	
Data of the soaking liquid	

Data of the soaking liquid		
CAS: 107-98-2 EINECS: 203-539-1	1-Methoxy-2-propanol	5 - <10%
Reg.nr.: 01-2119457435-35-xxxx CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol ∲ Flam. Liq. 2, H225; ∲ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	1 - <3%
Regulation (EC) No 648/2004 or	detergents / Labelling for contents	
anionic surfactants		<5%
phenoxyethanol, sodium pyrithion	e, perfumes	
Additional information: For the	wording of the listed hazard phrases refer to section 16.	

# SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: No special measures required

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: No special measures required.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Water spray Carbon dioxide Fire-extinguishing powder Foam For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture No further relevant information available. In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: The normal measures for firefighting are to be taken. Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB



# Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 2)

See Section 13 for disposal information.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations. Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

Long-term value: 375 mg/m³, 100 ppm   Sk   IOELV (EU) Short-term value: 568 mg/m³, 150 ppm   Long-term value: 375 mg/m³, 100 ppm   Skin   CAS: 64-17-5 ethanol   WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information   WEL (Great Britain): EH40/2018   IOELV (EU): (EU) 2017/164   DNEL   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL   ONEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dormal DNEL   10 NEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects)   DNEL 3.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (consumer) (long-term exposure - systemic effects)	8.1 Contro	ol para	meters	
WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk   IOELV (EU) Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin   CAS: 64-17-5 ethanol   WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information WEL (Great Britain): EH40/2018   OICLV (EU): (EU) 2017/164   DNELs   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL   DNEL 3. mg/kg (consumer) (long-term / systemic effects)   Dormal DNEL   DNEL 13. mg/kg (consumer) (long-term / systemic effects)   Dormal DNEL   DNEL 3.9 mg/m³ (worker) (long-term / systemic effects)   DNEL 53.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dremal DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dremal DNEL 87 mg/kg (consumer) (acute short-tem exposure	Ingredien	ts with	limit values that require monitoring at the workplace:	
Long-term value: 375 mg/m³, 100 ppm   Sk   IOELV (EU) Short-term value: 568 mg/m³, 150 ppm   Long-term value: 375 mg/m³, 100 ppm   Skin   CAS: 64-17-5 ethanol   WEL (Great Britain) Lng-term value: 1920 mg/m³, 1000 ppm   Regulatory information   WEL (Great Britain) EH40/2018   IOELV (EU): (EU) 2017/164 DNELS   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL   Oral DNEL   DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL   Inhalative DNEL   ONEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   DNEL 55.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 86 mg/m³ (worker) (long-term systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   DNEL 266 mg/m³ (worker) (long-term exposure - systemic effects)   Inhalative DNEL 87 mg/kg wo/kg (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 87 mg/kg wo/kg (worker) (acute sh	CAS: 107	-98-2 1	-Methoxy-2-propanol	
IOELV (EU) Sk Sk   IOELV (EU) Short-term value: 568 mg/m³, 150 ppm Dong-term value: 375 mg/m³, 100 ppm   CAS: 64-17-5 ethanol MEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information WEL (Great Britain) EH40/2018 IOELV (EU): (EU) 2017/164   DNELs CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 13.3 mg/kg (consumer) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)   Dermal DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 3.5 mg/m³ (consumer) (long-term / systemic effects)   DNEL 3.9 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dremal DNEL 206 mg/m3 (worker) (acute short-term exposure - systemic effects)   Dermal DNEL 206 mg/m3 (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 950 mg/m3 (worker) (acute short-term exposure - systemic effects) <t< th=""><th colspan="3">WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm</th></t<>	WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm			
IOELV (EU) Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin   CAS: 64-17-5 ethanol   WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164 Methods (Comparison)   DNELs CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)   Dremal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   DNEL 3.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 553.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (worker) (long-term exposure - systemic effects)   Inhalative DNEL 87 mg/kg (consumer) (long-term exposure - local effects)   JNEL 900 mg/m³ (worker) (acute short-term exposure - local effects)   Inhalative DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)				
Long-term value: 375 mg/m³, 100 ppm Skin   CAS: 64-17-5 ethanol   WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164   DNELS   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL   DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects)   50.7 mg/m³ (worker) (long-term / systemic effects)   DNEL 3.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 50.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dremal DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 87 mg/kg (consumer) (long-term exposure - local effects)   Inhalative DNEL 80 mg/m³ (worker) (acute short-tem exposure - local effects)   Inhalative DNEL				
Skin   CAS: 64-17-5 ethanol   WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information   WEL (Great Britain) EH40/2018   IOELV (EU): (EU) 2017/164   DNEL S   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dome the system of				
WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm   Regulatory information   WEL (Great Britain): EH40/2018   IOELV (EU): (EU) 2017/164   DNELs   Oral DNEL   DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL   DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects)   53.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 43.9 mg/m³ (worker) (long-term / systemic effects)   55.5.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   Oral DNEL   BONEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   DNEL 206 mg/m³ (worker) (acute short-tem exposure - systemic effects)   JNBEL 950 mg/m³ (consumer) (long-term exposure - systemic effects)   JNEL 950 mg/m³ (worker) (acute short-tem exposure - systemic effects)   JNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   JNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)				
Regulatory information   WEL (Great Britain): EH40/2018   IOELV (EU): (EU) 2017/164   DNELs   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   Dommal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects)   DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 55.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   Oral DNEL   Oral DNEL   ONEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   Oral DNEL   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL   DNEL 80 mg/m³ (worker) (long-term exposure - systemic effects)   343 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   1nhalative DNEL   DNEL 14 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effec	CAS: 64-1	17-5 eth	hanol	
WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164   DNELs   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   Dometal S0.6 mg/kg (worker) (long-term / systemic effects)   Inhalative DNEL   43.9 mg/m³ (consumer) (long-term / systemic effects)   55.5 mg/m³ (worker) (short-term / local effects)   DNEL 369 mg/m³ (worker) (short-term / systemic effects)   Oral DNEL   DNEL 869 mg/m³ (worker) (long-term exposure - systemic effects)   Oral DNEL   DNEL 870 mg/kg (consumer) (long-term exposure - systemic effects)   Jong/kg bw/day (worker) (long-term exposure - systemic effects)   Jong/m³ (worker) (acute short-tem exposure - local effects)   Jong/m³ (worker) (acute short-tem exposure - local effects)   Jong/m³ (worker) (long-term exposure - systemic effects	WEL (Gre	at Brita	in) Long-term value: 1920 mg/m³, 1000 ppm	
IOELV (EU): (EU) 2017/164   DNELs   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)   Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   553.5 mg/m³ (worker) (short-term / local effects) 553.5 mg/m³ (worker) (short-term / systemic effects)   ORal DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL 80 mg/m³ (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 80 mg/m³ (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   Inhalative DNEL 950 mg/m³ (worker) (acute short-tem exposure - local effects)   Inhalative DNEL 950 mg/m³ (worker) (acute short-tem exposure - systemic effects)   DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term ex				
DNELs   CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)   Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (short-term / local effects)   DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (worker) (long-term exposure - systemic effects)   Jonardia DNEL 87 mg/kg (worker) (long-term exposure - systemic effects)   Jonardia DNEL 80 mg/m³ (consumer) (long-term exposure - systemic effects)   Jonardia DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   Jonardia DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   Jonardia DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   Jonardia 950 mg/m³ (worker) (long-term exposure - systemic effects)   Statis 100 mg/l (sTP)				
CAS: 107-98-2 1-Methoxy-2-propanol   Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)   Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (short-term / local effects)   DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Jonaria DNEL 950 mg/m³ (consumer) (long-term exposure - systemic effects)   Jonaria DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   Jonaria DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects) 950 m	-	J): (EU)	) 2017/164	
Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)   Dermal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   DNEL 553.5 mg/m³ (worker) (short-term / local effects)   DNEL 369 mg/m³ (worker) (long-term exposure - systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   Jnhalative DNEL 87 mg/kg (consumer) (acute short-tem exposure - systemic effects)   JNEL 950 mg/m³ (worker) (acute short-tem exposure - local effects)   JNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   JNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)		00.04		
Dermal DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)   50.6 mg/kg (worker) (long-term / systemic effects)   Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   55.3.5 mg/m³ (worker) (short-term / local effects) 55.3.5 mg/m³ (worker) (long-term / systemic effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   Ja43 mg/kg bw/day (consumer) (long-term exposure - systemic effects) 343 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   JNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   JNEL 114 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs TAS: 107-98-2 1-Methoxy-2-propanol   PNEC 100 mg/l (water (intermittent release))   10 mg/l (water (fresh water)) 10 mg/l (water (fresh water))				
Inhalative 50.6 mg/kg (worker) (long-term / systemic effects)   Inhalative DNEL   43.9 mg/m³ (consumer) (long-term / systemic effects)   553.5 mg/m³ (worker) (short-term / local effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   Oral DNEL   Dermal NEL   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL   DNEL 87 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)   Inhalative DNEL   950 mg/m³ (consumer) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   0NEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   9				
Inhalative DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)   553.5 mg/m³ (worker) (short-term / local effects)   DNEL 369 mg/m³ (worker) (long-term / systemic effects)   CAS: 64-17-5 ethanol   Oral DNEL   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL   DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Jata mg/kg bw/day (consumer) (long-term exposure - systemic effects)   Johnel 950 mg/m³ (consumer) (acute short-tem exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   Jp00 mg/m³ (worker) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs CAS: 107-98-2 1-Methoxy-2-propanol 100 mg/l (STP)   100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))	Dermal	DNEL		
DNEL 553.5 mg/m³ (worker) (short-term / local effects)   ORA: 369 mg/m³ (worker) (long-term / systemic effects)   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   Jaka mg/kg bw/day (worker) (lon-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   J.900 mg/m³ (worker) (long-term exposure - local effects) 1,900 mg/m³ (worker) (long-term exposure - local effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs CAS: 107-98-2 1-Methoxy-2-propanol 100 mg/l (water (intermittent release)))   100 mg/l (water (intermittent release))) 10 mg/l (water (fresh water))				
DNEL 369 mg/m³ (worker) (long-term / systemic effects)   CAS: 64-17-5 ethanol   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   343 mg/kg bw/day (worker) (lon-term exposure - systemic effects) 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 950 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   910 mg/l (water (intermittent release))   100 mg/l (water (intermittent relea	Inhalative	DNEL		
CAS: 64-17-5 ethanol   Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   JNEL 206 mg/kg bw/day (worker) (lon-term exposure - systemic effects)   JNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   JNEL 950 mg/m³ (worker) (acute short-tem exposure - local effects)   JNEL 14 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   900 mg/l (water (intermittent release))   100 mg/l (water (intermittent release))   10 mg/l (water (fresh water))				
Oral DNEL 87 mg/kg (consumer) (long-term exposure - systemic effects)   Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (long-term exposure - systemic effects)   DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   910 mg/l (water (intermittent release))				
Dermal DNEL 206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)   343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)   Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (acute short-tem exposure - local effects) 1,900 mg/m³ (worker) (acute short-tem exposure - local effects)   DNEL DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects) 950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs CAS: 107-98-2 1-Methoxy-2-propanol   PNEC 100 mg/l (STP)   100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))				
Inhalative 343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)   950 mg/m³ (consumer) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (acute short-tem exposure - local effects)   DNEL 14 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs   CAS: 107-98-2 1-Methoxy-2-propanol   PNEC   100 mg/l (water (intermittent release))   10 mg/l (water (fresh water))				
Inhalative DNEL 950 mg/m³ (consumer) (acute short-tem exposure - local effects)   1,900 mg/m³ (worker) (acute short-tem exposure - local effects)   DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs   CAS: 107-98-2 1-Methoxy-2-propanol   PNEC   100 mg/l (STP)   100 mg/l (water (intermittent release))   10 mg/l (water (fresh water))	Dermal	DNEL		
Image: DNEL 1,900 mg/m³ (worker) (acute short-tem exposure - local effects)   Image: DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs   CAS: 107-98-2 1-Methoxy-2-propanol   PNEC   100 mg/l (STP)   100 mg/l (water (intermittent release))   10 mg/l (water (fresh water))				
DNEL 114 mg/m³ (consumer) (long-term exposure - systemic effects)   950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs   CAS: 107-98-2 1-Methoxy-2-propanol   PNEC 100 mg/l (STP)   100 mg/l (water (intermittent release))   10 mg/l (water (fresh water))	Inhalative	DNEL		
950 mg/m³ (worker) (long-term exposure - systemic effects)   PNECs   CAS: 107-98-2 1-Methoxy-2-propanol   PNEC 100 mg/l (STP)   100 mg/l (water (intermittent release)) 100 mg/l (water (intermittent release))   10 mg/l (water (fresh water)) 10 mg/l (water (fresh water))				
PNECs   CAS: 107-98-2 1-Methoxy-2-propanol   PNEC 100 mg/l (STP)   100 mg/l (water (intermittent release)) 10 mg/l (water (intermittent release))   10 mg/l (water (fresh water)) 10 mg/l (water (fresh water))		DNEL		
CAS: 107-98-2 1-Methoxy-2-propanol PNEC 100 mg/l (STP) 100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))			950 mg/m <sup>3</sup> (worker) (long-term exposure - systemic effects)	
PNEC 100 mg/l (STP) 100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))	PNECs			
100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))				
10 mg/l (water (fresh water))	PNEC 10	0 mg/l (	(STP)	
	10	0 mg/l (	(water (intermittent release))	
1 mg/l (water (sea water))	10	<i>т</i> g/I (и	vater (fresh water))	
	1 n	ng/l (wa	ater (sea water))	

(Contd. on page 4)



# Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 3)

PNEC 2.47 mg/kg (gro)	
41.6 mg/kg (sediment (fresh water))	

4.17 mg/kg (sediment (sea water))

### CAS: 64-17-5 ethanol

PNEC 580 mg/l (sewage plant)

0.96 mg/l (water (fresh water))

0.79 mg/l (water (sea water))

PNEC 3.6 mg/kg (sediment (fresh water))

# Additional information: The lists valid during the making were used as basis.

0.63 mg/kg (soil)

8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection Not required. Eye/face protection Not required.

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pl	roperties
General Information	•
Physical state	Solid
Colour:	White
Odour:	Citrus
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Flammable solid.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	7-8
<b>p</b>	(Active ingredient data )
Viscosity:	(
Kinematic viscosity	Not applicable.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density at 20 °C:	0.99-1 g/cm <sup>3</sup>
· · · · · · · · ·	(Active ingredient data )
Vapour density	Not determined.
Particle characteristics	
See section 3.	
9.2 Other information	
Appearance:	
Form:	Solid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 5)



# Safety data sheet according to UK REACH

Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

		(Contd. of page 4
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cl	lasses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

		thoxy-2-propanol	
Oral	LD50	4,016 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC0 / 6h	>7,000 ppm (rat)	
CAS: 64-1	17-5 ethand	bl	
Oral	LD50	10,470 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50 / 4h	>20 mg/l (mouse)	
		38 mg/l (rat)	
Skin corr	osion/irrita	tion Based on available data, the classification criteria are not met.	
Serious e	ye damage	e/irritation Based on available data, the classification criteria are not me	<i>t.</i>
Respirato	ory or skin	sensitisation Based on available data, the classification criteria are not	met.
Germ cel	mutageni	city Based on available data, the classification criteria are not met.	
	enicity Bas	ed on available data, the classification criteria are not met.	
Carcinog	tive teviel	ty Based on available data, the classification criteria are not met.	
	live loxici		
Reproduc		<i>Ire</i> Based on available data, the classification criteria are not met.	



## Safety data sheet according to UK REACH

Printing date 18.09.2024

#### Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

Additional to	xicological information:
Repeated do	se toxicity
CAS: 64-17-	ō ethanol
Oral NOAEL	1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)
	tion on other hazards isrupting properties
According to	the current state of scientific knowledge, there is no data for the product regarding endocr perties with health effects.
1 31	ngredients is listed.

# **SECTION 12: Ecological information**

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

#### Aquatic toxicity:

#### CAS: 107-98-2 1-Methoxy-2-propanol

LC50 / 96h >6,800 mg/l (Leuciscus idus) (DIN38412)

LC50 / 48h 23,300 mg/l (Daphnia magna)

- EC50 >1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
- EC50/3h >1,000 mg/l (activated sludge) (OECD 209)

#### CAS: 64-17-5 ethanol

LC50 / 48h 8,140 mg/l (Leuciscus idus)

- EC50 / 48h >10,000 mg/l (Daphnia magna)
- EC50 / 72h 275 mg/l (Chlorella vulgaris)

#### 12.2 Persistence and degradability

CAS: 107-98-2 1-Methoxy-2-propanol

Biodegradation 90-100 % (OEECD 301E)

#### 12.3 Bioaccumulative potential

#### CAS: 107-98-2 1-Methoxy-2-propanol

log Kow ≤0.43 (25°C)

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT **vPvB**:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

#### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

#### Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

The product may not be released into the environment without control.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

## European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

(Contd. on page 7)



## Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 6)

20 03 01 mixed municipal waste

15 01 02 plastic packaging

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport information

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
Class	VOIU	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	
ADIVINID/ADIN, IMIDO, IATA	V0I0	
14.5 Environmental hazards:		
Marine pollutant:	No	
marine ponutant.	No	
14.6 Special precautions for user Not applicable.		
UN "Model Regulation":	Void	

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **European Directives:** Directive 2010/75/EU (VOC) 7,14 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to **REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Date of previous version: 22.04.2021

Version number of previous version: 4.00

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

(Contd. on page 8)

GB



# Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 7)
LC = letal Concentration
EC50 = half maximal effective concentration
log POW = Octanol / water partition coefficient
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ATE: acute toxicity estimate
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
IOELV = indicative occupational exposure limit values
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
* Data compared to the previous version altered.