

Printing date 17.09.2024 Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

SECTION 1	: Identificat	ion of the substa	nce/mixture and	of the company/undertaking
1.1 Product id	lentifier			
Trade name: S	SONAX Petrol	Pump & Nozzle Hold	er Cleaner	
<b>Application of</b> Detergents Professional us	dentified uses f the substanc ses	of the substance or e / the mixture Imer uses: Private hou		-
<b>1.3 Details of Manufacturer</b> / SONAX GmbH Münchener Str D-86633 Neub Tel.: ++49 (0)8	/ <b>Supplier:</b> H raße 75 burg (Donau)	f the safety data she	et	
Further inform Product safety E-mail: erp@so Phone: + +49 ( United Kingdo Anglo America 58 Holton Road	nation obtaina , (0) 8431 53 217 o <u>m:</u> in Oil Company d, Holton Heatl 44) 01929 5515	, Ltd n Trading Park, Poole,	Dorset, BH16 6LT	
	y telephone n ion: +49 (0) 89	19240 (Poison Centre	Munich)	
United Kingdo	om: 0344 892 ublic in England	l, Scotland and Wales	can contact NHS 11	1/NHS 24 by dialling 111
<mark>United Kingdo</mark> Members of Pu In Northern Ire	om: 0344 892 ublic in England land, contact ye	l, Scotland and Wales our local GP	can contact NHS 11	1/NHS 24 by dialling 111
United Kingdo Members of Pu In Northern Ire SECTION 2 2.1 Classification	om: 0344 892 ublic in England land, contact ye <b>: Hazards id</b> tion of the sub according to	l, Scotland and Wales		1/NHS 24 by dialling 111
United Kingdo Members of Pu In Northern Ire SECTION 2 2.1 Classificat Classification Met. Corr.1	om: 0344 892 ublic in England land, contact ye <b>: Hazards id</b> tion of the sub according to H290 May be d	l, Scotland and Wales bur local GP lentification stance or mixture Regulation (EC) No 1	272/2008	1/NHS 24 by dialling 111
United Kingdo Members of Pu In Northern Ire SECTION 2 2.1 Classificat Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acc	om: 0344 892 ublic in England land, contact ye <b>: Hazards id</b> tion of the sub according to H290 May be of H314 Causes s nents ording to Regu classified and	l, Scotland and Wales bur local GP lentification stance or mixture Regulation (EC) No 1 orrosive to metals.	272/2008 eye damage. 2008	
United Kingdo Members of Pu In Northern Ire SECTION 2 2.1 Classificat Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acco The product is	om: 0344 892 ublic in England land, contact ye <b>: Hazards id</b> tion of the sub according to H290 May be of H314 Causes s nents ording to Regu classified and	I, Scotland and Wales bur local GP Ientification Istance or mixture Regulation (EC) No 1 orrosive to metals. severe skin burns and Ilation (EC) No 1272/	272/2008 eye damage. 2008	
United Kingdo Members of Pu In Northern Ire. SECTION 2 2.1 Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acco The product is Hazard pictog GHS05 Signal word D Hazard staten H290 May be o	om: 0344 892 ublic in England land, contact ye <b>Hazards id</b> tion of the sub according to H290 May be of H314 Causes s nents ording to Regu classified and grams Danger nents corrosive to me	I, Scotland and Wales bur local GP Ientification stance or mixture Regulation (EC) No 1 orrosive to metals. severe skin burns and Ilation (EC) No 1272 abelled according to t	272/2008 eye damage. 2008	
United Kingdo Members of Pu In Northern Ire. SECTION 2 2.1 Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acco The product is Hazard pictog GHS05 Signal word D Hazard staten H290 May be o H314 Causes s Precautionary	om: 0344 892 ublic in England land, contact ye tion of the sub- according to H290 May be of H314 Causes so nents ording to Regu- classified and grams Danger nents corrosive to me severe skin bur y statements	I, Scotland and Wales bur local GP Ientification stance or mixture Regulation (EC) No 1 orrosive to metals. severe skin burns and ulation (EC) No 1272 abelled according to t tals. ns and eye damage.	272/2008 eye damage. 2008	
United Kingdo Members of Pu In Northern Ire. SECTION 2 2.1 Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acco The product is Hazard pictog GHS05 Signal word D Hazard staten H290 May be o H314 Causes s	om: 0344 892 ublic in England land, contact ye tion of the sub according to H290 May be of H314 Causes so nents ording to Regu classified and grams Danger nents corrosive to me severe skin bur y statements Do not bre	I, Scotland and Wales bur local GP Ientification stance or mixture Regulation (EC) No 1 orrosive to metals. severe skin burns and ulation (EC) No 1272/ abelled according to t tals. ns and eye damage. athe spray. ective gloves/protectiv	2 <b>72/2008</b> eye damage. 2 <b>008</b> he GB CLP regulation	
United Kingdo Members of Pu In Northern Ire. SECTION 2 2.1 Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acco The product is Hazard pictog GHS05 Signal word D Hazard staten H290 May be o H314 Causes s Precautionary P260 P280 P301+P330+P	om: 0344 892 ublic in England land, contact ye <b>Hazards id</b> <b>tion of the sub</b> <b>according to</b> H290 May be of H314 Causes so nents ording to Regu classified and grams Danger nents corrosive to me severe skin bun y statements Do not bre Wear prote protection. 2331 IF SWALL 2353 IF ON SKI	I, Scotland and Wales bur local GP Ientification stance or mixture Regulation (EC) No 1 orrosive to metals. severe skin burns and orrosive to metals. Severe skin burns and severe skin burns and orrosive to metals. Severe skin burns and severe skin burns and seve	e <i>clothing/eye</i> protect	n.
United Kingdo Members of Pu In Northern Ire. SECTION 2 2.1 Classification Met. Corr. 1 Skin Corr. 1B 2.2 Label elen Labelling acco The product is Hazard pictog GHS05 Signal word D Hazard staten H290 May be o H314 Causes S Precautionary P260 P280 P301+P330+P P303+P361+P	om: 0344 892 ublic in England land, contact ye <b>Hazards id</b> <b>tion of the sub</b> <b>according to</b> H290 May be of H314 Causes s <b>nents</b> ording to Regu classified and grams Danger nents corrosive to me severe skin bur y statements Do not bre Wear prote protection. 2331 IF SWALL 2353 IF ON SKI [or shower 2338 IF IN EYE	I, Scotland and Wales bur local GP Ientification stance or mixture Regulation (EC) No 1 orrosive to metals. severe skin burns and ulation (EC) No 1272/ labelled according to t abelled according to t stals. ns and eye damage. athe spray. ective gloves/protectiv OWED: Rinse mouth. N (or hair): Take off in ].	272/2008 eye damage. 2008 he GB CLP regulation he GB CLP regulation contain for several m	n. tion/face protection/hearing



Printing date 17.09.2024

# Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

#### Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

DANE	Store locked up.	(Contd. of page 1)
P405 P501	Dispose of contents/container in accordance with local/reg regulations.	ional/national/international
2.3 Other ha		
Results of I PBT:	PBT and vPvB assessment	
	o information provided in the supply chain, the mix contains less th PBT	nan 0.1% of any substances
	o information provided in the supply chain, the mix contains less the vPvB.	nan 0.1% of any substances
	ion of endocrine-disrupting properties	
according to	nce/mixture does not contain components considered to have end OUK REACH Article 57(f) or Commission Delegated regulation (El	
Regulation (	EU) 2018/605 at levels of 0.1% or higher.	
SECTION 3.2 Mixtures	3: Composition/information on ingredients	
J.Z WIXLUIES	S	
Description	Aqueous tenside solution with silicates	
Description Dangerous	components:	
Description Dangerous CAS: 10213	Aqueous tenside solution with silicates     components:     disodium metasilicate-pentahydrate	3-<5%
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01-	a: Aqueous tenside solution with silicates components: -79-3 9-912-9 2119449811-37-xxxx ↓ STOT SE 3, H335	Eye Dam. 1, H318;
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717	i: Aqueous tenside solution with silicates         components:         i:-79-3         g-912-9         i: Met. Corr. 1, H290; Skin Corr. 1B, H314;         i: STOT SE 3, H335         i: O-44-3	Eye Dam. 1, H318; hyl)-N,N-dimethyl-, N- 1-<4%
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3	i: Aqueous tenside solution with silicatescomponents:I-79-3disodium metasilicate-pentahydrate19-912-9Met. Corr. 1, H290; Skin Corr. 1B, H314;2119449811-37-xxxxSTOT SE 3, H335I-Propanaminium, 3-amino-N-(carboxymeta)333-8(C8-18(even numbered, C18 unsaturated))	Eye Dam. 1, H318; hyl)-N,N-dimethyl-, N- 1-<4%
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3	i: Aqueous tenside solution with silicates         components:         i-79-3         9-912-9         2119449811-37-xxxx         io STOT SE 3, H335         io Store and a structure         io Store and a structure	Eye Dam. 1, H318; hyl)-N,N-dimethyl-, N- 1-<4%
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3	i: Aqueous tenside solution with silicates         components:         i:-79-3         9-912-9         2119449811-37-xxxx         i::0-44-3         333-8         2119489410-39-xxxx         1:Propanaminium, 3-amino-N-(carboxymetall (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         Eve Dam. 1, H318; Aquatic Chronic 3, F	Eye Dam. 1, H318; hyl)-N,N-dimethyl-, N- acyl derivs.,
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3	i: Aqueous tenside solution with silicates         components:         i:-79-3         9-912-9         2119449811-37-xxxx         i: STOT SE 3, H335         i: O-44-3         333-8         2119489410-39-xxxx         1: Propanaminium, 3-amino-N-(carboxymetil (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         Eye Dam. 1, H318; Aquatic Chronic 3, F	Eye Dam. 1, H318;         hyl)-N,N-dimethyl-, N-         acyl derivs.,         H412         H318: C $\geq$ 10 %
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3	i: Aqueous tenside solution with silicates         components:         i:-79-3         9-912-9         2119449811-37-xxxx         i: STOT SE 3, H335         i: O-44-3         333-8         2119489410-39-xxxx         1: Propanaminium, 3-amino-N-(carboxymetil (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         Eye Dam. 1, H318; Aquatic Chronic 3, F	Eye Dam. 1, H318; hyl)-N,N-dimethyl-, N- acyl derivs.,
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931 Reg.nr.: 01	i: Aqueous tenside solution with silicates         components:         i:-79-3         9-912-9         2119449811-37-xxxx         i: STOT SE 3, H335         i: O-44-3         333-8         2119489410-39-xxxx         1: Propanaminium, 3-amino-N-(carboxymetil (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         Eye Dam. 1, H318; Aquatic Chronic 3, F	Eye Dam. 1, H318;         hyl)-N,N-dimethyl-, N-         acyl derivs.,         H412         H318: C $\geq$ 10 %
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931 Reg.nr.: 01	P: Aqueous tenside solution with silicates         components:         P-79-3         9-912-9         2119449811-37-xxxx         0-44-3         333-8         2119489410-39-xxxx         1-Propanaminium, 3-amino-N-(carboxymeti (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         Eye Dam. 1, H318; Aquatic Chronic 3, F         Specific concentration limits: Eye Dam. 1; H         Eye Irrit. 2; H3         (EC) No 648/2004 on detergents / Labelling for contents	Eye Dam. 1, H318;         hyl)-N,N-dimethyl-, N-         acyl derivs.,         H412         H318: C $\geq$ 10 %
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3 Reg.nr.: 01 Reg.nr.: 01	i: Aqueous tenside solution with silicates         components:         i:-79-3         9-912-9         2119449811-37-xxxx         i::0-44-3         333-8         2119489410-39-xxxx         1:-Propanaminium, 3-amino-N-(carboxymetil (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         i::::::::::::::::::::::::::::::::::::	Eye Dam. 1, H318;         hyl)-N,N-dimethyl-, N-         acyl derivs.,         H412         H318: $C \ge 10 \%$ 319: 4 % ≤ C < 10 %
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3 Reg.nr.: 01 Reg.nr.: 01 Regulation amphoteric s Additional i 147170-44-3	i: Aqueous tenside solution with silicates components: -79-3 9-912-9 2119449811-37-xxxx 0 STOT SE 3, H335 1-Propanaminium, 3-amino-N-(carboxymetil (C8-18(even numbered, C18 unsaturated)) hydroxides, inner salts Alternative CAS number: 61789-40-0 ↓ Eye Dam. 1, H318; Aquatic Chronic 3, F Specific concentration limits: Eye Dam. 1; F Eye Irrit. 2; H3 (EC) No 648/2004 on detergents / Labelling for contents surfactants information: 3 (UK REACh registered CAS)	Eye Dam. 1, H318;         hyl)-N,N-dimethyl-, N-         acyl derivs.,         H412         H318: $C \ge 10 \%$ B19: 4 % $\le C < 10 \%$
Description Dangerous CAS: 10213 EINECS: 22 Reg.nr.: 01 CAS: 14717 EC No 931-3 Reg.nr.: 01 Reg.nr.: 01 Regulation amphoteric s Additional i 147170-44-3 alternative of	i: Aqueous tenside solution with silicates         components:         i:-79-3         9-912-9         2119449811-37-xxxx         i::0-44-3         333-8         2119489410-39-xxxx         1:-Propanaminium, 3-amino-N-(carboxymetil (C8-18(even numbered, C18 unsaturated))         hydroxides, inner salts         Alternative CAS number: 61789-40-0         i::::::::::::::::::::::::::::::::::::	Eye Dam. 1, H318;         hyl)-N,N-dimethyl-, N-         acyl derivs.,         H412         H318: $C \ge 10 \%$ B19: 4 % $\le C < 10 \%$

#### SECTION 4: First aid measures

4.1 Description of first aid measures General information: Remove soiled clothing Take affected persons out of danger area and lay down. After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact: Rinse opened eye for several minutes under running water. Seek immediate medical advice. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Eye irritation / Eye damage Caustic effect on skin and mucous membranes.

(Contd. on page 3)

GB



Printing date 17.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

#### Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

#### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

The normal measures for firefighting are to be taken. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation **For non-emergency personnel** Avoid contact with the eyes and skin.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well ventilated areas.

Open and handle receptacle with care.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

**Requirements to be met by storerooms and receptacles:** Provide alkali-resistant floor. **Information about storage in one common storage facility:** 

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C. 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB



Printing date 17.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection	ECTION 8: E>	posure cont	trols/persona	I protection
--	--------------	-------------	---------------	--------------

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

		disodium metasilicate-pentahydrate				
Dermal						
Inhalative DNEL 6.22 mg/m³ (worker) (chronic systemic effect)						
CAS: 1	47170-44-	3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts				
Oral	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)				
Dermal	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)				
		12.5 mg/kg (worker) (longterm systematic effects)				
Inhalati	ve DNEL	44 mg/m³ (worker) (longterm systematic effects)				
PNECs						
CAS: 1	0213-79-3	disodium metasilicate-pentahydrate				
PNEC	1,000 mg/	1 (STP)				
	7.5 mg/l (v	vater (fresh water))				
	1 mg/l (wa	iter (sea water))				
CAS: 1	47170-44-	3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts				
PNEC	3,000 mg/	1 (STP)				
	0.0135 mg/l (water (fresh water))					
0.00135 mg/l (water (sea water))						
PNEC	EC 1 mg/kg (sediment (fresh water))					
	0.1 mg/kg	(sediment (sea water))				
	0.8 mg/kg					

#### 8.2 Exposure controls

Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.65 mm [EN 374] Penetration time of glove material Value for the permeation: Level 6 (>480min) Eye/face protection



Tightly sealed goggles

[EN 166]

(Contd. on page 5)

GB



Printing date 17.09.2024

1

#### Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

(Contd. of page 4)

9.1 Information on basic physical and chemical pr	operties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Nearly odourless
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	12-13
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.02-1.03 g/cm <sup>3</sup>
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
-	Fiulu
Important information on protection of health and environment, and on safety.	
	Braduat is not colfigniting
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Not determined
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Corrosive to metals	

### SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

**10.3 Possibility of hazardous reactions** Exothermic reaction with strong acids

(Contd. on page 6)

<sup>-</sup> GB



Printing date 17.09.2024

### Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

(Contd. of page 5)

Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

10.4 Conditions to avoid See Section 7 for information on safe handling.
10.5 Incompatible materials: acids strong oxidizing agents
10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

LD/L	C50 va	lues	relev	ant for	clas	sific	atio	n:
	10010							

CAS: 10213-79-3 disodium metasilicate-pentahydrate Dermal | LD50 | >5,000 mg/kg (Ratte)

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

### SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic tox	icity:
CAS: 10213	8-79-3 disodium metasilicate-pentahydrate
EC50/3h	>100 mg/l (microorganisms) (OECD 209)
EC50 / 48h	1,700 mg/l (Daphnia magna)
EC50 / 72h	207 mg/l (Desmodesmus subspicatus)
EC50 / 96 h	210 mg/l (Danio rerio)
CAS: 14717	0-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
LC 50	>1-10 mg/l (Pimephales promelas) (OECD 203)
EC0	>100 mg/l (Pseudomonas putida) (OECD 209)
EC50	>1-10 mg/l (Daphnia magna) (OECD 202)
	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC	≤1 mg/l (Oncorhynchus mykiss) (OECD210)
	≤1 mg/l (Daphnia magna) (OECD 211)
	(Contd. on page 7)

— GB



Printing date 17.09.2024

## Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

(Contd. of page 6)

#### Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

12.3 Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

#### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

#### 12.7 Other adverse effects Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 29\* detergents containing hazardous substances

15 01 10\* packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

#### SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1719
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	1719 CAUSTIC ALKALI LIQUID, N.O.S. (disodium trioxosilicate) CAUSTIC ALKALI LIQUID, N.O.S. (disodium trioxosilicate)
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	8 (C5) Corrosive substances. 8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
	(Contd. on page 8



Printing date 17.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

	(Contd. of page
14.4 Packing group ADR/RID/ADN, IMDG, IATA	<i>III</i>
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for us	ser Warning: Corrosive substances.
Transport/Additional informati	on:
ADR/RID/ADN Limited quantities (LQ) Transport category Tunnel restriction code	5L 3 E
UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (DISODIUM TRIOXOSILICATE), 8, III

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals.

- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Classification according to Regulation (EC) No 1272/2008

Corrosive to metals Bridging principles

Skin corrosion/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 22.04.2021

Version number of previous version: 1.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

DGR: Przepisy dotyczące towarów niebezpiecznych - Dangerous Goods Regulations by IATA

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

(Contd. on page 9)

GB



Printing date 17.09.2024

#### Version: 2.00 (replaces version 1.00)

Revision: 16.09.2022

#### Trade name: SONAX Petrol Pump & Nozzle Holder Cleaner

	(Contd. of page 8)
LC = letal Concentration	
EC50 = half maximal effective concentration	
log POW = Octanol / water partition coefficient	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
ATE: acute toxicity estimate	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the	International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (UK REACH)	
PNEC: Predicted No-Effect Concentration (UK REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
IOELV = indicative occupational exposure limit values	
Met. Corr.1: Corrosive to metals – Category 1	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	
	GB