

Safety data sheet according to UK REACH

Printing date 17.09.2024

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: <u>SONAX Iron+Rust Remover special</u> SONAX Iron+Rust Remover / Acidic Power Cleaner
Article number: 05136050, 05137050, 05138000 UFI: 4F93-006Y-000M-0NS7 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Professional uses Detergents
1.3 Details of the supplier of the safety data sheet <i>Manufacturer/Supplier:</i> SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> <i>Product safety</i> <i>E-mail: erp@sonax.de</i> <i>Phone: + +49 (0) 8431 53 217</i> <u><i>United Kingdom:</i></u> <i>Anglo American Oil Company Ltd</i> <i>58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT</i> <i>Telephone: (+44) 01929 551557</i> <i>Email: info@aaoil.co.uk</i>
1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

Precautionary statements

P280

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1 H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms GHS05 Signal word Danger Hazard-determining components of labelling: phosphoric acid oxalic acid Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

Wear protective gloves/eye protection.

(Contd. on page 2) GB



Safety data sheet according to UK REACH

Printing date 17.09.2024

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with acids

CAS: 77-92-9	citric acid	5-<10%
EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-xxxx		
CAS: 7664-38-2	phosphoric acid	5-<10%
EINECS: 231-633-2 Reg.nr.: 01-2119485924-24-xxxx	 Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 	
-	Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25 \%$	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
CAS: 6153-56-6	oxalic acid	3-<5%
EINECS: 205-634-3	📀 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302; Acute Tox. 4,	-
Reg.nr.: 01-2119534576-33-xxxx	H312	
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants		<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Seek immediate medical advice.
- After eye contact:

Rinse opened eye for several minutes under running water.

- Seek immediate medical advice.
- After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 2)

Do not induce vomiting; call for medical help immediately. **4.2 Most important symptoms and effects, both acute and delayed** Caustic effect on skin and mucous membranes.

Eye irritation / Eye damage

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Phosphorus oxides (e.g. P2O5) 5.3 Advice for firefighters Protective equipment: Wear fully protective suit.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel Wear protective clothing.
For emergency responders Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
Suppress gases/fumes/haze with water spray.
6.3 Methods and material for containment and cleaning up:
Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

When diluting always pour product into water and not vice versa.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Provide acid-resistant floor. Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidising agents. Observe local/state/federal regulations. Further information about storage conditions: Keep container tightly sealed. Store receptacle in a well ventilated area. Protect from frost. Recommended storage temperature: 20 °C.

(Contd. on page 4)

GB



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 3)

7.3 Specific end use(s) No further relevant information available.

8.1 Cont	rol nara	meters	
	-	limit values that require monitoring at the workplace:	
-		phosphoric acid	
		in) Short-term value: 2 mg/m³ Long-term value: 1 mg/m³	
IOELV (E	U)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³	
OEL (Irel	and)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ IOELV	
IOELV (E	eat Brita U): (EU)	mation in): EH40/2020) 2019/1831 20 CoP for the Safety, Health and Welfare at Work	
DNELs			
	-	phosphoric acid	
Inhalative	DNEL	10.7 mg/m ³ (worker) (longterm systematic effects)	
CAS: 61	53-56-6	oxalic acid	
Oral	DNEL	1.14 mg/kg (consumer) (longterm systematic effects)	
Dermal	DNEL	1.14 mg/kg bw/day (consumer) (longterm systematic effects)	
		2.29 mg/kg bw/day (worker) (longterm systematic effects)	
	DNEL	0.35 mg/cm ² (consumer)	
Inhalative	DNEL	4.03 mg/m³ (worker) (longterm systematic effects)	
PNECs			
CAS: 77-	92-9 cit	ric acid	
PNEC >	1,000 mg	g/l (STP)	
0.	44 mg/l	(water (fresh water))	
0.	044 mg/	// (water (sea water))	
	-	rg dw (soil)	
	-	g dw (water (fresh water))	
34.6 mg/kg dw (water (sea water))			
	-	oxalic acid	
		// (sporadic release)	
	550 mg/		
	-	g/l (water (fresh water))	
0.01622 mg/l (water (resh water))			

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Ensure good ventilation/exhaustion at the workplace.

If the occupational exposure limit is exceeded:

The following breathing protection is recommended:

Self-contained respiratory protective device.

(Contd. on page 5)

GB



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 4)

Filter B [DIN EN 14387] Hand protection Acid resistant gloves Material of gloves Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.6 mm [EN 374] Penetration time of glove material Value for the permeation: Level 6 (≥480min) The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles

[EN 166]

Body protection: Acid resistant protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pro	operties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Odourless
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	≥100 °C (CAS: 7732-18-5 water)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	0.5-1.0
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	20.0 //////0
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	25 IIF a (CAS. 1152-10-5 Waler)
Density at 20 °C:	$1.06 1.07 a/am^3$
	1.06 - 1.07 g/cm³ Not determined.
Vapour density	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	N
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
	(Contd. on page 6)
	G



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

	(Contd. of page 5)
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability Stable under normal conditions.
10.3 Possibility of hazardous reactions
Reacts with alkali and metals.
Reacts with oxidising agents.
May be corrosive to metals.
10.4 Conditions to avoid See Section 7 for information on safe handling.
10.5 Incompatible materials:
strong oxidizing agents
caustic solutions
10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

	formation on hazard classes as defined in Regulation (EC) No 1272/2008 oxicity Based on available data, the classification criteria are not met.	
LD/LC5	50 values relevant for classification:	
CAS: 7	7-92-9 citric acid	
Oral	LD50 5,040 mg/kg (mouse)	
	3,000 mg/kg (rat)	
CAS: 7	664-38-2 phosphoric acid	
Dermal	LD50 2,740 mg/kg (rabbit)	
CAS: 6	153-56-6 oxalic acid	
Oral	LD50 375 mg/kg (rat)	
Dermal	LD50 20,000 mg/kg (rabbit)	
Skin co	prrosion/irritation Causes severe skin burns and eye damage.	
Serious	s eye damage/irritation Causes serious eye damage.	
Respira	atory or skin sensitisation Based on available data, the classification criteria are not m	et.
Germ c	ell mutagenicity Based on available data, the classification criteria are not met.	
Carcino	ogenicity Based on available data, the classification criteria are not met.	
Reprod	luctive toxicity Based on available data, the classification criteria are not met.	
STOT-s	single exposure Based on available data, the classification criteria are not met.	
STOT-r	epeated exposure Based on available data, the classification criteria are not met.	
Aspirat	tion hazard Based on available data, the classification criteria are not met.	(Contd. on page 7)



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 6)

Additional toxicological information:	
Repeated dose toxicity	

CAS: 6153-56-6 oxalic acid

Oral LOAEL 150 mg/kg (rat) (OECD 407)

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

	y There are no ecotoxicological data available on this mixture.
Aquatic tox	icity:
CAS: 77-92-	9 citric acid
LC50 / 96h	440-760 mg/l (Leuciscus idus)
EC0	640 mg/l (scenedesmus quadricauda)
EC50 / 72h	120 mg/l (Daphnia magna)
CAS: 7664-	38-2 phosphoric acid
LC50 / 96h	3-3.25 mg/l (Lepomis macrochirus)
EC50 / 48h	>100 mg/l (Daphnia magna)
EC50 / 72h	>100 mg/l (Desmodesmus subspicatus)
CAS: 6153-	56-6 oxalic acid
LC50 / 96h	160 mg/l (fish)
EC50 / 48h	162.2 mg/l (daphnia) (OECD-Prüfrichtlinie 202)
EC50 / 72h	20.58 mg/l (Grünalge Pseudokirchneriella subcapitata) (OECD 201)
The surface (EC/648/20	tence and degradability active substances contained in the product meet the requirement of the EU Detregent Regulation 04) for ultimate biodegradability for surfactants in detergents.
	56-6 oxalic acid
CSB	180 mg/g
BSB	160 mg/g
Biodegradat	ion 89 %
12.3 Bioacc	umulative potential
CAS: 77-92-	9 citric acid
log POW <1	1
12.5 Result: PBT:	y in soil No further relevant information available. s of PBT and vPvB assessment
classified as vPvB:	information provided in the supply chain, the mix conatins less than 0.1% of any substances PBT information provided in the supply chain, the mix conatins less than 0.1% of any substances
classified as 12.6 Endoc	
disrupting pr 12.7 Other a	operties with effects on the environment.
	ecological information:
The product	es: undiluted product or large quantities of it to reach ground water, water course or sewage system. does not contain organically bounded halogens (AOX-free). does not contain organic complexing agents.
	(Contri on none)

(Contd. on page 8)



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

Corrosive

20 01 14* acids

Uncleaned packaging:

HP8

15 01 10*: packaging containing residues of or contaminated by dangerous substances **Recommendation**:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

SECTION 14: Transport in	SECTION 14: Transport information		
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1805		
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	1805 PHOSPHORIC ACID, SOLUTION PHOSPHORIC ACID, SOLUTION		
14.3 Transport hazard class(es)			
ADR/RID/ADN			
8			
Class	8 (C1) Corrosive substances.		
Label	8		
Class	8 Corrosive substances.		
Label	8		
14.4 Packing group ADR/RID/ADN, IMDG, IATA	<i>III</i>		
14.5 Environmental hazards: Marine pollutant:	No		
14.6 Special precautions for user Warning: Corrosive substances.			
Transport/Additional informatio	n:		
ADR/RID/ADN Limited quantities (LQ) Transport category Tunnel restriction code	5L 3 E		
UN "Model Regulation":	UN1805, PHOSPHORIC ACID, SOLUTION, 8, III		

(Contd. on page 9)



Safety data sheet according to UK REACH

Version: 7.00 (replaces version 6.01)

Revision: 17.08.2022

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Classification according to Regulation (EC) No 1272/2008

Corrosive to metals Bridging principles Skin corrosion/irritation The classification of the mixture is generally based on the calculation method Serious eye damage/irritation using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 06.07.2022 Version number of previous version: 6.01

- Abbreviations and acronyms:
- NOEL = No Observed Effect Level
- NOEC = No Observed Effect Concentration
- LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.