

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** SONAX Dry H**Article number:**

06035000, 06036000, 06037050, 06038000

**UFI:** AD40-Y0YM-700F-JT9J**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the mixture**

Car care product

Professional uses

**Uses advised against** Consumer uses: Private households / general public / consumers**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

**Further information obtainable from:**

Product safety

E-mail: [erp@sonax.de](mailto:erp@sonax.de)

Phone: + +49 (0) 8431 53 217

**United Kingdom:**

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: [info@aaoil.co.uk](mailto:info@aaoil.co.uk)**1.4 Emergency telephone number:****European Union:** +49 (0) 89 19240 (Poison Centre Munich)**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms**

GHS07

**Signal word** Warning**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 1)

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

**3.2 Mixtures**

**Description:** Tensides, care additives, alcohol in aqueous solution.

**Dangerous components:**

CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	15-<20%
CAS: 94095-35-9 EC No 931-216-1 Reg.nr.: 01-2119472309-33-xxxx	9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized Alternative CAS number: 157905-74-3 Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 28 % Eye Irrit. 2; H319: C ≥ 28 %	10-<15%
CAS: 629-73-2 EINECS: 211-105-8 Reg.nr.: 01-2119474686-23-xxxx	1-Hexadecen Asp. Tox. 1, H304	3-<5%
EC No 926-141-6 Reg.nr.: 01-2119456620-43-xxxx	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics Alternative CAS number: 64742-47-8 Asp. Tox. 1, H304, EUH066	1-<3%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	1-<3%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

**4.1 Description of first aid measures**

**General information:** Remove soiled clothing

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Wash the areas of skin affected with water and a mild detergent.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

**4.2 Most important symptoms and effects, both acute and delayed** Eye irritation**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media****Suitable extinguishing agents:**

Foam

Fire-extinguishing powder

Carbon dioxide

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 2)

Water spray

**For safety reasons unsuitable extinguishing agents:** Water with full jet

### 5.2 Special hazards arising from the substance or mixture

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide (CO)

### 5.3 Advice for firefighters

#### Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

#### For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

**For emergency responders** Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

**Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

#### Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

Protect from heat and direct sunlight.

### 7.3 Specific end use(s)

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

WEL (Great Britain) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

IOELV (EU) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

OEL (Ireland) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

IOELV

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 3)

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

RCP-TWA (EU)	Long-term value: 1200 mg/m <sup>3</sup> , 165 ppm Vapour / Total Hydrocarbons
--------------	--

**CAS: 67-63-0 propan-2-ol**

WEL (Great Britain)	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
OEL (Ireland)	Short-term value: 400 ppm Long-term value: 200 ppm Sk

**Regulatory information**

WEL (Great Britain): EH40/2020

IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

**DNELs**

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

Oral	DNEL	5 mg/kg bw/day (consumer) (chronic systemic effect)
Dermal	DNEL	83 mg/bw/day (worker) (chronic systemic effect)
	DNEL	50 mg/kg bw/day (consumer) (chronic systemic effect)
Inhalative	DNEL	67.5 mg/m <sup>3</sup> (worker) (chronic systemic effect)
	DNEL	67.5 mg/m <sup>3</sup> (worker) (chronic locale effects)
	DNEL	40.5 mg/m <sup>3</sup> (consumer) (chronic systemic effect)
	DNEL	40.5 mg/m <sup>3</sup> (consumer) (chronic locale effects)

**CAS: 67-63-0 propan-2-ol**

Oral	DNEL	26 mg/kg (consumer) (chronic effects (1d))
Dermal	DNEL	319 mg/kg (consumer) (chronic effects (1d))
		888 mg/kg (worker) (chronic effects (1d))
Inhalative	DNEL	89 mg/m <sup>3</sup> (consumer) (chronic effects)
		500 mg/m <sup>3</sup> (worker) (chronic effects)

**PNECs**

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

PNEC	200 mg/l (STP)
	11 mg/l (water)
	1.1 mg/l (water (fresh water))
	0.11 mg/l (water (sea water))
PNEC	4.4 mg/kg (sediment (fresh water))
	0.44 mg/kg (sediment (sea water))
	0.32 mg/kg (soil)
	56 mg/kg (water)

**CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized**

PNEC	2.96 mg/l (sewage plant)
	0.00191 mg/l (water (fresh water))
	0.000191 mg/l (water (sea water))
PNEC	0.58 mg/kg (sediment (fresh water))
	0.058 mg/kg (sediment (sea water))

**CAS: 629-73-2 1-Hexadecen**

PNEC	0.001 mg/l (water (fresh water))
	0.001 mg/l (water (sea water))
PNEC	426.6 mg/kg (sediment (fresh water))
	426.6 mg/kg (sediment (sea water))
	85.3 mg/kg (soil)

**CAS: 67-63-0 propan-2-ol**

PNEC	140.9 mg/l (sporadic release)
------	-------------------------------

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 4)

	2,251 mg/l (STP)
	140.9 mg/l (water (fresh water))
	140.9 mg/l (water (sea water))
PNEC	28 mg/kg (gro)
	552 mg/kg (sediment)

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls****Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

**Respiratory protection:**

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

**Hand protection** Not required in normal cases.

**Eye/face protection**

Safety glasses

[EN 166]

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

Light yellow

**Odour:**

Solvent-like

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

100 °C (CAS: 7732-18-5 water)

**Flammability**

Product is not flammable.

**Lower and upper explosion limit****Lower:**

Not applicable

**Upper:**

Not applicable

**Flash point:**

85 °C (DIN 51755)

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

3.5

**Viscosity:****Kinematic viscosity at 40 °C**<20.5 mm<sup>2</sup>/s**Solubility****water:**

Fully miscible.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure at 20 °C:**

23 hPa (CAS: 7732-18-5 water)

**Density and/or relative density****Density at 20 °C:**0.97-0.98 g/cm<sup>3</sup>**Vapour density**

Not determined.

**9.2 Other information****Appearance:****Form:**

Fluid

**Important information on protection of health and environment, and on safety.****Ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product does not present an explosion hazard.

**Change in condition****Evaporation rate**

Not determined.

(Contd. on page 6)

-GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 5)

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity****10.1 Reactivity** No dangerous reactions known.**10.2 Chemical stability** Stable under normal conditions.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** See Section 7 for information on safe handling.**10.5 Incompatible materials:** strong oxidizing agents**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

Oral LD50 2,410 mg/kg (mouse) (ECHA)

Dermal LD50 2,764 mg/kg (rabbit) (ECHA)

**CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized**

Oral LD50 &gt;2,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rat)

**CAS: 629-73-2 1-Hexadecen**

Oral LD50 &gt;2,000-&lt;5,000 mg/kg (rat) (EPA OPPTS 8701100)

Dermal LD50 &gt;2,000 mg/kg (Ratte) (OECD 402)

Inhalative LC50 / 4h 40.2 mg/l (rat) (OECD 403)

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Oral LD50 &gt;5,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;5,000 mg/kg (rabbit) (OECD 402)

Inhalative LC50/8h >5,000 mg/m<sup>3</sup> (rat) (OECD 403)**CAS: 67-63-0 propan-2-ol**

Oral LD50 5,840 mg/kg (rat)

Dermal LD50 13,900 mg/kg (rabbit)

Inhalative LC50 / 6 h &gt;25 mg/l (rat) (OECD 403)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Causes serious eye irritation.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 6)

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

**Repeated dose toxicity**

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

Oral	NOAEL	250 mg/kg (rat) (ECHA)
Inhalative	NOAEC	0.094 mg/m <sup>3</sup> (Ratte) (OECD 413)

**CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized**

Oral	NOAEL	1,000 mg/kg (rat) 300 mg/kg (Ratte)
------	-------	--

**Values relevant for classification:**

**CAS: 67-63-0 propan-2-ol**

Oral	NOAEL	400 mg/kg/day (rat)
------	-------	---------------------

**11.2 Information on other hazards**

**Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

**Aquatic toxicity:**

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

LC50 / 96h	1,300 mg/l (Lepomis macrochirus) (OECD 203)
EC50 / 48h	>100 mg/l (Daphnia magna) (ECHA)
ErC50	1,101 mg/l (Pseudokirchneriella subcapitata) (ECHA)

**CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized**

LC50 / 96h	1.91 mg/l (fish) (OECD 203)
EC50 / 48h	2.23 mg/l (daphnia) (EU Method C.2)
EC50 / 72h	2.14 mg/l (algae) (OECD 201)
EC10 / 72 h	1.48 mg/l (algae) (OECD 201)

**CAS: 629-73-2 1-Hexadecen**

LC50 / 96 h	>1.5 mg/l (Oncorhynchus mykiss) (OECD 203)
LL50 / 96h	>1,000 mg/l (Mb)
	>86 mg/l (Regenbogenforelle) (OECD 203)
EC50 / 48h	4.4 mg/l (Daphnia magna) (OECD 202)
EC50 / 96 h	4.6 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EL50 / 48h	<1,000 mg/l (Daphnia magna) (OECD 202)
EL50 / 72h	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
ErC 50 / 72h	1.8 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
LOEC / 21 d	28.7 mg/l (Daphnia magna) (OECD 211)
NOEC 96h	1.8 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 7)

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

LLO 96 h	1,000 mg/l (Oncorhynchus mykiss)
ELO 48 h	1,000 mg/l (Daphnia magna)
ELO 72 h	1,000 mg/l (Pseudokirchneriella subcapitata)

**CAS: 67-63-0 propan-2-ol**

LC50 / 96h	9,640 mg/l (Pimephales promelas)
LC50 / 24h	9,714 mg/l (daphnia)
EC50	>100 mg/l (bacteria)
EC50 / 72h	>100 mg/l (algae)
LOEC	1,000 mg/l (algae)

**12.2 Persistence and degradability****CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized**

Biodegradation	>60 % (OECD 301 B Ready Biodegradability - CO2 Evolution)
----------------	---

**CAS: 629-73-2 1-Hexadecen**

BSB5	0.58363 mg/g
------	--------------

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics**

Biodegradation	69 % (28d)
----------------	------------

**CAS: 67-63-0 propan-2-ol**

Biodegradation	53 %
----------------	------

**12.3 Bioaccumulative potential****CAS: 629-73-2 1-Hexadecen**

log Kow	8.1
---------	-----

**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

**12.6 Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects****Additional ecological information:****General notes:**

The product may not be released into the environment without control.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.**European waste catalogue**

07 06 04*	other organic solvents, washing liquids and mother liquors
HP4	Irritant - skin irritation and eye damage

**Uncleaned packaging:**

15 01 10\*: packaging containing residues of or contaminated by dangerous substances

**Recommendation:**

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

(Contd. on page 9)

-GB-



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

**Recommended cleansing agents:** Water

(Contd. of page 8)

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR/RID/ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR/RID/ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR/RID/ADN, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR/RID/ADN, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b> Marine pollutant:	No
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
European Directives:  
Directive 2010/75/EU (VOC) 4.41 %  
Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to  
REGULATION (EU) 2019/1148

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**National regulations:**

**Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Classification according to Regulation (EC) No 1272/2008**

Serious eye damage/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
-------------------------------	--

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 15.12.2023

Version: 6.00 (replaces version 5.02)

Revision: 06.05.2022

(Contd. of page 9)

**Date of previous version:** 22.04.2021**Version number of previous version:** 5.02**Abbreviations and acronyms:**

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = Lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

**\* Data compared to the previous version altered.**

GB