

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** SONAX Foam Berry**Article number:**

06485000, 06486000, 06487050, 06488000, 06489000

**UFI:** RV75-A04E-N001-P00N**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the mixture**

Car care product

Detergents

Professional uses

**Uses advised against** Consumer uses: Private households / general public / consumers**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

**Further information obtainable from:**

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

**United Kingdom:**

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

**1.4 Emergency telephone number:****European Union:** +49 (0) 89 19240 (Poison Centre Munich)**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1A H317 May cause an allergic skin reaction.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms**

GHS05 GHS07

**Signal word** Danger**Hazard-determining components of labelling:**

Sodium Laureth Sulfate

2-methylisothiazol-3(2H)-one

**Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

**Precautionary statements**

P280

Wear protective gloves/eye protection.

(Contd. on page 2)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Aqueous tenside solution.

**Dangerous components:**

CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	alcohols, C12-14, ethoxylated, sulfates, sodium salts ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 5 % ≤ C < 10 %	15-<20%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol ☠ Flam. Liq. 3, H226; ☠ STOT SE 3, H336	3-<5%
CAS: 308062-28-4 EC No 931-292-6 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Alternative CAS number: 70592-80-2 ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; ☠ Skin Irrit. 2, H315	<1%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ☠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ☠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	>0.0015-<0.01%
CAS: 3811-73-2 EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	pyridine-2-thiol 1-oxide, sodium salt ☠ Acute Tox. 3, H311; Acute Tox. 3, H331; ☠ STOT RE 1, H372; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	<0.01%

**Regulation (EC) No 648/2004 on detergents / Labelling for contents**

anionic surfactants	≥15 - <30%
amphoteric surfactants	<5%
perfumes (LINALOOL, ALPHA-ISOMETHYL IONONE), methylisothiazolinone, sodium pyrrithione, benzisothiazolinone	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 2)

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Remove soiled clothing**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Eye irritation / Eye damage

Skin irritation

sensitization

Allergic reactions

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:**

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation**For non-emergency personnel**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wear protective clothing.

**For emergency responders** Wear protective equipment. Keep unprotected persons away.**6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling** Use only in well ventilated areas.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.**Information about storage in one common storage facility:**

Store away from foodstuffs.

(Contd. on page 4)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 3)

Observe local/state/federal regulations.

**Further information about storage conditions:**

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: 20 °C.

Protect from heat and direct sunlight.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 107-98-2 1-Methoxy-2-propanol**

WEL (Great Britain)	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm Sk
IOELV (EU)	Short-term value: 568 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm Skin
OEL (Ireland)	Short-term value: 568 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm IOELV

**Regulatory information**

WEL (Great Britain): EH40/2020

IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

**DNELs****CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Oral	DNEL	15 mg/kg (VL)
Dermal	DNEL	1,650 mg/kg (VL) 2,750 mg/kg (worker long-term)
Inhalative	DNEL	52 mg/m <sup>3</sup> (VL) 175 mg/m <sup>3</sup> (worker long-term)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)
Inhalative	DNEL	43.9 mg/m <sup>3</sup> (consumer) (long-term / systemic effects) 553.5 mg/m <sup>3</sup> (worker) (short-term / local effects) 369 mg/m <sup>3</sup> (worker) (long-term / systemic effects)

**CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides**

Oral	DNEL	0.44 mg/kg bw/day (consumer) (acute systematic effects)
Dermal	DNEL	5.5 mg/kg bw/day (consumer) (longterm systematic effects) 11 mg/kg bw/day (worker) (longterm systematic effects)
Inhalative	DNEL	3.8 mg/m <sup>3</sup> (consumer) (longterm systematic effects) 15.5 mg/m <sup>3</sup> (worker) (longterm systematic effects)

**PNECs****CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

	PNEC	10,000 mg/l (sewage plant) 0.24 mg/l (water (fresh water)) 0.024 mg/l (water (sea water))
	PNEC	7.5 mg/kg (gro) 0.9168 mg/kg (sediment (fresh water)) 0.09168 mg/kg (sediment (sea water))

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 4)

**CAS: 107-98-2 1-Methoxy-2-propanol**

PNEC	100 mg/l (STP)
	100 mg/l (water (intermittent release))
	10 mg/l (water (fresh water))
	1 mg/l (water (sea water))
PNEC	2.47 mg/kg (gro)
	41.6 mg/kg (sediment (fresh water))
	4.17 mg/kg (sediment (sea water))

**CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides**

Oral	PNEC	11.1 mg/kg (food)
	PNEC	24 mg/l (sewage plant)
PNEC		335 mg/l (water (intermittent release))
		0.0335 mg/l (water (fresh water))
		0.00335 mg/l (water (sea water))
		5.24 mg/kg (sediment (fresh water))
		0.524 mg/kg (sediment (sea water))
		1.02 mg/kg (soil)

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls****Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

**Respiratory protection:**

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

**Hand protection** Protective gloves**Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

[EN 374]

**Penetration time of glove material** Value for the permeation: Level 6 ( $\geq 480$ min)

**Eye/face protection**

Safety glasses

[EN 166]

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

Light yellow

**Odour:**

Fruit-like

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

Undetermined.

**Flammability**

Product is not flammable.

**Lower and upper explosion limit****Lower:**

Not applicable

**Upper:**

Not applicable

**Flash point:**

Not applicable.

**Decomposition temperature:**

Not determined.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 5)

<b>pH at 20 °C</b>	6.5-7.5
<b>Viscosity:</b>	
<b>Kinematic viscosity at 40 °C</b>	<20.5 mm <sup>2</sup> /s
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water:</b>	Fully miscible.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	1.03-1.05 g/cm <sup>3</sup>
<b>Vapour density</b>	Not determined.

<b>9.2 Other information</b>	
<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Not determined.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.

<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- 10.1 Reactivity** No dangerous reactions known.  
**10.2 Chemical stability** Stable under normal conditions.  
**10.3 Possibility of hazardous reactions** No dangerous reactions known.  
**10.4 Conditions to avoid** See Section 7 for information on safe handling.  
**10.5 Incompatible materials:** No known incompatible materials.  
**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

##### LD/LC50 values relevant for classification:

**CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Dermal	LD 50	>5,000 mg/kg (rat)
--------	-------	--------------------

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	LD50	4,016 mg/kg (rat)
------	------	-------------------

(Contd. on page 7)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 6)

Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC0 / 6h	>7,000 ppm (rat)
<b>CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides</b>		
Oral	LD50	1,064 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat)
	LC50 / 96 h	2.67 mg/l (Pimephales promelas)

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

**Repeated dose toxicity**

**CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides**

Oral	NOAEL 90 d	2,000 mg/kg (rat) (OECD 451)
	NOAEL	2,000 mg/kg (rat) (OECD 451)
		88 mg/kg (rabbit) (OECD 408)
		25 mg/kg (Ratte)

**11.2 Information on other hazards**

**Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

**Aquatic toxicity:**

**CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

LC 50	>10-100 mg/l (Leuciscus idus)
EC0	>100 mg/l (Pseudomonas putida)
EC50	>100 mg/l (Scenedesmus subspicatus)
	>10-100 mg/l (Daphnia magna)
NOEC	>1-10 mg/l (Leuciscus idus)
	>0.1-1 mg/l (Daphnia magna)

**CAS: 107-98-2 1-Methoxy-2-propanol**

LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)
LC50 / 48h	23,300 mg/l (Daphnia magna)
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)

**CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides**

NOEC 302 d	0.42 mg/l (Pimephales promelas)
EC10 / 18h	24 mg/l (Pseudomonas putida)
EC50 / 48h	3.1 mg/l (Daphnia magna)
EC50 / 72h	0.143 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC / 21 d	0.7 mg/l (Daphnia magna) (OECD 211)

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 7)

NOEC / 28d	0.067 mg/l (algae)
<b>CAS: 2682-20-4 2-methylisothiazol-3(2H)-one</b>	
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
<b>CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt</b>	
LC50 / 96h	0.00767 mg/l (Zebraabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)

**12.2 Persistence and degradability**

The surface-active substances contained in the product meet the requirement of the EU Detergent Regulation ( EC/648/2004 ) for ultimate biodegradability for surfactants in detergents.

<b>CAS: 107-98-2 1-Methoxy-2-propanol</b>	
Biodegradation	90-100 % (OECD 301E)
<b>CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides</b>	
Biodegradation	90 %
<b>CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt</b>	
Biodegradation	>70 % (activated sludge) (OECD 301 B)

**12.3 Bioaccumulative potential**

<b>CAS: 107-98-2 1-Methoxy-2-propanol</b>	
log Kow	0.37 (25°C)
<b>CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides</b>	
log POW	2.7
<b>CAS: 2682-20-4 2-methylisothiazol-3(2H)-one</b>	
BCF	3.16
log Kow	≤0.32
<b>CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt</b>	
log Kow	<-1.09 ((n-Octanol/Wasser) OECD 107)

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment****PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

**12.6 Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

**12.7 Other adverse effects****Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
The product does not contain organically bounded halogens (AOX-free).  
The product does not contain organic complexing agents.

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.

<b>European waste catalogue</b>	
20 01 29*	detergents containing hazardous substances

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 8)

HP4	Irritant - skin irritation and eye damage
-----	---

**Uncleaned packaging:**

15 01 10\*: packaging containing residues of or contaminated by dangerous substances

**Recommendation:**

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

**Recommended cleansing agents:** Water**SECTION 14: Transport information**

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
--	------

14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
---	------

14.3 Transport hazard class(es) ADR/RID/ADN, ADN, IMDG, IATA Class	Void
--	------

14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
---	------

14.5 Environmental hazards: Marine pollutant:	No
--	----

14.6 Special precautions for user	Not applicable.
-----------------------------------	-----------------

14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
--	-----------------

UN "Model Regulation":	Void
------------------------	------

**SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
European Directives:

Directive 2010/75/EU (VOC) 6.58 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to  
REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
--

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS
---

None of the ingredients is listed.

**National regulations:****Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 7.01 (replaces version 7.00)

Revision: 02.08.2023

(Contd. of page 9)

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H330 Fatal if inhaled.  
 H331 Toxic if inhaled.  
 H336 May cause drowsiness or dizziness.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 EUH070 Toxic by eye contact.  
 EUH071 Corrosive to the respiratory tract.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

**Date of previous version:** 19.12.2022**Version number of previous version:** 7.00**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**