

Safety data sheet according to UK REACH

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

	1: Identification of the substance/mixture and of the company/undertakin
1.1 Product	identifier
Trade name	: SONAX Foam Berry
UFI: RV75 1.2 Relevan Application Car care pro Detergents Professiona	6486000, 06487050, 06488000, 06489000 04E-N001-P00N t identified uses of the substance or mixture and uses advised against of the substance / the mixture duct
Manufactur SONAX Gm Münchener	Straße 75 uburg (Donau)
Product safe E-mail: erp@ Phone: + +4 <u>United King</u> Anglo Amer 58 Holton R	osonax.de 9 (0) 8431 53 217 <u>dom:</u> can Oil Company Ltd pad, Holton Heath Trading Park, Poole, Dorset, BH16 6LT (+44) 01929 551557
European U United King Members of	ncy telephone number: I <u>nion:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>dom:</u> 0344 892 0111 (UK NPIS) Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 reland, contact your local GP

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1A H317 May cause an allergic skin reaction.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling: Sodium Laureth Sulfate 2-methylisothiazol-3(2H)-one Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. Precautionary statements P280 Wear protective gloves/eye protection.

(Contd. on page 2)

⁻ GB



Printing date 18.09.2024

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

	(C	Contd. of page 1)
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact le	enses, if
	present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P501	Dispose of contents/container in accordance with local/regional/national/interna	itional
	regulations.	
2.3 Other hazard	ds	

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

CAS: 68891-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	15-<20%
NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	Eye Dam. 1, H318;	
	Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol Flam. Liq. 3, H226; () STOT SE 3, H336	3-<5%
CAS: 308062-28-4 EC No 931-292-6 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, N- oxides Alternative CAS number: 70592-80-2 Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	<1%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one	>0.0015-<0.019
CAS: 3811-73-2 EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	pyridine-2-thiol 1-oxide, sodium salt ♦ Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT RE 1, H372; ♦ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	<0.01%
• • • •	detergents / Labelling for contents	
anionic surfactants		≥15 - <30%
amphoteric surfactants		<5%
perfumes (LINALOOL, VANILLIN, sodium pyrithione, benzisothiazoli	ALPHA-ISOMETHYL IONONE), methylisothiazolinone, inone	

(Contd. on page 3)



Safety data sheet according to UK REACH

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation / Eye damage Skin irritation sensitization

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wear protective clothing.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. **Information about storage in one common storage facility:** Store away from foodstuffs.

(Contd. on page 4)

GB



Printing date 18.09.2024

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

(Contd. of page 3)

Observe local/state/federal regulations. **Further information about storage conditions:** Store receptacle in a well ventilated area. Keep container tightly sealed. Protect from frost. Recommended storage temperature: 20 °C. Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection	

Ingredi	-	rameters ith limit values that require monitoring at the workplace:	
-		2 1-Methoxy-2-propanol	
		itain) Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk	
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin	
OEL (Ire	eland)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm IOELV	
WĔL (G IOELV (reat Br EU): (E	formation itain): EH40/2020 EU) 2019/1831 2021 CoP for the Safety, Health and Welfare at Work	
DNELs			
CAS: 68	3891-38	8-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts	
Oral		EL 15 mg/kg (VL)	
Dermal	DNE	EL 1,650 mg/kg (VL)	
		2,750 mg/kg (worker long-term)	
Inhalativ	/e DNE	EL 52 mg/m³ (VL)	
		EL 175 mg/m³ (worker long-term)	
		2 1-Methoxy-2-propanol	
Oral		EL 3.3 mg/kg (consumer) (long-term / systemic effects)	
Dermal	DNE	EL 18.1 mg/kg (consumer) (long-term / systemic effects)	
		50.6 mg/kg (worker) (long-term / systemic effects)	
Inhalativ	e DNE	EL 43.9 mg/m³ (consumer) (long-term / systemic effects)	
		553.5 mg/m ³ (worker) (short-term / local effects)	
		EL 369 mg/m³ (worker) (long-term / systemic effects)	
CAS: 3		28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	
Oral		EL 0.44 mg/kg bw/day (consumer) (acute systematic effects)	
Dermal	DNE	EL 5.5 mg/kg bw/day (consumer) (longterm systematic effects)	
		11 mg/kg bw/day (worker) (longterm systematic effects)	
Inhalativ	e DNE	EL 3.8 mg/m ³ (consumer) (longterm systematic effects)	
		15.5 mg/m ³ (worker) (longterm systematic effects)	
PNECs			
CAS: 68	3891-38	8-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts	
PI	IEC 10	0,000 mg/l (sewage plant)	
	0.	24 mg/l (water (fresh water))	
	0.	024 mg/l (water (sea water))	
PI	IEC 7.	5 mg/kg (gro)	
	0.	9168 mg/kg (sediment (fresh water))	
	0	09168 mg/kg (sediment (sea water))	



Safety data sheet according to UK REACH

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

			(Contd. of page 4
CAS	: 107-98	3-2 1-Methoxy-2-propanol	
	PNEC	100 mg/l (STP)	
		100 mg/l (water (intermittent release))	
		10 mg/l (water (fresh water))	
		1 mg/l (water (sea water))	
	PNEC	2.47 mg/kg (gro)	
		41.6 mg/kg (sediment (fresh water))	
		4.17 mg/kg (sediment (sea water))	
CAS	: 30806	2-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	
Oral	PNEC	11.1 mg/kg (food)	
	PNEC	24 mg/l (sewage plant)	
		335 mg/l (water (intermittent release))	
		0.0335 mg/l (water (fresh water))	
		0.00335 mg/l (water (sea water))	
	PNEC	5.24 mg/kg (sediment (fresh water))	
		0.524 mg/kg (sediment (sea water))	
		1.02 mg/kg (soil)	

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Protective gloves Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm [EN 374] Penetration time of glove material Value for the permeation: Level 6 (≥ 480min) Eye/face protection Safety glasses [EN 166]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties **General Information** Physical state Fluid Colour: Light yellow Odour: Fruit-like Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Undetermined. Flammability Product is not flammable. Lower and upper explosion limit Not applicable Lower: Upper: Not applicable Flash point: Not applicable. Decomposition temperature: Not determined.

(Contd. on page 6)

GB



Printing date 18.09.2024

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

	(Contd. of page
рН at 20 °C	6.5-7.5
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.03-1.05 g/cm³
Vapour density	Not determined.
	not dotominou.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	S
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No known incompatible materials.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 68	891-38-3 ale	cohols, C12-14, ethoxylated, sulfates, sodium salts	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD 50	>5,000 mg/kg (rat)	
CAS: 10	7-98-2 1-Me	thoxy-2-propanol	
Oral	LD50	4,016 mg/kg (rat)	
	-		(Contd. on page 7)

– GB



Printing date 18.09.2024

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

Dermal Inhalative LCD / 6h >2,000 mg/kg (rat) >7,000 ppm (rat) CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral LD50 1,064 mg/kg (rat) (OECD 401) >2,000 mg/kg (rat) LC50 / 96 h Skin corrosion/irritation causes skin irritation. Serious eye damage/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabit) (OECD 451) 88 mg/kg (rabit) (OECD 408) 25 mg/kg (rate) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	_		(Contd. of page
CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral LD50 1,064 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rat) LC50 / 96 h 2.67 mg/l (Pimephales promelas) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 9.000 mg/kg (rat) (OECD 451) NOAEL 9.000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 111. Information on other hazards Endocring to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties	Dermal		
Oral LD50 1,064 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rat) LC50 / 96 h 2.67 mg/l (Pimephales promelas) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabit) (OECD 451) 88 mg/kg (rabit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards 25 mg/kg (Ratte) 11.2 Information on other hazards 50 mg/kg (rabit) (OECD 408) 25 mg/kg (Ratte) 25 mg/kg (Ratte) 11.2 Information on other			
Dermal LD50 >2,000 mg/kg (rat) LC50 / 96 h 2.67 mg/l (Pimephales promelas) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. StoT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabit) (OECD 451) 88 mg/kg (rabit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.			
LC50 / 96 h 2.67 mg/l (Pimephales promelas) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 0.000 mg/kg (rat) (OECD 451) 0.78 mg/kg (rabbit) (OECD 408) 2.5 mg/kg (ratte)			
Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 9.00 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) NOAEL 2.000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Dermal		
Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.		LC50 / 96	h 2.67 mg/l (Pimephales promelas)
Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 9.000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Skin corr	osion/irrita	tion Causes skin irritation.
Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Serious e	ye damag	e/ irritation Causes serious eye damage.
Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Respirato	ory or skin	sensitisation May cause an allergic skin reaction.
Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) 20,000 mg/kg (rat) (OECD 451) 25 mg/kg (rabbit) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Germ cell	l mutageni	city Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Carcinog	enicity Bas	ed on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Reproduc	tive toxici	ty Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	STOT-sin	gle exposi	<i>Ire</i> Based on available data, the classification criteria are not met.
Additional toxicological information: Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	STOT-rep	eated exp	osure Based on available data, the classification criteria are not met.
Repeated dose toxicity CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Aspiratio	n hazard B	ased on available data, the classification criteria are not met.
CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.			
Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	•		•
NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.			
88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Oral NOA	EL 90 d 2	,000 mg/kg (rat) (OECD 451)
25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	NOA	EL 2	,000 mg/kg (rat) (OECD 451)
11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.		8	8 mg/kg (rabbit) (OECD 408)
Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.		2	5 mg/kg (Ratte)
According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.			
disrupting properties with health effects.			
	, ,	<u> </u>	

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxic	•
CAS: 68891-3	38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts
LC 50	>10-100 mg/l (Leuciscus idus)
EC0	>100 mg/l (Pseudomonas putida)
EC50	>100 mg/l (Scenedesmus subspicatus)
	>10-100 mg/l (Daphnia magna)
NOEC	>1-10 mg/l (Leuciscus idus)
	>0.1-1 mg/l (Daphnia magna)
CAS: 107-98-	2 1-Methoxy-2-propanol
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)
LC50 / 48h	23,300 mg/l (Daphnia magna)
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
CAS: 308062	-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
NOEC 302 d	0.42 mg/l (Pimephales promelas)
EC10 / 18h	24 mg/l (Pseudomonas putida)
EC50 / 48h	3.1 mg/l (Daphnia magna)
EC50 / 72h	0.143 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC / 21 d	0.7 mg/l (Daphnia magna) (OECD 211)
	(Contd. on pag

GB



Safety data sheet according to UK REACH

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

NOEC / 28d	(Contd. of pag 0.067 mg/l (algae)
	0-4 2-methylisothiazol-3(2H)-one
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
CAS: 3811-7	3-2 pyridine-2-thiol 1-oxide, sodium salt
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)
The surface-a (EC/648/200	Ance and degradability active substances contained in the product meet the requirement of the EU Detregent Regulation 4) for ultimate biodegradability for surfactants in detergents.
	-2 1-Methoxy-2-propanol
-	on 90-100 % (OEECD 301E)
	2-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Biodegradatio	
	3-2 pyridine-2-thiol 1-oxide, sodium salt
Biodegradatio	on >70 % (activated sludge) (OECD 301 B)
12.3 Bioaccu	imulative potential
CAS: 107-98-	-2 1-Methoxy-2-propanol
log Kow 0.3	7 (25°C)
CAS: 308062	2-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
log POW 2.7	
CAS: 2682-2	0-4 2-methylisothiazol-3(2H)-one
BCF 3.1	6
log Kow ≤0.	32
CAS: 3811-7	3-2 pyridine-2-thiol 1-oxide, sodium salt
log Kow <-1	.09 ((n-Octanol/Wasser) OECD 107)
	r in soil No further relevant information available. of PBT and vPvB assessment
According to classified as l	information provided in the supply chain, the mix conatins less than 0.1% of any substances PBT
According to classified as	
According to a disrupting pro	ne disrupting properties the current state of scientific knowledge, there is no data for the product regarding endocrine operties with effects on the environment.
Additional ed General note	
The product of	undiluted product or large quantities of it to reach ground water, water course or sewage syster loes not contain organically bounded halogens (AOX-free). loes not contain organic complexing agents.
	13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

European waste catalogue		
20 01 29*	detergents containing hazardous substances	
HP4	Irritant - skin irritation and eye damage	
	(Contd. on page 9)	

GB



Safety data sheet according to UK REACH

Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

(Contd. of page 8)

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances **Recommendation:** Packaging may be reused or recycled after cleaning. 15 01 02: plastic packaging **Recommended cleansing agents:** Water

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user Not applicable.		
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 6.58 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

(Contd. on page 10)



Safety data sheet according to UK REACH Version: 7.02 (replaces version 7.01)

Revision: 01.08.2024

	(Contd. of page 9)			
	, .			
	H330 Fatal if inhaled.			
	H331 Toxic if inhaled.			
	H336 May cause drowsiness or dizziness.			
5	H372 Causes damage to organs through prolonged or repeated exposure.			
, ,	H400 Very toxic to aquatic life.			
H410 Very toxic to aquatic life with long lasting effects.				
H411 Toxic to aquatic life with long lasting effects.				
	e with long lasting effects.			
EUH070 Toxic by eye contact				
EUH071 Corrosive to the resp	-			
	Regulation (EC) No 1272/2008			
Skin corrosion/irritation	The classification of the mixture is generally based on the calculation method			
Serious eye damage/irritation	using substance data according to Regulation (EC) No 1272/2008.			
Skin sensitisation				
Date of previous version: 02	2.08.2023			
Version number of previous				
Abbreviations and acronym				
	nt le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the			
International Transport of Dangerous G				
NOEL = No Observed Effect Level				
NOEC = No Observed Effect Concentr LC = letal Concentration	ation			
EC50 = half maximal effective concent	ration			
log POW = Octanol / water partition co				
GHS: Globally Harmonized System of Classification and Labelling of Chemicals				
ATE: acute toxicity estimate	stienel des manshandises demonstrations (European Auropean) (Company) (Company)			
Carriage of Dangerous Goods by Road	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)			
IMDG: International Maritime Code for Dangerous Goods				
IATA: International Air Transport Association				
	EINECS: European Inventory of Existing Commercial Chemical Substances			
	ELINCS: European List of Notified Chemical Substances			
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)			
PNEC: Predicted No-Effect Concentrat				
LC50: Lethal concentration, 50 percent				
LD50: Lethal dose, 50 percent				
	IOELV = indicative occupational exposure limit values			
Acute Tox. 3: Acute toxicity – Category	Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3			
Acute Tox. 4: Acute toxicity – Category	2.4			
Acute Tox. 2: Acute toxicity – Category 2				
Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2				
Eye Dam. 1: Serious eye damage/eye				
Eye Irrit. 2: Serious eye damage/eye iri				
Skin Sens. 1: Skin sensitisation – Cate	gory 1			
Skin Sens. 1A: Skin sensitisation – Cal				
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1			
	atic environment - acute aquatic hazard – Category 1			
Aquatic Chronic 1: Hazardous to the ac	quatic environment - long-term aquatic hazard – Category 1			
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2			
	uatic environment - long-term aquatic hazard – Category 3			
* Data compared to the prev				
	GB			