

Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: SONAX PowerClean

Article number:

06606000, 06607050, 06608000, 06609000-540, 06609410-050

UFI: 2E50-208C-W00D-HW9A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Detergents Professional uses

Uses advised against None

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

## Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

# 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



## Signal word Warning Hazard statements

H319 Causes serious eye irritation.

## Precautionary statements

Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

(Contd. of page 1)

### 2.3 Other hazards

## Results of PBT and vPvB assessment

PRT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

## Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Aqueous tenside solution.

Dangerous components:		
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	5-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium-p-cumene sulphonate Alternative CAS numbers: 28348-53-0, 32073-22-6    ••• Eye Irrit. 2, H319	3-<5%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	alcohols, C12-14, ethoxylated, sulfates, sodium salts  Eye Dam. 1, H318;  Skin Irrit. 2, H315; Aquatic Chronic 3, H412  Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %  Eye Irrit. 2; H319: 5 % ≤ C < 10 %	3-<5%
CAS: 577-11-7 EINECS: 209-406-4 Reg.nr.: 01-2119491296-29-xxxx	Sodium diisooctyl sulphosuccinate  © Eye Dam. 1, H318;  Skin Irrit. 2, H315	1-<3%

# Regulation (EC) No 648/2004 on detergents / Labelling for contents anionic surfactants <5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

# 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed Eye irritation

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

# Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

(Contd. of page 2)

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

For emergency responders Wear protective equipment. Keep unprotected persons away.

## 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with lin	Ingredients with limit values that require monitoring at the workplace:	
CAS: 56-81-5 glyce	CAS: 56-81-5 glycerol	
WEL (Great Britain)	Long-term value: 10 mg/m³	
OEL (Ireland)	Long-term value: 10 mg/m³	

## Regulatory information

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

DNELs			
CAS: 1570	6 <b>3-76-</b> 5	5 sodium-p-cumene sulphonate	
Oral	DNEL	3.8 mg/kg bw/day (consumer) (longterm systematic effects)	
Dermal	DNEL	3.8 mg/kg bw/day (consumer) (longterm systematic effects)	
	i '	7.6 mg/kg bw/day (worker) (longterm systematic effects)	
Inhalative	DNEL	13.2 mg/m³ (consumer) (longterm systematic effects)	
	1 '	53.6 mg/m³ (worker) (longterm systematic effects)	
CAS: 6889	91-38-3	alcohols, C12-14, ethoxylated, sulfates, sodium salts	
Oral	DNEL	15 mg/kg (VL)	
Dermal	DNEL	1,650 mg/kg (VL)	
	1 '	2,750 mg/kg (worker long-term)	
		•	(Contd. on na

(Contd. on page



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

		(Contd. of page
Inhalative	DNEL 52 mg/m³ (VL)	
	DNEL 175 mg/m³ (worker long-term)	
CAS: 577-	-11-7 Sodium diisooctyl sulphosuccinate	
Oral	DNEL 17.86 mg/kg (vls)	
Dermal	DNEL 267.86 mg/kg bw/day (wls)	
	DNEL 160.71 mg/kg (vls)	
Inhalative	DNEL 1,889.1 mg/m³ (wls)	
	DNEL 559.01 mg/m³ (vls)	
PNECs		
CAS: 688	91-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts	
PNEC 10,	,000 mg/l (sewage plant)	
0.2	24 mg/l (water (fresh water))	
0.0	024 mg/l (water (sea water))	
PNEC 7.5	5 mg/kg (gro)	
0.9	9168 mg/kg (sediment (fresh water))	
0.0	09168 mg/kg (sediment (sea water))	
CAS: 577-	-11-7 Sodium diisooctyl sulphosuccinate	
PNEC 12.	.2 mg/l (sewage plant)	
0.1	0.18 mg/l (water (fresh water))	
0.0	018 mg/l (water (sea water))	
PNEC 17.	.789 mg/kg (sediment (fresh water))	
1.7	779 mg/kg (sediment (sea water))	
1.0	04 mg/kg (soil)	

Fluid

Colourless

12.5 - 13.5

Undetermined.

≥100 °C (CAS: 7732-18-5 water)

Product is not flammable.

Sweetish

Additional information: The lists valid during the making were used as basis.

## 8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Hand protection Not required in normal cases.

Eye/face protection Safety glasses [EN 166]

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Colour: Odour:

Melting point/freezing point:

Boiling point or initial boiling point and boiling

**Flammability** Lower and upper explosion limit

Lower: Not applicable Upper: Not applicable Flash point: Not applicable. Decomposition temperature: Not determined.

pH at 20 °C Viscosity:

<20.5 mm²/s Kinematic viscosity at 40 °C

(Contd. on page 5)



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

(Contd. of page 4)

Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Density and/or relative density

Density at 20 °C:1.07-1.08 g/cm³Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Fluid Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

**Explosives** Void Flammable gases Void Void Aerosols Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

# SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No known incompatible materials.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

	House toxiony Buddu on available data, the diademount of the hat he he he he			
ſ	LD/LC50 values relevant for classification:			
	CAS: 15763-76-5 sodium-p-cumene sulphonate			
	Oral	LD50	>7,000 mg/kg (rat)	
	Dermal	LD50	2,000 mg/kg (rat)	
	CAS: 68	8891-38	3-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts	
	Oral	LD50	>5,000 mg/kg (rat)	
	Dermal	LD 50	>5,000 mg/kg (rat)	
ſ	CAS: 577-11-7 Sodium diisooctyl sulphosuccinate			
Γ	Oral	LD50	>2,100 mg/kg (rat)	

(Contd. on page 6)



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

Dermal LD50 >10,000 mg/kg (rat) (Contd. of page 5)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity

CAS: 15763-76-5 sodium-p-cumene sulphonate

Oral NOAEL >936 mg/kg (rat)

NOAEL 90-92d >440 mg/kg/d (OECD 411 Subcronic Dermal Toxicity: 90-day Stucy)

### 11.2 Information on other hazards

## Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

Aquatic tox	icity:
CAS: 15763	-76-5 sodium-p-cumene sulphonate
LC50 / 96h	>1,000 mg/l (fish) (EPA OPPTS EPA OTS 797)
EC50/3h	>1,000 mg/l (bacteria) (OECD 209)
EC50 / 48h	>1,000 mg/l (Daphnia magna) (EPA OPPTS EPA OTS 797)
	>100 mg/l (daphnia) (OECD 202)
EC50 / 96 h	>230 mg/l (algae) (EPA OPPTS EPA OTS 797)
NOEC 96h	31 mg/l (algae) (EPA OPPTS)
CAS: 68891	-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts
LC 50	>10-100 mg/l (Leuciscus idus)
EC0	>100 mg/l (Pseudomonas putida)
EC50	>100 mg/l (Scenedesmus subspicatus)
	>10-100 mg/l (Daphnia magna)
NOEC	>1-10 mg/l (Leuciscus idus)
	>0.1-1 mg/l (Daphnia magna)
CAS: 577-1	1-7 Sodium diisooctyl sulphosuccinate
LC50 / 96h	49 mg/l (Danio rerio)
EC50 / 48h	15.2 mg/l (Daphnia magna)
EC50 / 72h	82.5 mg/l (algae)

## 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

## CAS: 15763-76-5 sodium-p-cumene sulphonate

Biodegradation 60-100 % (OECD 301 B Ready Biodegradability -. CO2 Evolution)

## 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

(Contd. of page 6)

# 12.5 Results of PBT and vPvB assessment

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

#### vPvB.

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

## 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

### 12.7 Other adverse effects

Additional ecological information:

### General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

## Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	r Not applicable.
UN "Model Regulation":	Void

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

(Contd. on page 8)



Printing date 17.09.2024 Version: 7.00 (replaces version 6.00) Revision: 25.05.2022

(Contd. of page 7)

#### **REGULATION (EU) 2019/1148**

## Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

## National regulations:

### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

## Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 02.02.2022 Version number of previous version: 6.00

## Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.