

Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01 08 2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX Foam+ SYMBIOTIK

Article number:

06615000, 06616000, 06617050 UFI: 7SN0-N0TE-R000-W0KV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Detergents Professional uses

Uses advised against Consumer uses: Private households / general public / consumers

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1A H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS05

GHS07

Signal word Danger

Hazard-determining components of labelling:

Coco/Capryl Glucoside Lauramine Oxide 2-methylisothiazol-3(2H)-one dipentene

Hazard statements

H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

(Contd. of page 1)

Precautionary statements

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

CAS: 107-98-2	1-Methoxy-2-propanol	3-<5%
EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	♦ Flam. Liq. 3, H226; ♦ STOT SE 3, H336	3-\3/6
CAS: 147170-44-3 EC No 931-333-8 Reg.nr.: 01-2119489410-39-xxxx	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts Alternative CAS number: 61789-40-0 Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 4 % ≤ C < 10 %	4-<10%
CAS: 68515-73-1 NLP: 500-220-1 Reg.nr.: 01-2119488530-36-xxxx	Alkyl polyglycoside C8-10	3-<5%
CAS: 110615-47-9 EC number: 600-975-8 Reg.nr.: 01-2119489418-23-xxxx	Alkyl polyglycoside C10-16	3-<5%
CAS: 308062-28-4 EC No 931-292-6 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, Noxides Alternative CAS number: 70592-80-2 Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	1-<3%

- GB



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

e	<0.25%
Liq. 3, H226; 🕸 Aquatic Acute 1, H400 (M=1);	10.2070
Chronic 1, H410 (M=1); 🕦 Skin Irrit. 2, H315; ´ s. 1, H317	
Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.).0015-<0.01%
Tox. 3, H311; Acute Tox. 3, H331; \$ STOT 72; \$ Aquatic Acute 1, H400 (M=100); Aquatic 2, H411; \$ Acute Tox. 4, H302; Skin Irrit. 2,	<0.01%
nts / Labelling for contents	
	≥5 - <15%
	_
	iss. 1, H317 isothiazol-3(2H)-one isothiazol-3(2H)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation / Eye damage

sensitization Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

(Contd. on page 4)



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

(Contd. of page 3)

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with lin	Ingredients with limit values that require monitoring at the workplace:	
CAS: 107-98-2 1-Me	ethoxy-2-propanol	
WEL (Great Britain)	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk	
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin	
OEL (Ireland)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm IOELV	

Regulatory information

WEL (Great Britain): EH40/2020 IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

DNELs	DNELs		
CAS: 107-	CAS: 107-98-2 1-Methoxy-2-propanol		
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)	
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)	
		50.6 mg/kg (worker) (long-term / systemic effects)	
Inhalative	DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)	
		553.5 mg/m³ (worker) (short-term / local effects)	
	DNEL	369 mg/m³ (worker) (long-term / systemic effects)	
CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts			
Oral	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)	
Dermal	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)	
	•	(Contd. on page 5)	

on page 5



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

	(Contd. of p
labalativa	12.5 mg/kg (worker) (longterm systematic effects)
	DNEL 44 mg/m³ (worker) (longterm systematic effects)
	15-73-1 Alkyl polyglycoside C8-10
Oral	DNEL 35.7 mg/kg (consumer) (longterm exposure - systemic effects)
Dermal	DNEL 357,000 mg/kg (consumer) (longterm exposure - systemic effects)
labalativa	DNEL 595,000 mg/kg (worker) (longterm exposure - systemic effects)
innaiative	DNEL 124 mg/m³ (consumer) (longterm exposure - systemic effects)
CAC: 200	420 mg/m³ (worker) (longterm exposure - systemic effects)
Oral	D62-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides DNEL 0.44 mg/kg bw/day (consumer) (acute systematic effects)
Orai Dermal	DNEL 5.5 mg/kg bw/day (consumer) (longterm systematic effects)
Dellilai	11 mg/kg bw/day (worker) (longterm systematic effects)
Inhalativa	
IIIIIaialive	DNEL 3.8 mg/m³ (consumer) (longterm systematic effects)
	15.5 mg/m³ (worker) (longterm systematic effects)
PNECs	
	98-2 1-Methoxy-2-propanol
PNE	C 100 mg/l (STP)
	100 mg/l (water (intermittent release))
	10 mg/l (water (fresh water))
5,45	1 mg/l (water (sea water))
PNE	C 2.47 mg/kg (gro)
	41.6 mg/kg (sediment (fresh water))
010 115	4.17 mg/kg (sediment (sea water))
CAS: 147	170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
PNE	C 3,000 mg/l (STP)
	0.0135 mg/l (water (fresh water))
	0.00135 mg/l (water (sea water))
PNE	C 1 mg/kg (sediment (fresh water))
	0.1 mg/kg (sediment (sea water))
	0.8 mg/kg (soil)
CAS: 685	15-73-1 Alkyl polyglycoside C8-10
PNE	C 0.27 mg/l (sporadic release)
	560 mg/l (STP)
	0.176 mg/l (water (fresh water))
	0.0176 mg/l (water (sea water))
PNE	C 111.11 mg/kg (oral (secondary poisoning))
	0.654 mg/kg (gro)
	1.516 mg/kg (sediment (fresh water))
	0.152 mg/kg (sediment (sea water))
	062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
	C 11.1 mg/kg (food)
PNE	C 24 mg/l (sewage plant)
	335 mg/l (water (intermittent release))
	0.0335 mg/l (water (fresh water))
	0.00335 mg/l (water (sea water))
PNE	C 5.24 mg/kg (sediment (fresh water))
	0.524 mg/kg (sediment (sea water))
	1.02 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

(Contd. of page 5)

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Protective gloves

Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

Eye/face protection Safety glasses [EN 166]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid
Colour: Colourless
Odour: Citrus
Malting point/Freezing point: Undetermine

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

Lower and upper explosion limit

Lower:Not applicableUpper:Not applicableFlash point:Not applicable.Decomposition temperature:Not determined.

pH at 20 °C 7.5-8.5

Viscosity:

Kinematic viscosity at 40 °C <20.5 mm²/s

Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:1.06-1.07 g/cm³Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition
Evaporation rate
Not determined.

Information with regard to physical barard alasses

Information with regard to physical hazard classes

Explosives Void

Flammable gases Void

Aerosols Void

(Contd. on page 7)



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

		(Contd. of page 6
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable	•	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

CAS: 107	-98-2 1-Meth	oxy-2-propanol	
Oral	LD50	4,016 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC0 / 6h	>7,000 ppm (rat)	
CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts			
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			
Oral	LD50	1,064 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rat)	
	LC50 / 96 h	2.67 mg/l (Pimephales promelas)	
CAS: 138-86-3 dipentene			
CAS: 130	LD50	5,600 mg/kg (rat)	

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

(Contd. of page 7)

Additional toxicological information:

Repe	Repeated dose toxicity			
CAS	CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			
Oral	NOAEL !	90 d	2,000 mg/kg (rat) (OECD 451)	
	NOAEL		2,000 mg/kg (rat) (OECD 451)	
			88 mg/kg (rabbit) (OECD 408)	
			25 mg/kg (Ratte)	

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Product is considered to be harmful to aquatic organisms. May have long-term harmful effects in aquatic environments.

Aquatic toxicity:			
CAS: 107-98-2 1-Methoxy-2-propanol			
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)		
LC50 / 48h	23,300 mg/l (Daphnia magna)		
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)		
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)		
CAS: 147170	-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts		
LC 50	>1-10 mg/l (Pimephales promelas) (OECD 203)		
EC0	>100 mg/l (Pseudomonas putida) (OECD 209)		
EC50	>1-10 mg/l (Daphnia magna) (OECD 202)		
	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC	≤1 mg/l (Oncorhynchus mykiss) (OECD210)		
	≤1 mg/l (Daphnia magna) (OECD 211)		
CAS: 308062	-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		
NOEC 302 d	0.42 mg/l (Pimephales promelas)		
EC10 / 18h	24 mg/l (Pseudomonas putida)		
EC50 / 48h	3.1 mg/l (Daphnia magna)		
EC50 / 72h	0.143 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
NOEC / 21 d	0.7 mg/l (Daphnia magna) (OECD 211)		
NOEC / 28d	0.067 mg/l (algae)		
CAS: 138-86	3 dipentene		
LC50 / 96h	38.5 mg/l (Pimephales promelas)		
LC50 / 48h	31 mg/l (Daphnia magna)		
EC50 / 48h	28.2 mg/l (Daphnia magna)		
EC50 / 96 h	20.2 mg/l (Pimephales promelas)		
IC50 / 96h	13.798 mg/l (Pseudokirchneriella subcapitata)		
CAS: 2682-2	0-4 2-methylisothiazol-3(2H)-one		
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))		
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))		
	3-2 pyridine-2-thiol 1-oxide, sodium salt		
LC50 / 96h	0.00767 mg/l (Zebrabärbling)		
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)		
EC50/3h	1.81 mg/l (KS) (OECD 209)		



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

(Contd. of page 8) EC50 / 48h 0.022 mg/l (daphnia)

EC50 / 72h 0.46 mg/l (Selenastrum capricornutum)

NOEC / 72 h 0.08 mg/l (Selenastrum capricornutum) (OECD 201)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation

(EC/648/2	2004) for ultimate biodegradability for surfactants in detergents.				
CAS: 107	-98-2 1-Methoxy-2-propanol				
Biodegrad	ation 90-100 % (OEECD 301E)				
CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides					
Biodegrad	lation 90 %				
CAS: 381	1-73-2 pyridine-2-thiol 1-oxide, sodium salt				
Biodegrad	lation >70 % (activated sludge) (OECD 301 B)				
12.3 Bioa	ccumulative potential				
CAS: 107-98-2 1-Methoxy-2-propanol					
log Kow	0.37 (25°C)				
CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides					
log POW	2.7				
CAS: 2682-20-4 2-methylisothiazol-3(2H)-one					
BCF	3.16				

log Kow ≤0.32

CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt

log Kow <-1.09 ((n-Octanol/Wasser) OECD 107)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

The product may not be released into the environment without control.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European	European waste catalogue			
20 01 29* detergents containing hazardous substances				
HP4	Irritant - skin irritation and eye damage			
HP14	Ecotoxic			

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

(Contd. on page 10)



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01.08.2024

Recommended cleansing agents: Water

(Contd. of page 9)

SECTION 14: Transport information			
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void		
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void		
14.3 Transport hazard class(es)			
ADR/RID/ADN, ADN, IMDG, IATA Class	Void		

14.4 Packing group

ADR/RID/ADN, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 4.78 %

Directive 2000/54/EU Contains Group 1 biological agents Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

(Contd. on page 11)



Printing date 17.09.2024 Version: 11.02 (replaces version 11.01) Revision: 01 08 2024

(Contd. of page 10)

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH070 Toxic by eye contact.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - long-term

(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 02.08.2023 Version number of previous version: 11.01

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.