

Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: SONAX Shampoo ECOLINE

Article number: 06623000-540

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product

Cleaning material/ Detergent

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against None

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

## Further information obtainable from:

Product safety E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

<u>United Kingdom:</u> 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void Signal word Void Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

#### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

| Dangerous components: CAS: 68891-38-3                                | alcohols, C12-14, ethoxylated, sulfates, sodium salts   | 3-<5% |
|--|---|-------|
| NLP: 500-234-8<br>Reg.nr.: 01-2119488639-16-xxxx                     | Eye Dam. 1, H318;  Skin Irrit. 2, H315; Aquatic Chronic 3,                                      |       |
| •  | Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %<br>Eye Irrit. 2; H319: 5 % ≤ C < 10 % |       |
| CAS: 112-34-5<br>EINECS: 203-961-6<br>Reg.nr.: 01-2119475104-44-xxxx | 2-(2-butoxyethoxy)ethanol  Eye Irrit. 2, H319   | 1-<39 |
| Regulation (EC) No 648/2004 of                                       | n detergents / Labelling for contents   | •     |
| anionic surfactants  |   | <5%   |

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

## 5.3 Advice for firefighters

## Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

# **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

See Section 13 for disposal information.

(Contd. of page 2)

# SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

| Ingredients with limit values that require monitoring at the workplace: |
|---|
| CAS: 112-34-5 2-(2-butoxyethoxy)ethanol                                 |

WEL (Great Britain) | Short-term value: 101.2 mg/m³, 15 ppm

Long-term value: 67.5 mg/m³, 10 ppm

Short-term value: 101.2 mg/m³, 15 ppm IOELV (EU)

Long-term value: 67.5 mg/m³, 10 ppm

## Regulatory information

WEL (Great Britain): FH40/2018

| IOELV (EU): (EU) 2017/164 |
|---------------------------|
| DNELs                     |

| 5/1220  |   |  |  |  |
|---|---|--|--|--|
| CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts |   |  |  |  |
| Oral  | Oral DNEL 15 mg/kg (VL)                                       |  |  |  |
| Dermal  | DNEL  | 1,650 mg/kg (VL)                                     |  |  |
|   |   | 2,750 mg/kg (worker long-term)                       |  |  |
| Inhalative  | DNEL  | 52 mg/m³ (VL)  |  |  |
|   | DNEL  | 175 mg/m³ (worker long-term)                         |  |  |
| CAS: 112-34-5 2-(2-butoxyethoxy)ethanol                               |   |  |  |  |
| Oral  | Oral DNEL 5 mg/kg bw/day (consumer) (chronic systemic effect) |  |  |  |
| Dermal  | DNEL  | 83 mg/bw/day (worker) (chronic systemic effect)      |  |  |
|   | DNEL  | 50 mg/kg bw/day (consumer) (chronic systemic effect) |  |  |
| Inhalative  | DNEL  | 67.5 mg/m³ (worker) (chronic systemic effect)        |  |  |
|   | DNEL  | 67.5 mg/m³ (worker) (chronic locale effects)         |  |  |
|   | DNEL  | 40.5 mg/m³ (consumer) (chronic systemic effect)      |  |  |
|   | DNEL  | 40.5 mg/m³ (consumer) (chronic locale effects)       |  |  |
|   |   |  |  |  |

## **PNECs**

## CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

PNEC 10,000 mg/l (sewage plant)

0.24 mg/l (water (fresh water))

0.024 mg/l (water (sea water))

PNEC 7.5 mg/kg (gro)

0.9168 mg/kg (sediment (fresh water)) 0.09168 mg/kg (sediment (sea water))

(Contd. on page 4)



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

(Contd. of page 3)

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

PNEC 200 mg/l (STP)

11 mg/l (water) 1.1 mg/l (water (fresh water))

0.11 mg/l (water (sea water)) PNEC 4.4 mg/kg (sediment (fresh water))

0.44 mg/kg (sediment (sea water))

0.32 mg/kg (soil) 56 mg/kg (water)

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

## Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to

## Individual protection measures, such as personal protective equipment

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

#### Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid Colour: Colourless Odour: Nearly odourless Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

100 - 234 °C range

**Flammability** Product is not flammable.

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined. Flash point: Not applicable. Decomposition temperature: Not determined. pH at 20 °C 7.0 - 8.0

Viscosity:

Kinematic viscosity at 40 °C <20.5 mm<sup>2</sup>/s

Solubility

water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C:

23 hPa (CAS: 7732-18-5 water) Density and/or relative density

Density at 20 °C: 1.02 - 1.03 g/cm3 Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid

(Contd. on page 5)



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

(Contd. of page 4)

Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void
Flammable solids Void

Self-reactive substances and mixtures
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Void
Void

Substances and mixtures, which emit flammable

gases in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void
Corrosive to metals Void
Desensitised explosives Void

## SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

| LD/LC50 | values | relevant for | classification: |
|---------|--------|--------------|-----------------|
|         |        |              |                 |

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >5,000 mg/kg (rat)
Dermal LD 50 >5,000 mg/kg (rat)

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral LD50 2,410 mg/kg (mouse) (ECHA)
Dermal LD50 2,764 mg/kg (rabbit) (ECHA)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

(Contd. of page 5)

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral NOAEL 250 mg/kg (rat) (ECHA)

Inhalative NOAEC 0.094 mg/m³ (Ratte) (OECD 413)

### 11.2 Information on other hazards

## Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

| Aquatic t   | Aquatic toxicity:                                   |  |  |  |  |
|---|---|--|--|--|--|
| CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts |   |  |  |  |  |
| LC 50   | >10-100 mg/l (Leuciscus idus)                       |  |  |  |  |
| EC0   | >100 mg/l (Pseudomonas putida)                      |  |  |  |  |
| EC50  | >100 mg/l (Scenedesmus subspicatus)                 |  |  |  |  |
|   | >10-100 mg/l (Daphnia magna)                        |  |  |  |  |
| NOEC  | >1-10 mg/l (Leuciscus idus)                         |  |  |  |  |
|   | >0.1-1 mg/l (Daphnia magna)                         |  |  |  |  |
| CAS: 112  | 2-34-5 2-(2-butoxyethoxy)ethanol                    |  |  |  |  |
| LC50 / 96   | 6h   1,300 mg/l (Lepomis macrochirus) (OECD 203)    |  |  |  |  |
| EC50 / 48   | 8h >100 mg/l (Daphnia magna) (ECHA)                 |  |  |  |  |
| ErC50   | 1,101 mg/l (Pseudokirchneriella subcapitata) (ECHA) |  |  |  |  |

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

### PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

## vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

## 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

#### 12.7 Other adverse effects

Additional ecological information:

#### General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

(Contd. on page 7)



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

(Contd. of page 6)

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

14.1 UN number or ID number
ADR/RID/ADN, IMDG, IATA Void

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR/RID/ADN, ADN, IMDG, IATA

**Class** Void

14.4 Packing group

ADR/RID/ADN, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

UN "Model Regulation": Void

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Date of previous version: 22.04.2021 Version number of previous version: 1.00

Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

(Contd. on page 8)



Printing date 18.09.2024 Version: 2.00 (replaces version 1.00) Revision: 21.12.2021

Trade name: SONAX Shampoo ECOLINE

(Contd. of page 7)

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ATE: acute toxicity estimate
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.