

Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX Molecular

Article number:

06685000, 06686000, 06687050 **UFI:** HR70-Q0W3-500S-C412

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product
Professional uses

Uses advised against Consumer uses: Private households / general public / consumers

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

<u>United Kingdom:</u> 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

EUH208 Contains dipentene. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

Dangerous components:		
CAS: 5131-66-8	3-butoxypropan-2-ol	5-<10%
EINECS: 225-878-4	① Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119475527-28-xxxx		
•	Eye Irrit. 2; H319: C ≥ 20 %	
CAS: 94095-35-9	9-octadecenoic acid (Z)-, reaction products with triethanolamine,	5-<10%
EC No 931-216-1	di-Me sulfate-quaternized	
Reg.nr.: 01-2119472309-33-xxxx	Alternative CAS number: 157905-74-3	
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	Specific concentration limits: Skin Irrit. 2; H315: C ≥ 28 %	
	Eye Irrit. 2; H319: C ≥ 28 %	
CAS: 69011-36-5	isotridecanol,ethoxylated (>5-20EO)	5-<10%
EC No 931-138-8		
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
	Eye Irrit. 2; H319: 1 % ≤ C < 10 %	
CAS: 9004-78-8	Phenol polyethoxilate	5-<10%
NLP: 500-013-6	♦ Acute Tox. 4, H302; Eye Irrit. 2, H319	-
CAS: 61791-26-2	Tallow alkylamine ethoxylate	<1%
NLP: 500-153-8	Eve Dam. 1. H318: 🚱 Aquatic Acute 1. H400 (M=1): Aquatic	
	Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 138-86-3	dipentene	<0.25%
EINECS: 205-341-0	♦ Flam. Liq. 3, H226; ♦ Aquatic Acute 1, H400 (M=1); Aquatic	
	Chronic 1, H410 (M=1); (1) Skin Irrit. 2, H315; Skin Sens. 1, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation Skin irritation

(Contd. on page 3)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

(Contd. of page 2)

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

(Contd. of page 3) **DNELs** CAS: 5131-66-8 3-butoxypropan-2-ol DNEL 12.5 mg/kg (consumer) (longterm systematic effects) Oral DNEL 22 mg/kg (consumer) (longterm systematic effects) Dermal 52 mg/kg (worker) (longterm systematic effects) Inhalative DNEL 43 mg/m³ (consumer) (longterm systematic effects) 147 mg/m³ (worker) (longterm systematic effects) **PNECs** CAS: 5131-66-8 3-butoxypropan-2-ol PNEC 10 mg/l (sewage plant) 5.25 mg/l (sporadic release) 0.525 mg/l (water (fresh water))

0.0525 mg/l (water (sea water))
PNEC 2.36 mg/kg (sediment (fresh water))
0.236 mg/kg (sediment (sea water))

0.16 mg/kg (soil)

CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfatequaternized

PNEC 2.96 mg/l (sewage plant)

0.00191 mg/l (water (fresh water))
0.000191 mg/l (water (sea water))
PNEC 0.58 mg/kg (sediment (fresh water))
0.058 mg/kg (sediment (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Protective gloves

Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

Eye/face protection Safety glasses [EN 166]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:YellowOdour:Fruit-likeMelting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range 100 °C (CAS: 7732-18-5 water)
Flammability Product is not flammable.

Lower and upper explosion limit

Lower: Not applicable

(Contd. on page 5)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

23 hPa (CAS: 7732-18-5 water)

(Contd. of page 4)

Upper: Not applicable Not applicable. Flash point: Decomposition temperature: Not determined. pH at 20 °C 4.5-5.5

Viscosity:

<20.5 mm²/s Kinematic viscosity at 40 °C

Solubility

water: Partly miscible. Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C:

Density and/or relative density Density at 20 °C: 0.98-1 g/cm3 Not determined.

Vapour density

9.2 Other information Appearance:

Fluid Form:

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Void

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes Void **Explosives** Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void

Self-heating substances and mixtures Substances and mixtures, which emit flammable

gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No known incompatible materials.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
CAS: 51	31-66-8 3-	butoxypropan-2-ol	
Oral	LD50	3,300 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)	
		·	(Contd. on page 6)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

		(Contd. of)
		>3.5 mg/l (rat) (OECD 403)
CAS: 940		octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- aternized
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
CAS: 690	011-36-5 iso	tridecanol,ethoxylated (>5-20EO)
Oral	LD50	>300-2,000 mg/kg (rat) (OECD 423)
	ATE	>300-2,000 mg/kg (rat)
CAS: 900	04-78-8 Phe	nol polyethoxilate
Oral	LD50	500-2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	2,140 mg/kg (rabbit)
CAS: 617	791-26-2 Ta	llow alkylamine ethoxylate
Oral	LD50	>300-2,000 mg/kg (rat)
CAS: 138	8-86-3 diper	ntene
Oral	LD50	5,600 mg/kg (rat)
Skin cor	rosion/irrita	tion Causes skin irritation.
Serious	eye damage	e/irritation Causes serious eye irritation.
Contains	dipentene. I	sensitisation May produce an allergic reaction. ata, the classification criteria are not met.
Germ ce	II mutageni	city Based on available data, the classification criteria are not met.
Carcinog	genicity Bas	ed on available data, the classification criteria are not met.
Reprodu	ctive toxici	ty Based on available data, the classification criteria are not met.
STOT-sii	ngle exposi	ure Based on available data, the classification criteria are not met.
STOT-re	peated exp	osure Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity

CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized

Aspiration hazard Based on available data, the classification criteria are not met.

Oral NOAEL 1,000 mg/kg (rat) 300 mg/kg (Ratte)

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Product is considered to be harmful to aquatic organisms. May have long-term harmful effects in aquatic environments.

Aquatic tox	icity:
CAS: 5131-0	66-8 3-butoxypropan-2-ol
LC50 / 96h	>560-1,000 mg/l (Poecilla reticulata) (OECD 203)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
EC50 / 48h	>1,000 mg/l (Daphnia magna) (OECD 202)
EC50 / 96 h	>1,000 mg/l (Pseudokirchneriella subcapitata)

(Contd. on page 7)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

CAS: 94095	(Contd. of page 6) -35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized
LC50 / 96h	1.91 mg/l (fish) (OECD 203)
EC50 / 48h	2.23 mg/l (daphnia) (EU Method C.2)
EC50 / 72h	2.14 mg/l (algae) (OECD 201)
EC10 / 72 h	1.48 mg/l (algae) (OECD 201)
CAS: 9004-7	78-8 Phenol polyethoxilate
LC50 / 96h	>100 mg/l (fish) (OECD 203)
EC50	>128 mg/kg (Daphnia magna) (OECD 202)
CAS: 61791	-26-2 Tallow alkylamine ethoxylate
LC50 / 96 h	0.13 mg/l (Oncorhynchus mykiss)
EC50 / 48h	0.17 mg/l (Daphnia magna)
EC10 / 21 d	>0.001-0.01 mg/l (Daphnia magna)
CAS: 138-86	6-3 dipentene
LC50 / 96h	38.5 mg/l (Pimephales promelas)
LC50 / 48h	31 mg/l (Daphnia magna)
EC50 / 48h	28.2 mg/l (Daphnia magna)
EC50 / 96 h	20.2 mg/l (Pimephales promelas)
IC50 / 96h	13.798 mg/l (Pseudokirchneriella subcapitata)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

(= 0, 0 : 0, = 0 0 :)	To an animal of the angle and an an animal and animal and an animal and animal and animal and animal animal and animal animal and animal animal and animal animal animal animal and animal anim
CAS: 5131-66-8	3 3-butoxypropan-2-ol
Biodegradation	90 % (OECD301E/92/69/EWG, C4B)
CAS: 94095-35	-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized
Biodegradation	>60 % (OECD 301 B Ready Biodegradability CO2 Evolution)
CAS: 9004-78-8	B Phenol polyethoxilate
Biodegradation	>60 % (OECD 311)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT.

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

The product may not be released into the environment without control.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

	•				
European waste catalogue					
07 06 04* other organic solvents,	washing liquids ar	nd mother liquors	3	•	

(Contd. on page 8)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

HP4 | Irritant - skin irritation and eye damage | HP14 | Ecotoxic | (Contd. of page 7)

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	· Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 10.62 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 9)



Printing date 17.09.2024 Version: 6.00 (replaces version 5.00) Revision: 01.07.2022

(Contd. of page 8)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Hazardous to the aquatic environment - long-term

(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 25.05.2022 Version number of previous version: 5.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)
NOEL = No Observed Effect Level
NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.