

Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: SONAX PreCircle -EVOLUTION-

Article number:

06707050, 06708000, 06709410 UFI: QXJ1-P06N-6009-VYR1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Detergents Professional uses

Uses advised against Consumer uses: Private households / general public / consumers

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS05

## Signal word Danger

### Hazard-determining components of labelling:

sodium hydroxide

#### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

## Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

(Contd. on page 2)



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

## Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Alkaline tenside solution

Dangerous components:			
CAS: 1310-73-2	sodium hydroxide	15-<20%	
EINECS: 215-185-5	♠ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318		
Reg.nr.: 01-2119457892-27-xxxx	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %		
-	Skin Corr. 1B; H314: 2 % ≤ C < 5		
	%		
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %		
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %		

## Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants <5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

## 4.1 Description of first aid measures

#### General information:

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Involve doctor immediately.

## After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

### After skin contact:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Seek immediate medical advice.

#### After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical advice.

## After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Eye irritation / Eye damage

Caustic effect on skin and mucous membranes.

(Contd. on page 3)



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 2)

## 4.3 Indication of any immediate medical attention and special treatment needed

Later observation for pneumonia and pulmonary oedema.

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

### 5.2 Special hazards arising from the substance or mixture

Exothermic reaction with water.

Reacts with base metals forming hydrogen.

Develops corrosive gases/fumes.

## 5.3 Advice for firefighters

### Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wear protective clothing.

For emergency responders Wear protective equipment. Keep unprotected persons away.

## 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

## 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Use neutralising agent.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Do not breathe vapour.

When diluting always pour product into water and not vice versa.

Information about fire - and explosion protection: The product is not flammable.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

## Requirements to be met by storerooms and receptacles:

Provide alkali-resistant floor.

Store only in the original receptacle.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from metals.

Observe local/state/federal regulations.

(Contd. on page 4)



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 3)

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C. Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-73-2 sodium hydroxide

WEL (Great Britain) | Short-term value: 2 mg/m³
OEL (Ireland) | Short-term value: 2 mg/m³

Regulatory information

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

DNELs

CAS: 1310-73-2 sodium hydroxide

Inhalative DNEL 1 mg/m³ (worker) (longterm local effects)

DNEL 1 mg/m³ (consumer) (longterm local effects)

Additional information: The lists valid during the making were used as basis.

## 8.2 Exposure controls

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

## Individual protection measures, such as personal protective equipment

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

### Respiratory protection:

Ensure good ventilation/exhaustion at the workplace.

Use suitable respiratory protective device in case of insufficient ventilation.

The following breathing protection is recommended:

Filter P2

[DIN EN 14387]

Hand protection Protective gloves

Material of gloves

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

Eye/face protection



Tightly sealed goggles

[EN 166]

Body protection: Alkaline resistant protective clothing

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

(Contd. on page 5)



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 4)

Colour:

Odour:

Nearly odourless

Melting point/freezing point:

Boiling point or initial boiling point and boiling

range 100 °C (CAS: 7732-18-5 water)
Flammability Product is not flammable.

Lower and upper explosion limit

Lower:Not applicableUpper:Not applicableFlash point:Not applicable.Decomposition temperature:Not determined.

pH at 20 °C 13-14

Viscosity:

Kinematic viscosity at 40 °C <20.5 mm<sup>2</sup>/s

Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Density and/or relative density

**Density at 20 °C:** 1.17-1.19 g/cm³ **Vapour density** Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes **Explosives** Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void

Pyrophoric solids
Self-heating substances and mixtures
Void
Substances and mixtures, which emit flammable
gases in contact with water
Void
Oxidising liquids
Void

Oxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrection to matrixMarch

Corrosive to metals May be corrosive to metals.

Desensitised explosives Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** Reacts with base metals forming hydrogen.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions

Exothermic reaction with strong acids

Danger of explosion.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials:

acids

Light Metals

(Contd. on page 6)



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 5)

aluminum

zinc

organic peroxides

10.6 Hazardous decomposition products:

Hydrogen

Corrosive gases/vapours

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

## Aquatic toxicity:

CAS: 1310-73-2 sodium hydroxide

LC50 / 96 h | 196 mg/l (fish)

EC50 / 48h | 40.4 mg/l (Invertebrates)

## 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

## vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

## 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

## 12.7 Other adverse effects

## Additional ecological information:

## General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

The product does not contain organically bounded halogens (AOX-free).

(Contd. on page 7)



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 6)

The product does not contain organic complexing agents.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

	European waste catalogue	
	20 01 29*	detergents containing hazardous substances
ĺ	HP8	Corrosive

### Uncleaned packaging:

15 01 10\*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

SECTI	ON 14.	Trans	nort in	forma	tion
JEUII	OI	Huns		ПОПППА	uou

14.1 UN number or ID number

ADR/RID/ADN, IMDG, IATA UN1824

14.2 UN proper shipping name

ADR/RID/ADN 1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION

14.3 Transport hazard class(es)

ADR/RID/ADN



Class 8 (C5) Corrosive substances.

Label

IMDG, IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR/RID/ADN, IMDG, IATA //

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Warning: Corrosive substances.

Segregation groups Alkalis

Transport/Additional information:

ADR/RID/ADN

Limited quantities (LQ) 1L Transport category 2 Tunnel restriction code E

UN "Model Regulation": UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II



Printing date 18.09.2024 Version: 3.00 (replaces version 2.00) Revision: 30.06.2022

(Contd. of page 7)

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

	Classification according to l	Classification according to Regulation (EC) No 1272/2008	
	Corrosive to metals	Bridging principles	
		The classification of the mixture is generally based on the calculation method	
١	Serious eye damage/irritation	using substance data according to Regulation (EC) No 1272/2008.	

Date of previous version: 22.04.2021 Version number of previous version: 2.00

## Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient
GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

IOELV = indicative occupational exposure limit values
Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.