

Printing date 18.09.2024

Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

1.1 Produc	identifier
	: SONAX CARAVAN Shampoo
Article nun 07130000, 0 UFI: S236-F 1.2 Relevan Application Cleaning ma Consumer D Professiona	ber: 77133000 PONH-100Y-E3RA t identified uses of the substance or mixture and uses advised against of the substance / the mixture Iterial/ Detergent ses: Private households / general public / consumers
Manufactur SONAX Gm Münchener	Straße 75 uburg (Donau)
Product saft E-mail: erp( Phone: + + United King Anglo Amer 58 Holton R	osonax.de 9 (0) 8431 53 217 Id <b>om:</b> can Oil Company Ltd pad, Holton Heath Trading Park, Poole, Dorset, BH16 6LT (+44) 01929 551557
European United King Members of	<b>ncy telephone number:</b> I <u>nion:</u> <b>+49 (0) 89 19240</b> (Poison Centre Munich) I <u>dom:</u> <b>0344 892 0111</b> (UK NPIS) Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 Ireland, contact your local GP
SECTION	2: Hazards identification
<b>Classificat</b> Eye Irrit. 2	cation of the substance or mixture on according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. A H317 May cause an allergic skin reaction.

*Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms* 



 Signal word Warning

 Hazard statements

 H319 Causes serious eye irritation.

 H317 May cause an allergic skin reaction.

 Precautionary statements

 P101
 If medical advice is needed, have product container or label at hand.

 P102
 Keep out of reach of children.

 P280
 Wear protective gloves/eye protection.

 P302+P352
 IF ON SKIN: Wash with plenty of water.

 P305+P351+P338
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)



Printing date 18.09.2024

#### Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

#### Trade name: SONAX CARAVAN Shampoo

	(Contd. of page 1)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Labelling of pa	ckages where the contents do not exceed 125 ml
Marking contain regulation is use	er <125 ml deviates. Reduced labeling according article 29 and annex I, no. 1.5 GB CLP- nd.
2.3 Other hazar	ds
Results of PBT	and vPvB assessment
PBT:	
classified as PB	ormation provided in the supply chain, the mix contains less than 0.1% of any substances T
vPvB:	exaction provided in the cumply chain, the mix contains less than 0.1% of any cylaterases
classified as vP	ormation provided in the supply chain, the mix contains less than 0.1% of any substances /B.
Determination	of endocrine-disrupting properties
according to UK	nixture does not contain components considered to have endocrine disrupting properties REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

CAS: 69011-36-5	isotridecanol,ethoxylated (>5-20EO)	5-<10%
EC No 931-138-8	Èye Dam. 1, H318; () Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 1 % ≤ C < 10 %	
CAS: 9004-78-8 NLP: 500-013-6	Phenol polyethoxilate	3-<5%
CAS: 94095-35-9 EC No 931-216-1 Reg.nr.: 01-2119472309-33-xxxx	<ul> <li>9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-quaternized Alternative CAS number: 157905-74-3</li> <li>15 Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> <li>Specific concentration limits: Skin Irrit. 2; H315: C ≥ 28% Eye Irrit. 2; H319: C ≥ 28 %</li> </ul>	3-<5%
CAS: 308062-28-4 EC No 931-292-6 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, N- oxides Alternative CAS number: 70592-80-2 Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	<1%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;  Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1);  Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	>0.0015-<0.01%



Printing date 18.09.2024

Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

#### Trade name: SONAX CARAVAN Shampoo

CAS: 3811-73-2 EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	(Contd. of page 2 <0.01%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one	>0.0015-<0.01%
Regulation (EC) No 648/2004 on	n detergents / Labelling for contents	
non-ionic surfactants ≥5 - <15		
cationic surfactants, amphoteric surfactants <5%		
perfumes, methylisothiazolinone,	sodium pyrithione, benzisothiazolinone	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

4.1 Description of first aid measures
General information: Remove soiled clothing
After inhalation: Supply fresh air.
After skin contact:
Wash the areas of skin affected with water and a mild detergent.
If symptoms persist consult doctor.
After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed
Eye irritation
sensitization
Allergic reactions

**4.3 Indication of any immediate medical attention and special treatment needed** Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

#### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

For emergency responders Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

GB



Printing date 18.09.2024

## Safety data sheet according to UK REACH

Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

#### Trade name: SONAX CARAVAN Shampoo

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNEL:	-	62-28-	4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Oral		NEL	0.44 mg/kg bw/day (consumer) (acute systematic effects)
Derma	al D	NEL	5.5 mg/kg bw/day (consumer) (longterm systematic effects)
			11 mg/kg bw/day (worker) (longterm systematic effects)
Inhala	tive D	NEL	3.8 mg/m³ (consumer) (longterm systematic effects)
			15.5 mg/m³ (worker) (longterm systematic effects)
PNEC	s		
CAS:	94095	5-35-9	9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized
F	PNEC	2.96	mg/l (sewage plant)
		0.00	191 mg/l (water (fresh water))
		0.00	0191 mg/l (water (sea water))
F	PNEC	0.58	mg/kg (sediment (fresh water))
		0.05	8 mg/kg (sediment (sea water))
CAS:	30806	2-28-	4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Oral F	PNEC	11.1	mg/kg (food)
F	PNEC	24 m	ng/l (sewage plant)
		335	mg/l (water (intermittent release))
		0.03	35 mg/l (water (fresh water))
		0.00	335 mg/l (water (sea water))
			(Contd. on pag

(Contd. of page 3)



Printing date 18.09.2024

Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

### Trade name: SONAX CARAVAN Shampoo

		(Contd. of page 4)
	PNEC	5.24 mg/kg (sediment (fresh water))
		0.524 mg/kg (sediment (sea water))
		1.02 mg/kg (soil)
Add	litional i	information: The lists valid during the making were used as basis.
8.2	Exposu	re controls
Suit	table tec	chnical control devices
Ens	ure good	d ventilation. This can be achieved by localised extraction or general ventilation. If this is not
suffi	icient to	keep the concentration below the occupational exposure limit, suitable breathing protection is to
	vorn.	
		protection measures, such as personal protective equipment
		otective and hygienic measures:
		recautionary measures are to be adhered to when handling chemicals.
		from foodstuffs, beverages and feed.
		s before breaks and at the end of work.
		r protection:
		l in normal cases
		d ventilation/exhaustion at the workplace.
		ction Protective gloves
	erial of g	
	le rubbe	
	••••••	ded thickness of the material: $\geq$ 0.4 mm
	374]	
		time of glove material Value for the permeation: Level 6 (≥480min)
		otection
	ety glass	es
[EN	166]	

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical p	roperties	
General Information		
Physical state	Fluid	
Colour:	Yellow	
Odour:	Fruit-like	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling		
range	100 °C (CAS: 7732-18-5 water)	
Flammability	Product is not flammable.	
Lower and upper explosion limit		
Lower:	Not applicable	
Upper:	Not applicable	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH at 20 °C	6.5	
Viscosity:	0.0	
Kinematic viscosity at 40 °C	<20.5 mm²/s	
-	-20.0 1111175	
Solubility water:	Fully missible	
	Fully miscible. Not determined.	
Partition coefficient n-octanol/water (log value)		
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)	
Density and/or relative density	4 4 00 - (	
Density at 20 °C:	1-1.02 g/cm <sup>3</sup>	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
	((	Contd. on page 6)

n page 6) \_\_\_\_\_ GB -



Printing date 18.09.2024

#### Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

#### Trade name: SONAX CARAVAN Shampoo

	(Contd. of page 5)
Important information on protection of health an environment, and on safety.	d
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard class	es
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	•
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

**10.2 Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

**10.5 Incompatible materials:** No known incompatible materials.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC5	0 values rele	evant for classification:
CAS: 69	9011-36-5 iso	otridecanol,ethoxylated (>5-20EO)
Oral	LD50	>300-2,000 mg/kg (rat) (OECD 423)
	ATE	>300-2,000 mg/kg (rat)
CAS: 90	004-78-8 Phe	nol polyethoxilate
Oral	LD50	500-2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	2,140 mg/kg (rabbit)
CAS: 94	4095-35-9 9-0	octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate-
	qu	aternized
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
CAS: 30	08062-28-4 A	mines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Oral	LD50	1,064 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat)
	LC50 / 96 h	2.67 mg/l (Pimephales promelas)
		(Contd. on page



Revision: 19.07.2024

Printing date 18.09.2024

Version: 3.00 (replaces version 2.01)

Trade name: SONAX CARAVAN Shampoo

Skin corrosion/irritation Based on available data, the classification criteria are not met.         Serious eye damage/irritation Causes serious eye irritation.         Respiratory or skin sensitisation May cause an allergic skin reaction.         Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL       1,000 mg/kg (rat) 300 mg/kg (rat)         300 mg/kg (rat)       2,000 mg/kg (rat)         300 mg/kg (rat)       2,000 mg/kg (rat)         25 mg/kg (rabbit) (OECD 451)       8 mg/kg (rabbit) (OECD 451)         NOAEL       2,000 mg/kg (rat)         25 mg/kg (Ratte)       25 mg/kg (Ratte)         11.2 Information on other hazards<				(Contd. of page
Respiratory or skin sensitisation May cause an allergic skin reaction.         Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       1,000 mg/kg (rat) 300 mg/kg (rat) 300 mg/kg (rat)         Oral       1,000 mg/kg (rat) 300 mg/kg (rat)         Oral       NOAEL       2,000 mg/kg (rat)         NOAEL       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat)	Skin c	corrosion/irri	tation Based on available data, the classification criteria are not met.	
Germ cell mutagenicity Based on available data, the classification criteria are not met.         Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       1,000 mg/kg (rat) 300 mg/kg (rat)         Oral       1,000 mg/kg (rat) 300 mg/kg (rat)         Oral       NOAEL       9 d         NOAEL       9 d       2,000 mg/kg (rat)         Store for a gas mg/kg (rabbit) (OECD 451)       88 mg/kg (rabbit) (OECD 408)         25 mg/kg (Ratte)       25 mg/kg (Ratte)         11.2 Information on other hazards Endocrine disrupting properties       Mate for the product regarding endocrine disrupting properties with health effects.	Seriou	us eye dama	ge/irritation Causes serious eye irritation.	
Carcinogenicity Based on available data, the classification criteria are not met.         Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Dral       NOAEL         1,000 mg/kg (rat)         300 mg/kg (rat)         300 mg/kg (rat)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL 90 d         2,000 mg/kg (rat) (OECD 451)         88 mg/kg (rabit) (OECD 451)         88 mg/kg (rabit) (OECD 408)         25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Respi	iratory or ski	n sensitisation May cause an allergic skin reaction.	
Reproductive toxicity Based on available data, the classification criteria are not met.         STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Dral       NOAEL         1,000 mg/kg (rat)         300 mg/kg (rat)         300 mg/kg (rat)         200 mg/kg (rat) (OECD 451)         88 mg/kg (rabbit) (OECD 451)         88 mg/kg (rabbit) (OECD 408)         25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Germ	cell mutage	nicity Based on available data, the classification criteria are not met.	
STOT-single exposure Based on available data, the classification criteria are not met.         STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL         1,000 mg/kg (rat)         300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL         0       2,000 mg/kg (rat) (OECD 451)         0       8 mg/kg (rabbit) (OECD 451)         8 mg/kg (rabbit) (OECD 408)       25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Carcir	nogenicity B	ased on available data, the classification criteria are not met.	
STOT-repeated exposure Based on available data, the classification criteria are not met.         Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL       1,000 mg/kg (rat) 300 mg/kg (rat)         Oral       NOAEL       2,000 mg/kg (rat)         Oral       NOAEL       2,000 mg/kg (rat) (OECD 451)         Oral       NOAEL       2,000 mg/kg (rat) (OECD 451)         Stage (rabbit)       00 CCD 408)         25 mg/kg (Ratte)       25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Repro	oductive toxi	city Based on available data, the classification criteria are not met.	
Aspiration hazard Based on available data, the classification criteria are not met.         Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL         1,000 mg/kg (rat)         300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL         0       2,000 mg/kg (rat) (OECD 451)         0       2,000 mg/kg (rat) (OECD 451)         0       8 mg/kg (rabbit) (OECD 408)         25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	STOT	-single expo	sure Based on available data, the classification criteria are not met.	
Additional toxicological information:         Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL       1,000 mg/kg (rat) 300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL 90 d       2,000 mg/kg (rat) (OECD 451) 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte)         11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	STOT	-repeated ex	<b>posure</b> Based on available data, the classification criteria are not met.	
Repeated dose toxicity         CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL       1,000 mg/kg (rat) 300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL       90 d         NOAEL       90 d       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat) (OECD 408)         25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Aspira	ation hazard	Based on available data, the classification criteria are not met.	
CAS: 94095-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized         Oral       NOAEL       1,000 mg/kg (rat) 300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL 90 d       2,000 mg/kg (rat) (OECD 451) 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (Ratte)         11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Additi	ional toxicol	ogical information:	
quaternized         Oral       NOAEL       1,000 mg/kg (rat)         300 mg/kg (Ratte)       300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL       90 d       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat) (OECD 451)       88 mg/kg (rabbit) (OECD 451)         NOAEL       25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	•		-	
300 mg/kg (Ratte)         CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL 90 d       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat) (OECD 451)         88 mg/kg (rabbit) (OECD 451)         25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	CAS:			sulfate-
CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides         Oral       NOAEL 90 d       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat) (OECD 451)       88 mg/kg (rabbit) (OECD 451)         88 mg/kg (rabbit) (OECD 408)       25 mg/kg (Ratte)         11.2 Information on other hazards       Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	Oral 1	NOAEL		
Oral       NOAEL       90 d       2,000 mg/kg (rat) (OECD 451)         NOAEL       2,000 mg/kg (rat) (OECD 451)         88 mg/kg (rabbit) (OECD 451)         88 mg/kg (rabbit) (OECD 408)         25 mg/kg (Ratte) <b>11.2 Information on other hazards</b> Endocrine disrupting properties  According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.				
NOAEL       2,000 mg/kg (rat) (OECD 451)         88 mg/kg (rabbit) (OECD 408)         25 mg/kg (Ratte)         11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.				
11.2 Information on other hazards         Endocrine disrupting properties         According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.				
25 mg/kg (Ratte) 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.	1	NOAEL		
<b>11.2 Information on other hazards</b> Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.			88 mg/kg (rabbit) (OECD 408)	
<b>Endocrine disrupting properties</b> According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.				
According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.				
disrupting properties with health effects.				
				enaocrine
		• •		

### SECTION 12: Ecological information

Aquatic toxic	city:
CAS: 9004-78	8-8 Phenol polyethoxilate
LC50 / 96h	>100 mg/l (fish) (OECD 203)
EC50	>128 mg/kg (Daphnia magna) (OECD 202)
CAS: 94095-3	35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized
LC50 / 96h	1.91 mg/l (fish) (OECD 203)
EC50 / 48h	2.23 mg/l (daphnia) (EU Method C.2)
EC50 / 72h	2.14 mg/l (algae) (OECD 201)
EC10 / 72 h	1.48 mg/l (algae) (OECD 201)
CAS: 308062	-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
NOEC 302 d	0.42 mg/l (Pimephales promelas)
EC10 / 18h	24 mg/l (Pseudomonas putida)
EC50 / 48h	3.1 mg/l (Daphnia magna)
EC50 / 72h	0.143 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC / 21 d	0.7 mg/l (Daphnia magna) (OECD 211)
NOEC / 28d	0.067 mg/l (algae)
CAS: 2682-20	0-4 2-methylisothiazol-3(2H)-one
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))



Revision: 19.07.2024

Printing date 18.09.2024

Version: 3.00 (replaces version 2.01)

Trade name: SONAX CARAVAN Shampoo

	(Contd. of page 7
	73-2 pyridine-2-thiol 1-oxide, sodium salt
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72	h 0.08 mg/l (Selenastrum capricornutum) (OECD 201)
CAS: 2634-	33-5 1,2-benzisothiazol-3(2H)-one
NOEL 21 d	1.2 mg/l (daphnia) (OECD 211)
LC50/4d	2.2 mg/l (Regenbogenforelle) (OECD 203)
EC 20 / 3h	3.3 mg/l (KS)
EC50/3h	13 mg/l (KS)
NOEC / 280	0.21 mg/l (Regenbogenforelle) (OECD 215)
EC10 / 72 h	0.04 mg/l (Selenastrum capricornutum) (OECD 201)
EC50 / 2 d	3.27 mg/l (daphnia) (OECD 202)
EC50 / 3 d	0.11 mg/l (Selenastrum capricornutum) (OECD 201)
12.2 Persis	tence and degradability
The surface	-active substances contained in the product meet the requirement of the EU Detregent Regulation 104 ) for ultimate biodegradability for surfactants in detergents.
	78-8 Phenol polyethoxilate
•	tion >60 % (OECD 311)
CAS: 9409	5-35-9 9-octadecenoic acid (Z)-, reaction products with triethanolamine, di-Me sulfate- quaternized
Biodegrada	tion >60 % (OECD 301 B Ready Biodegradability CO2 Evolution)
	52-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Biodegrada	tion 90 %
	73-2 pyridine-2-thiol 1-oxide, sodium salt
Biodegrada	tion >70 % (activated sludge) (OECD 301 B)
12.3 Bioaco	cumulative potential
CAS: 3080	52-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
log POW 2	
CAS: 2682-	20-4 2-methylisothiazol-3(2H)-one
	16
log Kow ≤	0.32
-	73-2 pyridine-2-thiol 1-oxide, sodium salt
	-1.09 ((n-Octanol/Wasser) OECD 107)
-	33-5 1,2-benzisothiazol-3(2H)-one
	95 (fish) (OECD 305)
	.7 (octan-1-ol/water (OECD 117))
	ty in soil No further relevant information available.
12.5 Result PBT:	<b>s of PBT and vPvB assessment</b> o information provided in the supply chain, the mix conatins less than 0.1% of any substances
<b>vPvB:</b> According to classified as	o information provided in the supply chain, the mix conatins less than 0.1% of any substances
According to	the current state of scientific knowledge, there is no data for the product regarding endocrine roperties with effects on the environment.
	(Contd. on page 9



Printing date 18.09.2024

Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

(Contd. of page 8)

#### Trade name: SONAX CARAVAN Shampoo

#### 12.7 Other adverse effects

#### Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations. **European waste catalogue** 

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	r Not applicable.
UN "Model Regulation":	Void

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture *European Directives:* 

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

Information about limitation of use:

*Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed.* 

(Contd. on page 10)

GB -

(Contd. of page 9)

SONAX<sup>®</sup>

Printing date 18.09.2024

#### Safety data sheet according to UK REACH

Version: 3.00 (replaces version 2.01)

Revision: 19.07.2024

#### Trade name: SONAX CARAVAN Shampoo

SECT	ON 16: Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.	
Relevant phrases	
H301 H302	Toxic if swallowed. Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

H331 Toxic if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH070 Toxic by eye contact.

EUH071 Corrosive to the respiratory tract.

#### Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation The classification of the mixture is generally based on the calculation method Skin sensitisation using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 30.05.2022

Version number of previous version: 2.01

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

\* Data compared to the previous version altered.

GB