

Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX CARAVAN Acrylic+Glass Cleaner
Article number: 07384000 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this.
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
 1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

(Contd. on page 2)

⁻ GB



Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

Dangerous components:	(Co	ntd. of page
CAS: 1569-02-4 EINECS: 216-374-5	1-ethoxypropan-2-ol	_ 5-<10%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	_ 1-<3%
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants		<5%
sodium pyrithione, perfumes, ben	zisothiazolinone	
Additional information: For the	wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: No special measures required

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation **For non-emergency personnel**

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 3)

SONAX

Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

Informati	on abo	ut fire - and evolution protection: No special measures required	(Contd. of page 2
Information about fire - and explosion protection: No special measures required.			
7.2 Conditions for safe storage, including any incompatibilities			
Information Store awa	on abo ly from t		ground.
		te/federal regulations.	
Protect fro		ion about storage conditions:	
Recomme	ended s	orage temperature: 20 °C.	
7.3 Speci	fic end	use(s) No further relevant information available.	
		Exposure controls/personal protection	
8.1 Contr	-		
-		limit values that require monitoring at the workplace:	
CAS: 64-1			
-		in) Long-term value: 1920 mg/m³, 1000 ppm	
OEL (Irela	-	Short-term value: 1000 ppm	
Regulato			
		in): EH40/2020 21 CoP for the Safety, Health and Welfare at Work	
DEL (II ela	inu). 20	21 COF 101 life Salely, Health and Wenale at Work	
	0 02 1	1-ethoxypropan-2-ol	
Oral		14 mg/kg bw/day (consumer) (longterm systematic effects)	
Dermal		74 mg/kg bw/day (worker) (longterm systematic effects)	
		44.3 mg/kg (consumer) (longterm systematic effects)	
Inhalative	DNEL	190 mg/m ³ (consumer) (acute systematic effects)	
		211 mg/m ³ (worker) (longterm systematic effects)	
	DNEL	127 mg/m³ (consumer) (longterm systematic effects)	
		317 mg/m³ (worker) (acute systematic effects)	
CAS: 64-1			
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)	
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)	
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)	
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)	
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)	
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)	
		950 mg/m³ (worker) (long-term exposure - systemic effects)	
PNECs			
CAS: 1569-02-4 1-ethoxypropan-2-ol			
PNEC 1,2			
	-	(sediment (sea water))	
	-		
	10 mg/l (water) 1 mg/l (water (sea water))		
		g (sediment (fresh water))	
	.o mg/kg 4 mg/kg		
2.4			
4.4		g (Secondary poisoning)	
		141101	
CAS: 64-1			
CAS: 64-7 PNEC 58	0 mg/l (sewage plant)	
CAS: 64-7 PNEC 58 0.9	0 mg/l (96 mg/l	sewage plant) (water (fresh water)) (water (sea water))	



Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

(Contd. of page 3)

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

PNEC 3.6 mg/kg (sediment (fresh water)) 0.63 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Not required in normal cases Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases. Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pr	operties
General Information	
Physical state	Fluid
Colour:	Green
Odour:	Citrus
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	chaolonninou.
range	100 °C (CAS: 7732-18-5 water)
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	7-8
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	. , ,
Density at 20 °C:	0.99-1 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	_
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	5
Explosives	Void
Flammable gases	Void
	(Contd. on page 5

— GB



Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

		(Contd. of page 4)
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

CAS: 1569-02-4 1-ethoxypropan-2-ol		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>10,000 mg/l (rat)
	LC50 / 96 h	4,600-10,000 mg/l (Leuciscus idus)
CAS: 64-1	7-5 ethanol	
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)
Skin corr	osion/irritati	on Based on available data, the classification criteria are not met.
Serious e	ye damage/i	rritation Based on available data, the classification criteria are not met.
Respirato	ry or skin se	ensitisation Based on available data, the classification criteria are not met.
Germ cell	mutagenici	ty Based on available data, the classification criteria are not met.
Carcinog	enicity Base	d on available data, the classification criteria are not met.
Reproduc	tive toxicity	Based on available data, the classification criteria are not met.
STOT-sin	gle exposur	e Based on available data, the classification criteria are not met.
	eated expos	ure Based on available data, the classification criteria are not met.
STOT-rep	culcu chpoo	



Printing date 18.09.2024

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

		(Contd. of page 5
Additiona	l toxicological inf	formation:
Repeated	dose toxicity	
CAS: 156	9-02-4 1-ethoxypr	opan-2-ol
Inhalative	NOAEC Maternal	100 ppm (rat)
	NOAC Entwickl.	>2,000 ppm (rat)
	NOEC Eltern	300 ppm (rat)
CAS: 64-17-5 ethanol		
Oral	NOAEL	1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)
11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding end disrupting properties with health effects.		er ties e of scientific knowledge, there is no data for the product regarding endocrine
None of th	ne ingredients is list	ted.

SECTION 12: Ecological information

LC50 / 24h <10,000 mg/l (Pimephales promelas)

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

EC10 / 16 h	4,600 mg/l (Pseudomonas putida)		
EC50	177 mg/l (daphnia)		
EC50 / 48h	21,100-25,900 mg/l (Daphnia magna)		
EC50 / 7d	>1,000 mg/l (Pseudokirchneriella subcapitata)		
NOEC	547 mg/l (fish)		
CAS: 64-17-	CAS: 64-17-5 ethanol		
LC50 / 48h	8,140 mg/l (Leuciscus idus)		
EC50 / 48h	>10,000 mg/l (Daphnia magna)		
EC50 / 72h	275 mg/l (Chlorella vulgaris)		
The surface-	12.2 Persistence and degradability The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.		

CAS: 1569-02-4 1-ethoxypropan-2-ol

Biodegradation 87.7 %

12.3 Bioaccumulative potential

CAS: 1569-02-4 1-ethoxypropan-2-ol

BCF 3.16 log Kow 1.46

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

GB -

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

12.7 Other adverse effects

Additional ecological information:

General notes: The product may not be released into the environment without control.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture *European Directives:*

Directive 2010/75/EU (VOC) 7.14 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 8)



Printing date 18.09.2024

(Contd. of page 6)

GB -

SONAX®

Printing date 18.09.2024

Safety data sheet according to UK REACH

Version: 2.00 (replaces version 1.00)

Revision: 30.03.2023

Trade name: SONAX CARAVAN Acrylic+Glass Cleaner

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 7)

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Date of previous version: 03.11.2022 Version number of previous version: 1.00 Abbreviations and acronvms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered. GB

