

Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: <u>SONAX BIKE Chain Spray</u>
Article number: 08762000 UFI: MHG3-X074-R00R-XW4T 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Lubricant Consumer uses: Private households / general public / consumers Professional uses Uses advised against None
<b>1.3 Details of the supplier of the safety data sheet</b> <b>Manufacturer/Supplier:</b> SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> <i>Product safety</i> <i>E-mail: erp@sonax.de</i> <i>Phone: + +49 (0) 8431 53 217</i> <u><i>United Kingdom:</i></u> <i>Anglo American Oil Company Ltd</i> <i>58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT</i> <i>Telephone: (+44) 01929 551557</i> <i>Email: info@aaoil.co.uk</i>
<b>1.4 Emergency telephone number:</b> <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

# SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aerosol 1 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms GHS02 Signal word Danger Hazard statements H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. P211 P251 Do not pierce or burn, even after use. Do not breathe spray. P260

P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)



Printing date 18.09.2024

### Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

# Trade name: SONAX BIKE Chain Spray

$P_{410+}P_{412}$ Protect from suplight. Do not expect to temperatures exceeding 50 °C(122 °E	(Contd. of page 1)
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/internation	al regulations.
Additional information:	
Buildup of explosive mixtures possible without sufficient ventilation.	
2.3 Other hazards	
Results of PBT and vPvB assessment	
PBT:	
According to information provided in the supply chain, the mix contains less than 0.1% of any su classified as PBT	ıbstances
vPvB:	
According to information provided in the supply chain, the mix contains less than 0.1% of any su classified as vPvB.	ibstances
Determination of endocrine-disrupting properties	
The substance/this mixture contains components that exhibit or are suspected of exhibiting end disrupting properties according to UK REACH Article 57(f) or Commission Delegated Regulation 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in guantities of 0.1% or more.	
List II: Substances under evaluation for endocrine disruption under an EU legislation.	
CAS: 128-37-0 2,6-di-tert-butyl-p-cresol	List II

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Г

**Description:** Formulation consisting of pressurised gas and mineral oil with additives in petroleum distillate **Dangerous components:** 

EC No 926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2%	25-<50%
	aromatics	
	Alternative CAS number: 64742-47-8	
	🚸 Asp. Tox. 1, H304, EUH066	
CAS: 8042-47-5	White mineral oil, petroleum	25-<50%
EINECS: 232-455-8	🚸 Asp. Tox. 1, H304	
Reg.nr.: 01-2119487078-27-xxxx		
CAS: 106-97-8	butane	5-<10%
EINECS: 203-448-7	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119474691-32-xxxx		
	propane	5-<10%
EINECS: 200-827-9	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119486944-21-xxxx		
	isobutane	1-<3%
EINECS: 200-857-2	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119485395-27-xxxx		
CAS: 1474044-79-5	calcium bis(di C8-C10, branched, C9 rich,	1-<3%
EC No 939-717-7	alkylnaphthalenesulphonate)	
-	Alternative CAS number: 57855-77-3	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 110-25-8	(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	<1%
EC number: 701-177-3	Eye Dam. 1, H318;  Aquatic Acute 1, H400 (M=1);	
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 128-37-0	2,6-di-tert-butyl-p-cresol	<0.25%
EINECS: 204-881-4	♦ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)	
Reg.nr.: 01-2119565113-46-xxxx		
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
aliphatic hydrocarbons		≥30%

(Contd. on page 3)



Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

Trade name: SONAX BIKE Chain Spray

(Contd. of page 2)

4.1 De	scription of first aid measures
	al information:
	ffected persons out into the fresh air.
	e soiled clothing
	nhalation:
	fresh air.
In the immed	event of irritation of the respiratory tract, dizziness, nausea or unconsciousness, call medical assistance ately .
After	kin contact:
	he areas of skin affected with water and a mild detergent. toms persist consult doctor.
After	ye contact:
	pened eye for several minutes under running water. If symptoms persist, consult a doctor. wallowing: Do not induce vomiting; call for medical help immediately.
4.2 Ma	st important symptoms and effects, both acute and delayed
Breath	ng difficulty
Heada	che
Drows	
Nause	
4.3 In	ication of any immediate medical attention and special treatment needed
	ent in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.
Treatr	ent in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.
SEC	ION 5: Firefighting measures

Suitable extinguishing agents: Foam Carbon dioxide Fire-extinguishing powder Water haze For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) Nitrogen oxides (NOx) Sulphur oxides (SOx) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel
Keep away from ignition sources.
Wear protective clothing.
For emergency responders Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

<sup>-</sup> GB



Printing date 18.09.2024

# Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

(Contd. of page 3)

### Trade name: SONAX BIKE Chain Spray

#### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Buildup of explosive mixtures possible without sufficient ventilation. Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Highly volatile, flammable constituents are released during processing.

7.2 Conditions for safe storage, including any incompatibilities Storage:

 Requirements to be met by storerooms and receptacles:

 Provide solvent resistant, sealed floor.

 Observe official regulations on storing packagings with pressurised containers.

 Information about storage in one common storage facility:

 Store away from foodstuffs.

 Observe local/state/federal regulations.

 Further information about storage conditions:

 Store receptacle in a well ventilated area.

 Protect from heat and direct sunlight.

 Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

 Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

-	nit values that require monitoring at the workplace: I-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics
RCP-TWA (EU)	Long-term value: 1200 mg/m³, 165 ppm Vapour / Total Hydrocarbons
CAS: 106-97-8 buta	ne
WEL (Great Britain)	Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
OEL (Ireland)	Short-term value: 1000 ppm
CAS: 74-98-6 propa	ine
OEL (Ireland)	Asphx
CAS: 75-28-5 isobu	tane
OEL (Ireland)	Short-term value: 1000 ppm
CAS: 128-37-0 2,6-0	li-tert-butyl-p-cresol
WEL (Great Britain)	Long-term value: 10 mg/m³



Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

# Trade name: SONAX BIKE Chain Spray

OEL (Irela	nd)	Contd. (Contd.	0. pag
Regulator	-		
WEL (Grea	at Brital	in): EH40/2020	
OEL (Irela	nd): 20	20 CoP for the Safety, Health and Welfare at Work	
DNELs			
CAS: 8042		White mineral oil, petroleum	
Oral		40 mg/kg (consumer) (long-term exposure - systemic effects)	
Dermal	DNEL	92 mg/kg bw/day (consumer) (long-term exposure - systemic effects)	
		220 mg/kg bw/day (worker) (long-term exposure - systemic effects)	
Inhalative		35 mg/m <sup>3</sup> (consumer) (long-term exposure - systemic effects)	
		160 mg/m <sup>3</sup> (worker) (long-term exposure - systemic effects)	
		9-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	
Dermal		10 mg/kg (worker) (longterm systematic effects)	
		5 mg/m <sup>3</sup> (worker) (longterm systematic effects)	
	-	Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	
Oral		92 mg/kg (consumer) (acute systematic effects)	
Dermet		5 mg/kg (consumer) (longterm systematic effects)	
Dermal	DNEL	50 mg/kg (consumer) (acute systematic effects)	
	סעיבי	10 mg/kg (worker) (longterm systematic effects)	
	DNEL	5 mg/kg (consumer) (longterm systematic effects)	
labolativa		100 mg/kg (worker) (acute systematic effects)	
innalative	DNEL	9 mg/m <sup>3</sup> (consumer) (acute locale effects)	
	סאבו	18 mg/m <sup>3</sup> (worker) (acute locale effects)	
	DNEL	0.005 mg/m³ (consumer) (longterm local effects) 0.01 mg/m³ (worker) (longterm local effects)	
	ושאם	0.1 mg/m <sup>3</sup> (consumer) (longterm systematic effects)	
	DNLL	0.2 mg/m <sup>3</sup> (worker) (longterm systematic effects)	
CAS: 128	37-0 2	6-di-tert-butyl-p-cresol	
Oral		0.25 mg/kg bw/day (vls)	
Dermal		0.25 mg/kg (vls)	
		0.5 mg/kg (wls)	
Inhalative	DNEL	0.86 mg/m <sup>3</sup> (vls)	
		3.5 mg/m <sup>3</sup> (wls)	
PNECs			
	1044-70	9-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	
		mg/kg food (human)	
		ng/l (KS)	
		4 mg/l (water (fresh water))	
		04 mg/l (water (sea water))	
PNE		ng/kg (sediment (fresh water))	
		ng/kg (sediment (sea water))	
		mg/kg (soil)	
CAS: 110-	25-8 (Z	Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	
	-	43 mg/l (sporadic release)	
	0.00	043 mg/l (water (fresh water))	
	0.00	0043 mg/l (water (sea water))	
CAS: 128	37-0 2,	6-di-tert-butyl-p-cresol	
PNE	C 0.17	mg/l (sewage plant)	
	0.00	02 mg/l (freshwater (Süßwasser))	
	0.00	002 mg/l (sediment (sea water))	
			on pag



Printing date 18.09.2024

### Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

# Trade name: SONAX BIKE Chain Spray

	(Contd. of pa
PNEC 0.0477 mg/kg (gro)	
0.0996 mg/kg (sediment (sea water))	
Additional information: The lists valid during the ma	king were used as basis.
8.2 Exposure controls	
Suitable technical control devices	
Ensure good ventilation. This can be achieved by loca	alised extraction or general ventilation. If this is not
sufficient to keep the concentration below the occupa	tional exposure limit, suitable breathing protection is t
be worn.	
Individual protection measures, such as personal	protective equipment
General protective and hygienic measures: The usual precautionary measures are to be adhered	to when handling chemicals
Keep away from foodstuffs, beverages and feed.	to when nandling chemicals.
Wash hands before breaks and at the end of work.	
Respiratory protection:	
Not required in normal cases	
Use suitable respiratory protective device when high	concentrations are present.
Hand protection Not required in normal cases.	
<b>Eye/face protection</b> Not required in normal cases	
SECTION 9: Physical and chemical prope	erties
9.1 Information on basic physical and chemical pr	operties
General Information	
Physical state	Fluid
Colour:	Brown
Odour:	Solvent-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	180 - 270 °C
0	(Active ingredient data )
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
Lower:	0.6 Vol % (Hydrocarbons, C11-C14, n-alkanes,
	isoalkanes, cyclics, < 2% aromatics)
Upper:	7 Vol % (Hydrocarbons, C11-C14, n-alkanes,
	isoalkanes, cyclics, < 2% aromatics)
Flash point:	Not applicable, as aerosol.
Decomposition temperature:	Not determined.
рН	Not applicable.
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s (DIN 51562)
	(Active ingredient data )
-	
water:	Not miscible or difficult to mix.
vater: Partition coefficient n-octanol/water (log value)	Not determined.
water: Partition coefficient n-octanol/water (log value) Vapour pressure:	
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density	Not determined. Not determined.
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup>
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C:	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data )
Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup>
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C:	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data )
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data )
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density 9.2 Other information	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data )
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density 9.2 Other information Appearance:	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data ) Not determined.
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density 9.2 Other information Appearance: Form:	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data ) Not determined.
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density 9.2 Other information Appearance: Form: Important information on protection of health and	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data ) Not determined. Aerosol Product is not selfigniting.
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density 9.2 Other information Appearance: Form: Important information on protection of health and environment, and on safety.	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data ) Not determined. Aerosol
water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: Vapour density 9.2 Other information Appearance: Form: mportant information on protection of health and environment, and on safety. Ignition temperature:	Not determined. Not determined. 0.83-0.84 g/cm <sup>3</sup> (Active ingredient data ) Not determined. Aerosol Product is not selfigniting.



Printing date 18.09.2024

#### Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

Trade name: SONAX BIKE Chain Spray

	(Contd. of page 6)
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard c	lasses
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol.
	Pressurised container: May burst if heated.
	>85% (percent by mass) flammable components,
	combustion energy >30 kJ/g
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Develops readily flammable gases/fumes.

10.4 Conditions to avoid

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics Oral LD50 >5,000 mg/kg (rat) (OECD 401) LD50 >5,000 mg/kg (rabbit) (OECD 402) Dermal Inhalative LC50/8h >5,000 mg/m<sup>3</sup> (rat) (OECD 403) CAS: 8042-47-5 White mineral oil, petroleum Oral LD50 >5,000 mg/kg (rat) LD50 Dermal >2,000 mg/kg (rabbit) Inhalative LC50/4d >5,200 mg/l (rat) CAS: 1474044-79-5 calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate) Oral LD50 >2,500 mg/kg (rat) Dermal LD50 >10,000 mg/kg (rabbit)

(Contd. on page 8)

GB



Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

# Trade name: SONAX BIKE Chain Spray

		(Contd. of page
CAS: 110	,	-methyl-N-(1-oxo-9-octadecenyl)glycine
Oral	LD50	5,000 mg/kg (rat) (OECD 401)
		>5,000 mg/kg (Ratte) (OECD 420)
Inhalative	LC50 / 4h	1.37 mg/m³ (rat)
		1.8 mg/m³ (Ratte) (OECD 403)
	-	i-tert-butyl-p-cresol
Oral	LD50	>5,000 mg/kg (rat) (OECD-Prüfrichtlinie 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD-Prüfrichtlinie 402)
Skin corre	osion/irrita	tion Based on available data, the classification criteria are not met.
Serious e	ye damage	/irritation Based on available data, the classification criteria are not met.
Respirato	ry or skin	sensitisation Based on available data, the classification criteria are not met.
Germ cell	mutageni	city Based on available data, the classification criteria are not met.
Carcinog	enicity Bas	ed on available data, the classification criteria are not met.
Reproduc	tive toxici	<b>ty</b> Based on available data, the classification criteria are not met.
STOT-sin	gle exposi	<b>ire</b> Based on available data, the classification criteria are not met.
STOT-rep	eated expo	<b>osure</b> Based on available data, the classification criteria are not met.
Aspiratio	n <mark>hazard</mark> B	ased on available data, the classification criteria are not met.
Additiona	l toxicolog	ical information:
•	dose toxi	<i>,</i>
		calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)
		00 mg/kg (rat) (OECD 408, 90d, target organ: liver)
		other hazards
		g properties
		substances suspected of causing endocrine disruptions with health effects.
CAS: 128-	·37-0 2,6-a	i-tert-butyl-p-cresol List

# SECTION 12: Ecological information

Aquatic to	oxicity:		
Hydrocarl	bons, C11-C1	4, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
	LLO 96 h	1,000 mg/l (Oncorhynchus mykiss)	
	ELO 48 h	1,000 mg/l (Daphnia magna)	
	ELO 72 h	1,000 mg/l (Pseudokirchneriella subcapitata)	
CAS: 8042	2-47-5 White r	nineral oil, petroleum	
	LC50 / 96h	>100 mg/l (fish)	
	EC50 / 48h	>100 mg/l (daphnia)	
	NOEC/NOEL	≥100 mg/l (fish) (96h)	
		≥100 mg/l (algae) (72h)	
		≥100 mg/l (daphnia) (48h)	
CAS: 106-	97-8 butane		
	LC50 / 96 h	27.98 mg/l (fish)	
	EC50 / 4 d	7.71 mg/l (algae)	
CAS: 74-9	8-6 propane		
	LC50 / 96 h	27.98 mg/l (fish)	
	EC50 / 96 h	7.71 mg/l (algae)	
CAS: 75-2	8-5 isobutane	9	
	LC50 / 96 h	27.98 mg/l (fish)	



Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

Trade name: SONAX BIKE Chain Spray

	EC50 / 4 d	7.71 mg/l (algae) (Contd. of page
CAS: 147		cium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)
Inhalative		>9 mg/L (rat)
	LC50 / 96 h	>0.28 mg/l (fish)
	NOEL 21 d	2.2-10 mg/l (daphnia)
	EC50	>0.27 mg/l (daphnia)
	EC50 / 48h	>0.27 mg/l (daphnia)
	IC50 / 48h	>0.27 mg/l (daphnia)
	NOEC / 72 h	>0.27 mg/l (algae)
CAS: 110		ethyl-N-(1-oxo-9-octadecenyl)glycine
	LC50 / 96 h	6.8 mg/l (fish)
	EC20 / 0.5 h	50 mg/l (activated sludge)
	EC50 / 48h	0.43 mg/l (Daphnia magna)
	EC50 / 72h	6.3 mg/l (Scenedesmus subspicatus)
		0.91 mg/l (Desmodesmus subspicatus) (OECD 201)
CAS: 128	-	ert-butyl-p-cresol
	LC50 / 96 h	0.758 mg/l (algae)
	LC50 / 96h	0.199 mg/l (fish)
	EC50 / 48h	0.48 mg/l (Daphnia magna)
	NOEC / 21 d	0.053 mg/l (Oryzias latipes)
		0.069 mg/l (Daphnia magna)
12.2 Pers	istence and d	egradability
Hydrocar	bons, C11-C1	4, n-alkanes, isoalkanes, cyclics, < 2% aromatics
-	lation 69 % (2	
		mineral oil, petroleum
-		(28d (OECD 301B))
		ethyl-N-(1-oxo-9-octadecenyl)glycine
CSB	2,400 m	
Biodegrad	lation 85 % (C	DECD 301 B Ready Biodegradability CO2 Evolution)
12.3 Bioa	ccumulative p	ootential
CAS: 147	4044-79-5 cale	cium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)
BCF	3.16	
log POW	>6.6 log POW	·
CAS: 110	-25-8 (Z)-N-me	ethyl-N-(1-oxo-9-octadecenyl)glycine
log POW	3.5-4.2 log PC	)W
12.4 Mob	i <b>lity in soil</b> No	further relevant information available.
12.5 Resi PBT:	ilts of PBT an	d vPvB assessment
	to information	provided in the supply chain, the mix conatins less than 0.1% of any substances
classified		
vPvB:		
		provided in the supply chain, the mix conatins less than 0.1% of any substances
According classified		ing properties
According classified <b>12.6 Endo</b>	ocrine disrupt	
According classified <b>12.6 Endo</b> According disrupting	to the current properties with	state of scientific knowledge, there is no data for the product regarding endocrine h effects on the environment.
According classified <b>12.6 Endo</b> According disrupting <b>12.7 Othe</b>	to the current	state of scientific knowledge, there is no data for the product regarding endocrine h effects on the environment. ects

(Contd. on page 10)



Printing date 18.09.2024

# Safety data sheet according to UK REACH

Version: 5.00 (replaces version 4.00)

Revision: 26.10.2022

### Trade name: SONAX BIKE Chain Spray

(Contd. of page 9)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

Disposal / product + Disposal / contaminated packaging

15 01 10\* packaging containing residues of or contaminated by hazardous substances

HP3 Flammable

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport in	formation
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR/RID/ADN IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	2 5F Gases. 2.1
IMDG, IATA	
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for use	er see Sections 6-8 Warning: Gases.
Transport/Additional information	
ADR/RID/ADN	
Limited quantities (LQ)	1L
Transport category	2
Tunnel restriction code	D
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

(Contd. on page 11)



Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Revision: 26 10 2022

#### Trade name: SONAX BIKE Chain Spray

(Contd. of page 10)

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Catégorie SEVESO (DIRECTIVE 2012/18/EU) P3a FLAMMABLE AEROSOLS **REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

Extremely flammable gas. H220

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Harmful if inhaled. H332

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects. H412

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Classification according to Regulation (EC) No 1272/2008

Aerosols, Section 2.3.1 On basis of test data

### Date of previous version: 28.04.2021

#### Version number of previous version: 4.00

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

: Aerosols – Category 3 Press. Gas (Comp.): Gases under pressure – Compressed gas

Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 12)



Revision: 26.10.2022

Printing date 18.09.2024

Version: 5.00 (replaces version 4.00)

Trade name: SONAX BIKE Chain Spray

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 \* Data compared to the previous version altered.

(Contd. of page 11)

GE