

Printing date 17.09.2024

Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

SECTION 1: Identification of the substance/mixture and of the company/under	taking
1.1 Product identifier	
Trade name: SONAX XTREME Wheel Cleaner "full effect"	
Article number: 02302000-210, 02302000-480, 02302000-490, 02302000-512, 02302000-540, 02302000-544, 02302000-570, 02302000-580, 02302000-810, 02302000-820, 02304000-195, 2304000-320, 02304000-480, 02304000-510, 02304000-514, 02304000-540, 02305090-540 <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> Application of the substance / the mixture Car care product Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this.	
<b>1.3 Details of the supplier of the safety data sheet</b> <b>Manufacturer/Supplier:</b> SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0	
<i>Further information obtainable from:</i> Product safety <i>E-mail:</i> erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk	
<b>1.4 Emergency telephone number:</b> <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP	
SECTION 2: Hazards identification	
<b>2.1 Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> The product is not classified, according to the GB CLP regulation.	

The product is not classified, according to the GB CLP regulation. Additional information: Based on available data (test results OECD 429, also refer to section 11), the product has not been classified. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: EUH208 Contains Sodium mercaptoacetate. May produce an allergic reaction. 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB. Determination of endocrine-disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

GB



Printing date 17.09.2024

## Safety data sheet according to UK REACH

Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

Trade name: SONAX XTREME Wheel Cleaner "full effect"

(Contd. of page 1)

3.2 Mixtures Description: aqueous tenside sol	lution with additives	
Dangerous components:		
CAS: 367-51-1 EINECS: 206-696-4 Reg.nr.: 01-2119968564-24-xxxx	sodium mercaptoacetate solution (46%)	5-<10%
CAS: 147170-44-3 EC No 931-333-8 Reg.nr.: 01-2119489410-39-xxxx	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N- (C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts Alternative CAS number: 61789-40-0	1-<4%
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
amphoteric surfactants, phosphor	ates	<5%

## SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. **After swallowing:** 

Rinse out mouth and then drink plenty of water.

Induce vomiting only, if affected person is fully conscious.

Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with the eyes and skin.

For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



Printing date 17.09.2024

## Safety data sheet according to UK REACH

Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

(Contd. of page 2)

#### Trade name: SONAX XTREME Wheel Cleaner "full effect"

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Use only in well ventilated areas. **Information about fire - and explosion protection:** No special measures required. Use fire extinguishing methods suitable to surrounding conditions.

7.2 Conditions for safe storage, including any incompatibilities Storage:

**Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground. Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs	S		
CAS: 3	367-51-1	1 sc	odium mercaptoacetate solution (46%)
Derma	I DNI	EL	2.06 mg/kg (wls)
Inhalat	tive DNI	EL	1.41 mg/kg (wls)
CAS: 1	147170-	44-	3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
Oral	DN	EL	7.5 mg/kg (consumer) (longterm systematic effects)
Derma	I DNI	EL	7.5 mg/kg (consumer) (longterm systematic effects)
			12.5 mg/kg (worker) (longterm systematic effects)
Inhalat	tive DNI	EL	44 mg/m³ (worker) (longterm systematic effects)
PNECs	S		
CAS: 3	367-51-1	1 sc	odium mercaptoacetate solution (46%)
PNEC	0.038 r	ng/	I (freshwater (Süßwasser))
	0.0038	тg	g/l (water (sea water))
CAS: 1	147170-	44-	3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
PNEC	3,000 n	ng/	1 (STP)
	0.0135	тg	g/l (water (fresh water))
	0.0013	5 m	ng/l (water (sea water))
L			(Contd. on page 4)

– GB



Printing date 17.09.2024

Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

## Trade name: SONAX XTREME Wheel Cleaner "full effect"

DNEC	(Contd. of pa
	1 mg/kg (sediment (fresh water))
	0.1 mg/kg (sediment (sea water))
	0.8 mg/kg (soil)
Additic	onal information: The lists valid during the making were used as basis.
8.2 Exp	posure controls
Suitabl	le technical control devices
	good ventilation. This can be achieved by localised extraction or general ventilation. If this is not nt to keep the concentration below the occupational exposure limit, suitable breathing protection is to
	ual protection measures, such as personal protective equipment
Gener:	al protective and hygienic measures:
	ual precautionary measures are to be adhered to when handling chemicals.
	ands before breaks and at the end of work.
Кеер а	way from foodstuffs, beverages and feed.
	atory protection:
	uired in normal cases
	good ventilation/exhaustion at the workplace.
	rotection Protective gloves
Materia	al of gloves
	ubber, NBR
Recom	mended thickness of the material: $\geq$ 0.4 mm
[EN 374	4]
	ation time of glove material
	or the permeation: Level 6 (≥480min)
	termined penetration times according to EN 16523-1:2015 are not performed under practical
conditic	ons. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is
recomn	
Evo/far	ce protection Not required in normal cases

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	colourless - light red
Odour:	Fruit-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	100 °C (CAS: 7732-18-5 water)
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	5-5.5
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water)
Density and/or relative density	
Density at 20 °C:	1.04-1.05 g/cm <sup>3</sup>
Vapour density	Not determined.
	(Contd. on page 5)

— GB -



Printing date 17.09.2024

Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

Trade name: SONAX XTREME Wheel Cleaner "full effect"

	(Contd. of pag
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	asses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

#### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Oral ATE >5,000 mg/kg (Additivity formula)

Dermal ATE >5,000 mg/kg (Additivity formula)

CAS: 367-51-1 sodium mercaptoacetate solution (46%)

Oral LD50 >300 mg/kg (rat) (OECD 423 (Conc. 46%))

Dermal LD50 1,000-2,000 mg/kg (rat) (OECD 402 (Conc. 98%))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 17.09.2024

#### Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

## Trade name: SONAX XTREME Wheel Cleaner "full effect"

(Contd. of page 5)
<b>Respiratory or skin sensitisation</b> Result: Causes no sensitization Species: mouse Method: OECD 429 Contains Sodium mercaptoacetate. May produce an allergic reaction. Based on available data, the classification criteria are not met.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.
None of the ingredients is listed.

## SECTION 12: Ecological information

12.1 Tox	icity There are no ecotoxicological data available on this mixture.
Aquatic	oxicity:
CAS: 367	7-51-1 sodium mercaptoacetate solution (46%)
LC50/96	h >100 mg/l (Oncorhynchus mykiss) (OECD 203 (Subs. thioglycolic acid))
LC50 / 48	h 880 mg/l (Leuciscus idus) (DIN 38412 / 15 (Subs. thioglycolic acid))
EC50 / 48	38 mg/l (Daphnia magna) (84/449/EWG (Subs. thioglycolic acid))
EC50 / 72	2h 13 mg/l (Pseudokirchneriella subcapitata) (OECD 201 (Subs. thioglycolic acid))
CAS: 147	170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even
	numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts
LC 50	>1-10 mg/l (Pimephales promelas) (OECD 203)
EC0	>100 mg/l (Pseudomonas putida) (OECD 209)
EC50	>1-10 mg/l (Daphnia magna) (OECD 202)
	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC	≤1 mg/l (Oncorhynchus mykiss) (OECD210)
	≤1 mg/l (Daphnia magna) (OECD 211)
The surfa	sistence and degradability ce-active substances contained in the product meet the requirement of the EU Detregent Regulation (2004 ) for ultimate biodegradability for surfactants in detergents.
CAS: 367	-51-1 sodium mercaptoacetate solution (46%)
Biodegra	dation 67 % (28d OECD 301d (thioglycolic acid))
12.3 Bioa	accumulative potential
	7-51-1 sodium mercaptoacetate solution (46%)
log POW	>2.99 (20°C OECD 107 (thioglycolic acid))
12.5 Res PBT:	<b>lity in soil</b> No further relevant information available. <b>ults of PBT and vPvB assessment</b> to information provided in the supply chain, the mix conatins less than 0.1% of any substances as PBT
<b>vPvB:</b> According classified	g to information provided in the supply chain, the mix conatins less than 0.1% of any substances as vPvB (Contd. on page 7)



Printing date 17.09.2024

## Safety data sheet according to UK REACH

Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

(Contd. of page 6)

#### Trade name: SONAX XTREME Wheel Cleaner "full effect"

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

#### Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	r Not applicable.
UN "Model Regulation":	Void

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) not subject to Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing

under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)

GB -



Printing date 17.09.2024

#### Version: 10.00 (replaces version 9.01)

Revision: 15.07.2024

(Contd. of page 7)

#### Trade name: SONAX XTREME Wheel Cleaner "full effect"

National regulations:

#### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. **Relevant phrases** H302 Harmful if swallowed.

#### H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. Date of previous version: 04.10.2023 Version number of previous version: 9.01 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

GВ・