

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** SONAX AGRO Active Cleaner Alkaline**Article number:**

07261410, 07265000, 07267050

**UFI:** V504-10UD-G00U-C16J**1.2 Relevant identified uses of the substance or mixture and uses advised against****Application of the substance / the mixture**

Alkaline cleaner/ detergent

Detergents

Professional uses

**Uses advised against** Do not use for private purposes (household).**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

**Further information obtainable from:**

Product safety

E-mail: [erp@sonax.de](mailto:erp@sonax.de)

Phone: + +49 (0) 8431 53 217

**United Kingdom:**

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: [info@aaoil.co.uk](mailto:info@aaoil.co.uk)**1.4 Emergency telephone number:****European Union:** +49 (0) 89 19240 (Poison Centre Munich)**United Kingdom:** 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms**

GHS05

**Signal word** Danger**Hazard-determining components of labelling:**

potassium hydroxide

**Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

##### PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

##### vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

#### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Description:** Aqueous tenside solution.

#### Dangerous components:

CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	alcohols, C12-14, ethoxylated, sulfates, sodium salts ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	3-<5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium-p-cumene sulphonate Alternative CAS numbers: 28348-53-0, 32073-22-6 ☠ Eye Irrit. 2, H319	3-<5%
CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33-xxxx	potassium hydroxide ☠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; ☠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	3-<5%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol ☠ Eye Irrit. 2, H319	1-<3%
CAS: 577-11-7 EINECS: 209-406-4 Reg.nr.: 01-2119491296-29-xxxx	Sodium diisooctyl sulphosuccinate ☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315	1-<3%

#### Regulation (EC) No 648/2004 on detergents / Labelling for contents

phosphates, anionic surfactants

<5%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.

Take affected persons out of danger area and lay down.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 2)

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.

**After eye contact:**

Rinse opened eye for several minutes under running water.  
Seek immediate medical advice.

**After swallowing:**

Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Eye irritation / Eye damage  
Caustic effect on skin and mucous membranes.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters****Protective equipment:**

The normal measures for firefighting are to be taken.  
Wear fully protective suit.  
Do not enter the hazardous area without a self-contained breathing apparatus.  
See Section 8 for information on personal protection equipment.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation

**For non-emergency personnel**

Wear protective clothing.  
Avoid contact with the eyes and skin.  
The usual precautionary measures are to be adhered to when handling chemicals.

**For emergency responders** Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.  
Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Use only in well ventilated areas.  
Open and handle receptacle with care.  
**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:**

**Requirements to be met by storerooms and receptacles:** Provide alkali-resistant floor.

**Information about storage in one common storage facility:**

Store away from foodstuffs.  
Store away from metals.

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 3)

Observe local/state/federal regulations.

**Further information about storage conditions:**

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: 20 °C.

Protect from heat and direct sunlight.

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 1310-58-3 potassium hydroxide**

WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>

OEL (Ireland) Short-term value: 2 mg/m<sup>3</sup>

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

WEL (Great Britain) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

IOELV (EU) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

OEL (Ireland) Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm

Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

IOELV

**Regulatory information**

WEL (Great Britain): EH40/2020

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

IOELV (EU): (EU) 2019/1831

**DNELs**

**CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Oral DNEL 15 mg/kg (VL)

Dermal DNEL 1,650 mg/kg (VL)

2,750 mg/kg (worker long-term)

Inhalative DNEL 52 mg/m<sup>3</sup> (VL)

DNEL 175 mg/m<sup>3</sup> (worker long-term)

**CAS: 15763-76-5 sodium-p-cumene sulphonate**

Oral DNEL 3.8 mg/kg bw/day (consumer) (longterm systematic effects)

Dermal DNEL 3.8 mg/kg bw/day (consumer) (longterm systematic effects)

7.6 mg/kg bw/day (worker) (longterm systematic effects)

Inhalative DNEL 13.2 mg/m<sup>3</sup> (consumer) (longterm systematic effects)

53.6 mg/m<sup>3</sup> (worker) (longterm systematic effects)

**CAS: 1310-58-3 potassium hydroxide**

Inhalative DNEL 1 mg/m<sup>3</sup> (consumer) (long-term/local effects)

DNEL 1 mg/m<sup>3</sup> (worker) (long-term/local effects)

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

Oral DNEL 5 mg/kg bw/day (consumer) (chronic systemic effect)

Dermal DNEL 83 mg/bw/day (worker) (chronic systemic effect)

DNEL 50 mg/kg bw/day (consumer) (chronic systemic effect)

Inhalative DNEL 67.5 mg/m<sup>3</sup> (worker) (chronic systemic effect)

DNEL 67.5 mg/m<sup>3</sup> (worker) (chronic locale effects)

DNEL 40.5 mg/m<sup>3</sup> (consumer) (chronic systemic effect)

DNEL 40.5 mg/m<sup>3</sup> (consumer) (chronic locale effects)

**CAS: 577-11-7 Sodium diisooctyl sulphosuccinate**

Oral DNEL 17.86 mg/kg (vls)

Dermal DNEL 267.86 mg/kg bw/day (wls)

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 4)

Inhalative	DNEL	160.71 mg/kg (vls)
	DNEL	1,889.1 mg/m <sup>3</sup> (wls)
	DNEL	559.01 mg/m <sup>3</sup> (vls)
<b>PNECs</b>		
<b>CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>		
PNEC	10,000 mg/l (sewage plant)	
	0.24 mg/l (water (fresh water))	
	0.024 mg/l (water (sea water))	
PNEC	7.5 mg/kg (gro)	
	0.9168 mg/kg (sediment (fresh water))	
	0.09168 mg/kg (sediment (sea water))	
<b>CAS: 112-34-5 2-(2-butoxyethoxy)ethanol</b>		
PNEC	200 mg/l (STP)	
	11 mg/l (water)	
	1.1 mg/l (water (fresh water))	
	0.11 mg/l (water (sea water))	
PNEC	4.4 mg/kg (sediment (fresh water))	
	0.44 mg/kg (sediment (sea water))	
	0.32 mg/kg (soil)	
	56 mg/kg (water)	
<b>CAS: 577-11-7 Sodium diisooctyl sulposuccinate</b>		
PNEC	12.2 mg/l (sewage plant)	
	0.18 mg/l (water (fresh water))	
	0.018 mg/l (water (sea water))	
PNEC	17.789 mg/kg (sediment (fresh water))	
	1.779 mg/kg (sediment (sea water))	
	1.04 mg/kg (soil)	

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls****Suitable technical control devices**

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

**Respiratory protection:**

If the occupational exposure limit is exceeded:

The following breathing protection is recommended:

Filter P2

Filter P3

[DIN EN 14387]

**Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

[EN 374]

**Penetration time of glove material** Value for the permeation: Level 6 ( $\geq 480$ min)

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

**Eye/face protection**

(Contd. of page 5)



Tightly sealed goggles

[EN 166]

**Body protection:** Alkaline resistant protective clothing

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

Colourless

**Odour:**

soap scent

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

Undetermined.

**Flammability**

Product is not flammable.

**Lower and upper explosion limit****Lower:**

Not applicable

**Upper:**

Not applicable

**Flash point:**

Not applicable.

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

12.5-13.5

**Viscosity:****Kinematic viscosity at 40 °C**<20.5 mm<sup>2</sup>/s**Solubility****water:**

Fully miscible.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure:**

Not determined.

**Density and/or relative density****Density at 20 °C:**1.12-1.14 g/cm<sup>3</sup>**Vapour density**

Not determined.

**9.2 Other information****Appearance:****Form:**

Fluid

**Important information on protection of health and environment, and on safety.****Ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product does not present an explosion hazard.

**Change in condition****Evaporation rate**

Not determined.

**Information with regard to physical hazard classes****Explosives**

Void

**Flammable gases**

Void

**Aerosols**

Void

**Oxidising gases**

Void

**Gases under pressure**

Void

**Flammable liquids**

Void

**Flammable solids**

Void

**Self-reactive substances and mixtures**

Void

**Pyrophoric liquids**

Void

**Pyrophoric solids**

Void

**Self-heating substances and mixtures**

Void

**Substances and mixtures, which emit flammable****gases in contact with water**

Void

**Oxidising liquids**

Void

**Oxidising solids**

Void

**Organic peroxides**

Void

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 6)

**Corrosive to metals**

May be corrosive to metals.

**Desensitised explosives**

Void

**SECTION 10: Stability and reactivity****10.1 Reactivity** No dangerous reactions known.**10.2 Chemical stability** Stable under normal conditions.**10.3 Possibility of hazardous reactions** Exothermic reaction with strong acids**10.4 Conditions to avoid** See Section 7 for information on safe handling.**10.5 Incompatible materials:** acids**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD 50 &gt;5,000 mg/kg (rat)

**CAS: 15763-76-5 sodium-p-cumene sulphonate**

Oral LD50 &gt;7,000 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rat)

**CAS: 1310-58-3 potassium hydroxide**

Oral LD50 333 mg/kg (rat)

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

Oral LD50 2,410 mg/kg (mouse) (ECHA)

Dermal LD50 2,764 mg/kg (rabbit) (ECHA)

**CAS: 577-11-7 Sodium diisooctyl sulphosuccinate**

Oral LD50 &gt;2,100 mg/kg (rat)

Dermal LD50 &gt;10,000 mg/kg (rat)

**Skin corrosion/irritation** Causes severe skin burns and eye damage.**Serious eye damage/irritation** Causes serious eye damage.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity****CAS: 15763-76-5 sodium-p-cumene sulphonate**

Oral NOAEL &gt;936 mg/kg (rat)

NOAEL 90-92d &gt;440 mg/kg/d (OECD 411 Subchronic Dermal Toxicity: 90-day Study)

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

Oral NOAEL 250 mg/kg (rat) (ECHA)

Inhalative NOAEC 0.094 mg/m<sup>3</sup> (Ratte) (OECD 413)

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 7)

**11.2 Information on other hazards****Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

**Aquatic toxicity:****CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

LC 50	>10-100 mg/l (Leuciscus idus)
EC0	>100 mg/l (Pseudomonas putida)
EC50	>100 mg/l (Scenedesmus subspicatus)
	>10-100 mg/l (Daphnia magna)
NOEC	>1-10 mg/l (Leuciscus idus)
	>0.1-1 mg/l (Daphnia magna)

**CAS: 15763-76-5 sodium-p-cumene sulphonate**

LC50 / 96h	>1,000 mg/l (fish) (EPA OPPTS EPA OTS 797)
EC50/3h	>1,000 mg/l (bacteria) (OECD 209)
EC50 / 48h	>1,000 mg/l (Daphnia magna) (EPA OPPTS EPA OTS 797)
	>100 mg/l (daphnia) (OECD 202)
EC50 / 96 h	>230 mg/l (algae) (EPA OPPTS EPA OTS 797)
NOEC 96h	31 mg/l (algae) (EPA OPPTS)

**CAS: 1310-58-3 potassium hydroxide**

LC50 / 96h	80 mg/l (Gambusia affinis)
LC50 / 24h	165 mg/l (Poecilla reticulata)
EC 50/15 min	22 mg/l (Photobacterium phosphoreum)

**CAS: 112-34-5 2-(2-butoxyethoxy)ethanol**

LC50 / 96h	1,300 mg/l (Lepomis macrochirus) (OECD 203)
EC50 / 48h	>100 mg/l (Daphnia magna) (ECHA)
ErC50	1,101 mg/l (Pseudokirchneriella subcapitata) (ECHA)

**CAS: 577-11-7 Sodium diisooctyl sulphosuccinate**

LC50 / 96h	49 mg/l (Danio rerio)
EC50 / 48h	15.2 mg/l (Daphnia magna)
EC50 / 72h	82.5 mg/l (algae)

**12.2 Persistence and degradability**

The surface-active substances contained in the product meet the requirement of the EU Detergent Regulation ( EC/648/2004 ) for ultimate biodegradability for surfactants in detergents.

**CAS: 15763-76-5 sodium-p-cumene sulphonate**

Biodegradation	60-100 % (OECD 301 B Ready Biodegradability - CO2 Evolution)
----------------	--

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment****PBT:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

**vPvB:**

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB

**12.6 Endocrine disrupting properties**

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 8)

### 12.7 Other adverse effects

#### Additional ecological information:

#### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

20 01 29*	detergents containing hazardous substances
HP4	Irritant - skin irritation and eye damage

#### Uncleaned packaging:

15 01 10\*: packaging containing residues of or contaminated by dangerous substances

**Recommendation:** Packaging may be reused or recycled after cleaning.

**Recommended cleansing agents:** Water

## SECTION 14: Transport information

### 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

UN1719

### 14.2 UN proper shipping name ADR/RID/ADN

1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, N,N-BIS(CARBOXYMETHYL)-ALANINE, TRISODIUM SALT)

### IMDG, IATA

CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, N,N-BIS(CARBOXYMETHYL)-ALANINE, TRISODIUM SALT)

### 14.3 Transport hazard class(es)

#### ADR/RID/ADN



Class  
Label

8 (C5) Corrosive substances.  
8

#### IMDG, IATA



Class  
Label

8 Corrosive substances.  
8

### 14.4 Packing group ADR/RID/ADN, IMDG, IATA

III

### 14.5 Environmental hazards:

#### Marine pollutant:

No

### 14.6 Special precautions for user

Warning: Corrosive substances.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 9)

**Transport/Additional information:****ADR/RID/ADN**

<b>Limited quantities (LQ)</b>	5L
<b>Transport category</b>	3
<b>Tunnel restriction code</b>	E

**UN "Model Regulation":**

UN 1719 CAUSTIC ALKALI LIQUID, N.O.S.  
(POTASSIUM HYDROXIDE, N,N-  
BIS(CARBOXYMETHYL)-ALANINE, TRISODIUM SALT),  
8, III

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**European Directives:**

Directive 2010/75/EU (VOC) not subject to  
Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to  
REGULATION (EU) 2019/1148

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**National regulations:****Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008**

Corrosive to metals	Bridging principles
Skin corrosion/irritation Serious eye damage/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Date of previous version:** 25.05.2022**Version number of previous version:** 4.00**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

GB

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 15.12.2023

Version: 5.00 (replaces version 4.00)

Revision: 24.06.2022

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
IOELV = indicative occupational exposure limit values  
Met. Corr. 1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3  
**\* Data compared to the previous version altered.**

GB